



Polaris Web Admin Tool (Language Editor) Guide

7.6

© 2024

Legal Notices

© Innovative (Part of Clarivate) and/or its affiliates. All rights reserved. All trademarks shown are the property of their respective owners.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

The software and related documentation are provided under an agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of the software, unless required by law for interoperability, is prohibited.

Contents

Customizing Language Strings with the Polaris Web Admin Tool	1
Requirements	2
Comparing and Editing Language Strings	3
Adding Language Strings	7
Importing Language Strings	8
Exporting Language Strings	10
PAC Tools	11
Identifying Polaris PowerPAC Language Strings by ID	11
Reload a PAC Application	13
Compile Custom CSS	14
Polaris Application Services Strings Reference	16
Polaris Application Services Strings Reference (continued)	99
Polaris ExpressCheck Strings Reference	159
Polaris MobilePAC Strings Reference	160
Polaris Notice Strings Reference	161
Polaris PowerPAC Strings Reference	182
Polaris Fusion Strings Reference	185
Inbound Telephony Strings Reference	191
Outbound Telephony Strings Reference	206
Polaris Receipt Strings Reference	215
Polaris ContentXChange Strings Reference	217
Leap (Staff Web Client) Strings	220

Customizing Language Strings with the Polaris Web Admin Tool

The Polaris Web Admin Tool is a web-based tool you can use to customize English and other licensed language strings in many parts of Polaris, including the following:

- Polaris PowerPAC, including Community Profiles information displayed in PAC
- Polaris ExpressCheck
- Polaris MobilePAC
- Notices (print, email, and text message)
- Outbound telephony (telephone notices)
- Inbound telephony (Polaris Phone Attendant)
- PAC search results labels (ERMSPortal)
- PAC interlibrary loan (ILL) messages
- eReceipts
- Polaris Fusion
- ContentXChange
- Staff Web client (Leap)
- Staff client (missing part messages)

You can compare, add, edit, and distribute language strings easily, without editing individual files.

You can add or customize language strings at the system, library, and branch levels. Branch settings override library settings; settings made at the library level override system-level settings.

The Web Admin Tool also provides tools specifically for PAC applications, including a language string identifier for PowerPAC and a Reload tool to clear page caches and reload Polaris PowerPAC, Polaris PowerPAC Children's Edition, and MobilePAC pages.

Note: The Polaris Web Admin Tool also provides a tab for PAPI Key Management, where you can enter and edit access keys for the Polaris

API. For more information, see the "*Polaris Application Programming Interface (PAPI) Reference*".

See also

- [Comparing and Editing Language Strings](#)
- [Adding Language Strings](#)
- [Importing Language Strings](#)
- [Exporting Language Strings](#)

Requirements

The Polaris Web Admin Tool is automatically installed when you install Polaris Web Server software. In Polaris Administration, the server record must have a web connection defined, and a value defined for the PAC parameter **URL of the Mobile PAC's root** or **URL of the PowerPAC's root**.


The server must be registered as a workstation in Polaris Administration, and both the workstation and staff user must have the permission **WebAdmin access: Allow**. In Polaris Administration, this permission is available at the system level under the System Administration security node. For more information about registering workstations and setting Polaris permissions, see Polaris staff client online Help.

You must supply your Polaris username, password, and domain to log in to the Web Admin Tool.

Comparing and Editing Language Strings

To compare and edit language strings for any product

1. Open your web browser and navigate to the Web Admin Tool site on your server. The Log On page opens.
2. Type your username and password, and click **OK**. The Language Editor opens and the Edit page appears.



The screenshot shows the 'Edit Tool' page in the Polaris Web Admin Tool. The page has a dark blue header with the 'polaris' logo and navigation tabs for 'Language Tools', 'PAC Tools', 'PAPI Key Management', and 'Help'. Below the header is a sub-header with buttons for 'Edit', 'Add', 'Import', 'Export', and 'Log Off'. The main content area is titled 'Edit Tool' and contains two sections: 'Language Options' and 'Limit Options'. The 'Language Options' section includes dropdown menus for 'Product' (set to 'PowerPAC'), 'Organization' (set to 'System: QA-RIGEL'), 'Language 1' (set to 'English - United States'), and 'Language 2' (set to 'English - United States'). There is also a 'Reset All Custom Strings' button with a 'Reset' sub-button. The 'Limit Options' section includes text input fields for 'Specific string ID:' and 'String contains:', a checkbox for 'Only show customized strings', and a 'Load Strings' button.

3. In the **Product** box, select the Polaris product:
 - PowerPAC
 - ExpressCheck
 - Inbound Telephony
 - Outbound Telephony
 - Notices
 - ILL (interlibrary loan and request messages that appear in PAC)
 - Polaris Fusion
 - MobilePAC
 - ERMSPortal (contains labels for elements in PowerPAC, MobilePAC, and Community Information search results)

- Receipts (email and text message receipt content)
- ContentXChange
- Staff Web Client (Leap)
- Staff Client (missing part messages)

Note: If a product is not licensed, no additional options are available.

4. Select the organization for which you are making the modification. You can edit language strings at the system, library, or branch level.
5. Select languages to compare and edit.

Only licensed languages are available for selection. Select two languages (for example, English and Spanish) to compare the equivalent strings side-by-side. If you want to edit only one language (for example, English), set both languages to English.


6. (Optional) To limit the language strings that appear, select one of the following options:


- **Specific string ID** - Each language string is identified by a unique identification code (string ID). If you want to display a specific language string and you know the code, enter it here. See also:
 - String IDs for PowerPAC - [Identifying Polaris PowerPAC Language Strings by ID](#)


Note: Certain PAC messages related to hold requests are not automatically listed. To list these messages, select the ILL “product” and type a portion of the message text in the String contains box. To edit labels for elements in PAC brief and full search results, select the ERMSPortal “product.”



- String IDs for notices and related reports - [Polaris Notice Strings Reference](#)
- String IDs for outbound telephony - [Outbound Telephony Strings Reference](#)
- String IDs for inbound telephony - [Inbound Telephony Strings Reference](#)
- String IDs for eReceipts - [Polaris Receipt Strings Reference](#)

- String IDs for eReceipts - [Polaris Receipt Strings Reference](#)
 - String IDs for Community Profiles displayed in PowerPAC - [Identifying Polaris PowerPAC Language Strings by ID](#)
 - String IDs for ContentXChange content displayed on community organization web site - [Polaris ContentXChange Strings Reference](#)
 - String IDs for Polaris Fusion - [Polaris Fusion Strings Reference](#)
 - String IDs for Staff Web Client (Leap) - [Staff Web Client \(Leap\) Strings](#)
 - **String contains** - You can display language strings that contain specific text. Enter the text here.
 - **Only show customized language strings** - Check this box to limit the list to strings that have already been customized.
7. Click **Load Strings**. The strings appear in a table with the first language on the left and the equivalent string in the second language on the right. The string ID appears above each string for both languages.





8. Click  to edit a string. (If you are editing two languages, you edit each language separately.) The custom box for the string appears.



9. Type your custom text in the **Custom** box, and click  to save your changes. (You can click  to restore the default value.)

Important: Variables supplied by the system from the database, such as specific dates, titles, and authors, are represented by a percent sign and a character in the language string. For example, %s. Do not edit these characters.

After you save your custom text, the string is labeled **Custom:** and the custom text appears in a different color.

You can click  to open the custom box again, or click  to restore the default value.

Note: To restore all custom strings to their default values, click **Reset All Custom Strings** at the top of the page. If the system organization is selected in the **Organization** box, you will remove all inherited customizations for libraries and branches. If a library or branch organization is selected, only the customizations made at that level are reset.

10. If you have been working with PowerPAC strings, reload the page cache. See [Reload a PAC Application](#).

Adding Language Strings

You can add your own language strings to a product instead of replacing default strings. When you add a string, it is added to all licensed languages for the selected product at the system level. You can edit each organization and each language as needed.


Note: You will also need to customize product pages or code to incorporate your new language string IDs.

To add language strings

1. Log on to the Web Admin Tool.
2. Click **Add** on the Language Tools tabbed page.
3. Select a product in the **Product** box.

Note: If a product is not licensed, no additional options are available.

4. Type a unique ID for the string in the **ID** box.
5. Type the text for the new string in the **Value** box.
6. Click **Add String**. The string is added to all licensed languages for the selected product. You can customize the string for each language using options on the Edit tabbed page.

Note: On the Edit tabbed page, if you click  by the added string, the string is deleted from all languages. This ensures that the languages have an equal set of strings.

7. Click **Log Off** to end the current session.

See also

- [Comparing and Editing Language Strings](#)

Importing Language Strings

You can import custom strings into the database from an XML file for use in a licensed language in Polaris PowerPAC and Polaris ExpressCheck. The file must be set up in the same format as the default PowerPAC and ExpressCheck XML language files. Each supported language is identified by a **langid** code as follows:

- English - 1033
- Korean - 1042
- Polish - 1045
- Russian - 1049
- Farsi - 1065
- Vietnamese - 1066
- Hindi - 1081
- Hawaiian - 1141
- Chinese - 2052
- Spanish - 3082
- French - 3084
- Arabic - 12289
- Haitian Creole - 15372

Example (Language 1066=Vietnamese):

```
<?xml version="1.0" encoding="utf-8" ?>
  <polarisstrings>
    <strings langid="1066">
      <string strid="PACML_SEARCHOPTIONS_XSL_
1689"><![CDATA[custom string text
]]></string>
      <string strid="PACML_SEARCHOPTIONS_XSL_
1690"><![CDATA[custom string text
]]></string>
    </strings>
```

```
</polarisstrings>
```

Note: Unlike **Add**, this method adds custom strings only to the language specified in the imported XML file, not to every language file.

To import language strings

1. Log on to the Web Admin Tool.
2. Click **Import** on the Language Tools tabbed page.
3. Select a product in the **Product** box.
4. Select the organization for which you are importing the text.

You can import language strings at the system, library, or branch level.

5. Type the path and filename for your file in the **File** box, or click **Browse** and browse to and select the file.
6. Click **Import XML**.

The file is imported and your custom strings are added to the language specified in the file.

7. Click **Log Off** to end the current session.

Exporting Language Strings

To export language strings to an XML file

1. Log on to the Web Admin Tool.
2. Click **Export** on the Language Tools tabbed page.
3. Select a product in the **Product** box.
4. Select the language to export.
5. Select the organization whose language strings you wish to export.
6. Select an exporting option:
 - **Export current values** - Exports the current values for the specified product, language, and organization, including any customized strings.
 - **Export custom values** - Exports only the customized strings set for the organization.
 - **Export default Polaris values** - Export the default language strings that are stored in the default database table; does not include any customized strings.
7. Click **Export XML**. The File Download dialog box appears.
8. Click **Save** in the dialog box and specify a location for the exported file.

PAC Tools

The Polaris Web Admin Tool provides tools specifically for the PAC applications Polaris PowerPAC and Polaris MobilePAC. These include a language string identifier for PowerPAC and a Reload tool to clear the PowerPAC or MobilePAC cache and reload the appropriate application pages. (When you reload PowerPAC pages, Polaris PowerPAC Children’s Edition pages are also reloaded.)

Identifying Polaris PowerPAC Language Strings by ID

This tool identifies PowerPAC language strings by their unique IDs. You can use this information to find and customize specific strings in context (see [Comparing and Editing Language Strings](#)).

To display the string IDs in PowerPAC

Important: This utility starts a live PowerPAC session for the purpose of identifying language strings within the PowerPAC context. However, certain PowerPAC features may not function correctly within the Web Admin Tool. To test and use PowerPAC, reload PowerPAC after making your language string changes. See [Reload a PAC Application](#). Then log off the Web Admin Tool and connect to PowerPAC.

1. Log on to the Web Admin Tool, and click the **PAC Tools** tab.
2. Click **Identify String**.
3. Click **Begin session**. PowerPAC opens in the Web Admin Tool window. Default language strings are marked with orange brackets. Language strings that have been customized are marked with green brackets.


Note: Some strings may appear above the page. These contain the RSS information in the page header and are not visible to the PowerPAC user.



4. In the **Switch to another branch** box, select the organization whose strings you want to display.
5. Select the language from the list in the PowerPAC dashboard.
6. Hover the cursor over any of the highlighted brackets to show the string ID in a tool tip.
7. To customize a string, click a highlighted bracket to open the editor for that string. The Web Admin (Language Editor) Edit page opens with the organization and language already selected to match your PowerPAC choices. The selected string is listed in the edit table.

Note: You can click **Open all strings in Language Editor** to open all the strings on the current PowerPAC page.

8. Edit the string as appropriate. See [Comparing and Editing Language Strings](#).

Note: You may have to scroll the screen to the far right to see the edit icon. 

9. Select **PowerPAC Tools > Identify Strings**, and click **End Session**.

Important: The PowerPAC session is live. If you do not select **End Session**, the colored brackets will continue to be visible to PowerPAC users.

10. Clear the PowerPAC page cache and reload PowerPAC. See [Reload a PAC Application](#).

Reload a PAC Application

When you change PowerPAC, PowerPAC Children’s Edition, or MobilePAC settings in Polaris Administration, or customize language strings with the Web Admin Tool, you must update page caches to see the effects of your changes. Most cached information is stored at the application level on the specified Web server. You update that information with the Reload feature in the Web Admin Tool. Follow these steps to clear the page cache and reload PowerPAC and PowerPAC Children’s Edition or MobilePAC on a specified server. (When you reload PowerPAC pages, PowerPAC Children’s Edition pages are also reloaded.)

Note: Some information is stored at the session level (one session for each client browser currently connected to the PAC application), and you cannot reload each session’s cached data for security reasons. In these cases, restart the Internet Information Server (IIS) to clear the cache and load any pages that have been changed. You may also need to close and re-open browsers.

To reload a PAC application

1. Log on to the Web Admin Tool, and click the **PAC Tools** tab.
2. Click the appropriate Server/Application link for each application instance you want to reload. The links are listed by the PAC root URLs as defined for each server in Polaris Administration.

After a few moments, a confirmation message appears in the Status column.

3. Click **Log Off** to end the current session.

Compile Custom CSS

This option allows libraries without direct access to the PowerPAC server to compile custom CSS for custom themes. It is found under **PAC Tools > Compile CSS**:



When a site has at least one custom theme, a table similar to the PAC reload appears:

Reload Compile CSS Identify String Log Off		
Compile CSS		
PowerPAC Server	Custom Theme	Status
https://rd-polaris.polarislibrary.com/polaris/	Compile 'MVLS' theme	Theme not yet compiled
	Compile 'BCPL' theme	Theme not yet compiled
	Compile 'Rube' theme	Theme last compiled: 1/24/2019 3:34 PM
http://rubenau-It.iii.com/polaris	Compile 'MVLS' theme	Theme not yet compiled
	Compile 'BCPL' theme	Theme not yet compiled
	Compile 'Rube' theme	Theme not yet compiled

The table contains:

- PowerPAC Server - the names of the servers on which the custom themes are compiled.
- Custom Theme - the name of each custom theme found on the server. The name is clickable and executes the compile/recompile action on click.
- Status
 - Last date/time the theme compiled successfully
 - Theme not yet compiled
 - Compiling
 - Compile failed with any error details

- o Compile successful

http://QA-Polaris.polarislibrary.com/polaris/	Compile 'MVLS' theme	Theme last compiled: 4/24/2019 1:22 PM
	Compile 'BCPL' theme	Theme not yet compiled
	Compile 'Responsive Test' theme	Compiling ...

http://rubenau-It.iii.com/polaris	Compile 'MVLS' theme	Theme not yet compiled
	Compile 'BCPL' theme	Compile failed File: 'G:\Projects\Dev\Software\src\PowerPAC\custom\themes\bcpl\scss\style-bcpl.scss' not found on server
	Compile 'Rube' theme	Compile successful

When the site does not have custom themes, the following message appears:



To compile a custom theme, click the theme name in the table:

http://QA-Polaris.polarislibrary.com/polaris/	Compile 'MVLS' theme
	Compile 'BCPL' theme
	Compile 'Responsive Test' theme

When the compilation is complete, the results appear in the Status column.

Polaris Application Services Strings Reference

The following table lists Polaris Application Services strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

STRING IDENTIFIERS	DEFAULT MESSAGE
BULKERROR_ERRORRECORDSETOWNERIDISNULL	ErrorRecordSetOwnerID cannot be null.
BULKERROR_PROPERTYISINVALID	{0} is invalid.
BULKERROR_PROPERTYLENEXCEEDED	{0} length cannot exceed {1} characters.
PAS_ACKNOWLEDGEOTFCATALOGING	This item was created 'on the fly' and requires full cataloging.
PAS_ACQ_CHARGETYPE_INVALID	Invalid Header Charge Type.
PAS_ACQ_UPDATE_INFO_INVALID_MSG	Action blocked because of Update Info error.
PAS_ACQCHARGECATSERV	Cataloging services
PAS_ACQCHARGE CREDIT	Credit
PAS_ACQCHARGEOTHER	Other
PAS_ACQCHARGESERV	Service
PAS_ACQCHARGESHIP	Shipping
PAS_ACQCHARGESPECHAND	Special handling
PAS_ACTIONNOTALLOWEDONDELETEDITEM	The record status of this item is Deleted. Action cannot be taken on a Deleted item.
PAS_ACTIONNOTALLOWEDONITEM	Action cannot be taken on this item.
PAS_ACTIONNOTALLOWEDONPROVISIONALITEM	The record status of this item is Provisional. Action cannot be taken on a Pro-

STRING IDENTIFIERS	DEFAULT MESSAGE
	visional item.
PAS_ACTIVATIONDATEERROR	Activation date has to be greater than or equal to the current date.
PAS_ADDCREDITDATANULLERROR	addCreditData cannot be null
PAS_ADDFROMFILEREPORTDUPEBARCODES	The following barcodes were already in the record set, and were not added again:
PAS_ADDFROMFILEREPORTDUPEBARCODESINEXT	The following barcodes were listed more than once in the external file, and were added only once to the record set:
PAS_ADDFROMFILEREPORTDUPEPATRONS	The following PatronIDs were already in the record set, and were not added again:
PAS_ADDFROMFILEREPORTDUPEPATRONSINEXT	The following PatronIDs were listed more than once in the external file, and were added only once to the record set:
PAS_ADDFROMFILEREPORTNOMATCHINGITEMS	No matching item record was found for the following barcodes:
PAS_ADDFROMFILEREPORTNOMATCHINGPATRONS	No matching patron record was found for the following PatronIDs:
PAS_ADDITIONALTEXTPHONEMISSING	Additional TXT notice is checked. Please select a phone number to receive text messages.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ADDRESS_STREETONE_LENGTHINVALID	Street one length is invalid.
PAS_ADDRESS_STREETTHREE_LENGTHINVALID	Street three length is invalid.
PAS_ADDRESS_STREETTWO_LENGTHINVALID	Street two length is invalid.
PAS_ADDRESS_ZIPPLUSFOUR_LENGTHINVALID	Zip plus four length is invalid.
PAS_ADDRESSESINSERTFAILED	failed to insert entry in addresses table
PAS_ADDRESSLABELHOME	Home
PAS_ADDRESSMISSINGTITLE	No address entered
PAS_ADHOCBULKCHANGEREQUIRESLISTOFRECORDIDS	Ad-hoc bulk change requires list of record IDs.
PAS_ADHOCCHANGEREPORT_NAME	Ad Hoc bulk change; no record set selected
PAS_ADMINATTRIBUTE DOESNOTEXIST	Admin attribute for mnemonic '{0}' does not exist.
PAS_ALLDONORFIELDSREQUIRED	All donor fields must be supplied when DonorID is not supplied.
PAS_ALTEMAILFIELDNAME	Alt Email
PAS_AMOUNTLARGER THANOUTSTANDING	Changed amount should not be larger than the outstanding.
PAS_AMOUNTLESSTHAN	Please enter an amount less than {0}
PAS_AMOUNTRANGE	Please enter an amount between 0.01 and 2,000,000.00.
PAS_AMOUNTZEROERROR	Amount must be greater than zero.
PAS_ARG_INVALID	{0} ({1}) is invalid
PAS_ASSIGNEDBRANCHIDREQUIRED	AssignedBranchID is

STRING IDENTIFIERS	DEFAULT MESSAGE
	required.
PAS_ASSIGNEDBRANCHNOEXIST	Assigned branch does not exist.
PAS_ASSIGNEDBRANCHNOTBRANCHTYPEERROR	Assigned branch cannot be at the system or library level.
PAS_ASSIGNEDCOLLECTIONIDREQUIRED	AssignedCollectionID field must also be supplied when AssignedBranchID is provided.
PAS_ASSIGNEDCOLLECTIONNOEXIST	Assigned collection does not exist.
PAS_ASSIGNEDCOLLECTIONNOTALLOWED	Assigned collection not allowed for assigned branch.
PAS_ASSIGNEDHOMEBRANCHDIFFERENT	The Assigned Branch and Home Branch fields are different. If you want to make Assigned and Home branch the same, click Cancel to stop and re-set the values.
PAS ASSOCAUTHRECORDSETSIZEWARNING	The resulting authority record set named '{0}' will contain up to {1} records. {2}
PAS ASSOCBIBRECORDSETSIZEWARNING	The resulting bibliographic record set named '{0}' will contain up to {1} records. {2}
PAS_ASSOCIATEDBIBIDNOEXIST	Associated bib record {0} does not exist in database.
PAS_ASSOCIATEDBIBNOEXIST	Associated bib record does not exist.
PAS_ASSOCIATEDBIBRECORDIDREQUIRED	AssociatedBibRecordID is

STRING IDENTIFIERS	DEFAULT MESSAGE
	required.
PAS_ASSOCIATEDPATRONBLOCKDESC	Associated patron [{0}, {1}] is blocked: {2}.
PAS_ASSOCIATEDPATRONLISTINVALID	Associated patron list is invalid
PAS_ASSOCIATEDPATRONRECORDALREADYEXISTS	Associated patron record already exists with id {0}
PAS_ASSOCIATEDPATRONRECORDDOESNOTEXIST	Associated patron record does not exist with id {0}
PAS_ASSOCITEMRECORDSETSIZEWARNING	The resulting item record set named '{0}' will contain up to {1} records. {2}
PAS_ASSOCRECORDSETNAMEEXCEEDSLENGTH	Associated record set name cannot exceed 65 characters
PAS_ATTRIBUTEISNULL	{0} is null
PAS_AUTHCONTROLLER_AUTHDATAREQUIRED	Authentication data is required.
PAS_AUTHCONTROLLER_NOAUTHUSINGBEARERTOKEN	User has not been authenticated using bearer access token.
PAS_AUTHCONTROLLER_USERNOTAUTHENTICATED	User was not authenticated.
PAS_AUTHOR	Author
PAS_AUTHORITYIDINVALID	Authority ID is invalid
PAS_AUTHORITYLOCKED	Authority record {0} is locked by another user.
PAS_AUTHORITYLOCKEDBY	Authority record is locked by {0}.
PAS_AUTHORITYRECORDDELETEFAILED	Authority record {0} could not be deleted.
PAS_AUTHORITYRECORDDELETEFAILEDUNKNOWN	Authority record {0} could

STRING IDENTIFIERS	DEFAULT MESSAGE
	not be deleted. {1}
PAS_AUTHORITYRECORDDESC	authority record
PAS_AUTHORITYRECORDHEADINGDELETIONOPTIONS	Authority Record Heading Deletion Options
PAS_AUTHORITYRECORDLINKSBREAKABLE	Authority Record Links (Breakable)
PAS_AUTHORITYRECORDLINKSBREAKABLEMESSAGE	The following links will be broken if you continue deleting authority record [{0}]:
PAS_AUTHORITYRECORDLINKSUNBREAKABLE	Authority Record Links (Unbreakable)
PAS_AUTHORITYRECORDLINKSUNBREAKABLEMESSAGE	Deletion of authority record [{0}] is not possible due to the following unbreakable link(s):
PAS_AUTHORITYRECORDUNDELETEFAILED	Authority record {0} was not undeleted.
PAS_AUTHORITYRECORDUNDELETEFAILEDUNKNOWN	Authority record {0} was not undeleted. {1}
PAS_AUTHORITYRECSETSBARCODESNOTSUPPORTED	Authority Record Sets do not support barcode lists.
PAS_AUTHORLENGTHERROR	Author cannot exceed 255 characters
PAS_BARCODE	barcode
PAS_BARCODEASSIGNEDTOQUICKCIRC	Item barcode {0} is assigned to a quick-circ item.
PAS_BARCODECHANGEDCONTINUE	The barcode was changed. Do you want to continue saving?
PAS_BARCODECHANGENOTALLOWEDFORELECTRONICITEM	Changing the barcode is not allowed for electronic items.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BARCODECHANGENOTALLOWEDFOROUTITEM	Changing the barcode is not allowed for checked out items.
PAS_BARCODEDEFINEDFORPATRONSCONTINUE	This barcode format is defined for patron records. Do you want to use this barcode for this item?
PAS_BARCODEFOMRATINVALID	Invalid barcode type: {0}
PAS_BARCODEFORMATINVALID	Invalid barcode type:{0}
PAS_BARCODEFORMATUNEXPECTED	Unexpected barcode type: {0}
PAS_BARCODEINVALIDMAXLENGTH	A valid item barcode must be supplied. Maximum length is {0}
PAS_BARCODELABEL	Barcode:
PAS_BARCODENOTFOUND	Barcode: {0}
PAS_BARCODEUSEDFORPATRON	A patron record exists for this barcode.
PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATOR	Data Fields: Alt Indicator cannot be the same as the current Indicator
PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATOR_COMBINATION	Data Fields: If an indicator is being changed, it's value cannot be '*'
PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATOR_REQUIRED	Data Fields: At least one indicator must be changed
PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATORONE	Data Fields: Invalid Alternate Indicator One
PAS_BIBBULK_DATAFIELDS_INVALID_ALTINDICATORTWO	Data Fields: Invalid Alternate Indicator Two
PAS_BIBBULK_DATAFIELDS_INVALID_ALTTAGNUMBER	Data Fields: Alternate Tag Number cannot be less than 10 or greater than 999

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BIBBULK_DATAFIELDS_INVALID_CORRECTINDICATORS	Data Fields: Only one Correct non-filing indicator values (initial articles 'a', 'an' or 'the') operation can be submitted
PAS_BIBBULK_DATAFIELDS_INVALID_DESCRIPTION	Data Fields: Invalid Description
PAS_BIBBULK_DATAFIELDS_INVALID_INDICATORONE	Data Fields: Invalid Indicator One
PAS_BIBBULK_DATAFIELDS_INVALID_INDICATORTWO	Data Fields: Invalid Indicator Two
PAS_BIBBULK_DATAFIELDS_INVALID_OPERATIONID	Data Fields: Invalid OperationID
PAS_BIBBULK_DATAFIELDS_INVALID_OPERATIONID13TAGNUMBER	Data Fields: Invalid Tag Number for Operation ID 13
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELD_CHANGES	Data Fields: The number of Subfield Changes for each Data Field Change cannot be greater than 10 or less than 1
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDCHANGE	Data Fields: A Subfield Change is required for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDCHANGE_NOTALLOWED	Data Fields: Subfield changes are not allowed for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDATA	Data Fields: Subfield Data length cannot be greater than 4000
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_COUNT	Data Fields: Only 1 Subfield Change can be specified for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_SUBFIELDCODE	Data Fields: Subfield Code is required for Operation ID

STRING IDENTIFIERS	DEFAULT MESSAGE
	{0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_SUBFIELDDELETEDATA	Data Fields: Subfield Data is required for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETE_SUBFIELDDELETEDATAEMPTY	Data Fields: Subfield Data should be empty for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDDELETIONORDER	Data Fields: Subfield Execution Order {0} does not match any of the Data Field Changes Execution Orders
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDINSERTBEFOREAFTER	Data Fields: The specified Subfield Code insert before/after value must be the last subfield and have an empty Subfield Data value
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDREPLACE_COUNT	Data Fields: 2 Subfield Changes must be specified for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_SUBFIELDREPLACE_SUBFIELDORDER	Data Fields: Subfield Order can only be 1 and 2 for Operation ID {0}
PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER	Data Fields: Tag Number cannot be less than 10 or greater than 999
PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER_OPERATION_CHANGE	Data Fields: Tag Number changes are not allowed for Tag {0} New custom string
PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER_OPERATION_DELETE	Data Fields: Delete operations are not allowed for Tag {0}
PAS_BIBBULK_DATAFIELDS_INVALID_TAGNUMBER_SUBFIELDDELETE	Data Fields: Changes are not allowed for Tag {0} and

STRING IDENTIFIERS	DEFAULT MESSAGE
	Subfield Code \${1}
PAS_BIBBULK_FIELDLEVEL007_INVALIDFROMVALUE	Field Level 007: Invalid From value
PAS_BIBBULK_FIELDLEVEL007_INVALIDREDUCTIONRATIOFROMVALUE	Field Level 007: Invalid From value (Reduction Ratio)
PAS_BIBBULK_FIELDLEVEL007_INVALIDREDUCTIONRATIOTOVALUE	Field Level 007: Invalid To value (Reduction Ratio)
PAS_BIBBULK_FIELDLEVEL007_INVALIDTOVALUE	Field Level 007: Invalid To value
PAS_BIBBULK_FIELDLEVEL00X_INVALID_DESCRIPTION	Field Level {0}: Invalid Description
PAS_BIBBULK_FIELDLEVEL00X_INVALID_FIELDLENGTH	Field Level {0}: Invalid Field Length
PAS_BIBBULK_FIELDLEVEL00X_INVALID_FIXEDFIELDATA	Fixed Field {0}: Invalid fixed field data (position, length and/or MARCFixedFieldTagID)
PAS_BIBBULK_FIELDLEVEL00X_INVALID_FROMORTOVALUENOTSET	Field Level {0}: The {1} 'From' and 'To' values both must be specified
PAS_BIBBULK_FIELDLEVEL00X_INVALID_FROMTOVALUESTHESAME	Field Level {0}: The {1} 'From' and 'To' values cannot be the same
PAS_BIBBULK_FIELDLEVEL00X_INVALID_FROMVALUE	Field Level {0}: Invalid From Value
PAS_BIBBULK_FIELDLEVEL00X_INVALID_MARCFIXEDFIELDTAGTYPE	Field Level {0}: Invalid MARC Fixed Field Tag Type
PAS_BIBBULK_FIELDLEVEL00X_INVALID_NULLDESCRIPTION	Fixed Field {0}: Invalid Description
PAS_BIBBULK_FIELDLEVEL00X_INVALID_STARTPOSITION	Field Level {0}: Invalid Start Position
PAS_BIBBULK_FIELDLEVEL00X_INVALID_TAGNUMBER	Field Level {0}: Invalid Tag

STRING IDENTIFIERS	DEFAULT MESSAGE
	Number
PAS_BIBBULK_FIELDLEVEL00X_INVALID_TOVALUE	Field Level {0}: Invalid To Value
PAS_BIBBULK_FIELDLEVEL00X_INVALIDLENGTH_FROMTOVALUES	Field Level {0}: Invalid 'From' value or 'To' value length
PAS_BIBBULK_LEADER_INVALID_DESCRIPTION	Leader: Invalid Description
PAS_BIBBULK_LEADER_INVALID_FROMCHAR	Leader: Invalid From Char
PAS_BIBBULK_LEADER_INVALID_POS	Leader: Invalid Pos
PAS_BIBBULK_LEADER_INVALID_TOCHAR	Leader: Invalid To Char
PAS_BIBBULK_LEADER_INVALID_UPDATE05D	Leader: Cannot update 05 = d
PAS_BIBBULK_NONMARC_INVALID_DIPDESCRIPTION	Non-MARC: Display In PAC Description
PAS_BIBBULK_NONMARC_INVALID_DISPLAYINPAC	Non-MARC: Display In PAC
PAS_BIBBULK_NONMARC_INVALID_DONOTOVERLAY	Non-MARC: Do Not Overlay
PAS_BIBBULK_NONMARC_INVALID_DONOTOVERLAYDESCRIPTION	Non-MARC: Do Not Overlay Description
PAS_BIBBULK_NONMARC_INVALID_OWNERDESCRIPTION	Non-MARC: Owner Description
PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER	Non-MARC: Record Owner
PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER_FROM	Non-MARC: Record Owner 'From' is required when Record Owner 'To' is provided.
PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER_SAME	Non-MARC: Record Owner 'From' and 'To' values cannot be the same.
PAS_BIBBULK_NONMARC_INVALID_RECORDOWNER_TO	Non-MARC: Record Owner 'To' is required when Record Owner 'From' is provided.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BIBBULK_NONMARC_INVALID_RESOURCEENTITYDESCRIPTION	Non-MARC: Resource Entity Description
PAS_BIBBULK_NONMARC_INVALID_SAVEASFINAL	Non-MARC: Save Provisional Records as Final
AS_BIBBULK_NONMARC_INVALID_VENDORACCOUNT	Non-MARC: Vendor Account
PAS_BIBHEADINGSWITHNOTMATCHES	The bibliographic headings with no exact authority matches are listed below.
PAS_BIBIDCHANGENOTALLOWEDFORECONTENT	Changing the associated bib ID is not allowed for electronic items.
PAS_BIBIDCHANGENOTALLOWEDFORILL	Changing the associated bib ID is not allowed for ILL items.
PAS_BIBLIOGRAPHICIDINVALID	Bibliographic ID is invalid
PAS_BIBLIOGRAPHICRECORDDESC	bibliographic record
PAS_BIBLOCKED	Bibliographic record {0} is locked by another user.
PAS_BIBLOCKEDBY	Bib record is locked by {0}.
PAS_BIBNODISPLAYINPACCONTINUE	This record will no longer display in the online catalog. Do you want to continue saving ?
PAS_BIBNODISPLAYINPACCONTINUENEWBIB	This record will not display in the online catalog. Do you want to continue saving ?
PAS_BIBORPARENTITEMNOTSPECIFIED	Neither a bibliographic control number nor a parent item has been specified.
PAS_BIBRECORDADDED	The bibliographic record has been added.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BIBRECORDDELETEFAILED	Bibliographic record {0} could not be deleted.
PAS_BIBRECORDDOESNOTEXIST	Bib record does not exist
PAS_BIBRECORDDUPRESULTS	Bibliographic Record Duplicate Detection Results
PAS_BIBRECORDISHOSTINBOUNDGROUP	This bibliographic record is a host record in a Bound-With group.
PAS_BIBRECORDLINKSBREAKABLE	Bibliographic Record Links (Breakable)
PAS_BIBRECORDLINKSBREAKABLEMESSAGE	The following links will be broken if you continue deleting bibliographic record [{0}]:
PAS_BIBRECORDLINKSUNBREAKABLE	Bibliographic Record Links (Unbreakable)
PAS_BIBRECORDLINKSUNBREAKABLEMESSAGE	Deletion of bibliographic record [{0}] is not possible due to the following unbreakable link(s):
PAS_BIBRECORDLOCKED	Bibliographic record {0} is locked by another user and cannot be modified.
PAS_BIBRECORDMODIFIEDPARTIALLYINDEXED	Non-indexed record : Bibliographic record {0} was modified but not fully indexed.
PAS_BIBRECORDNOTSAVED_LOCKS	The record was not saved. Bibliographic record(s) are locked and cannot be replaced.
PAS_BIBRECORDPARITALLYUNINDEXED	Non-indexed record : Bibliographic record {0} was partially unindexed.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BIBRECORDPARTIALLYINDEXED	Non-indexed record : Bibliographic record {0} was created but not fully indexed.
PAS_BIBRECORDSAVED	The record was saved successfully.
PAS_BIBRECORDSAVEDALLRECSNOTREPLACED	The record was saved successfully but not all bibliographic record(s) were replaced.
PAS_BIBRECORDSAVEDSORTINGERROR	The record has been saved. However, there was a failure during the sorting process. The record has not been sorted.
PAS_BIBRECORDUNDELETEFAILED	Bibliographic record {0} was not undeleted.
PAS_BIBRECORDUNDELETEFAILEDUNKNOWN	Bibliographic record {0} was not undeleted. {1}
PAS_BIBRECORDUNINDEXEDNOTMODIFIED	Non-indexed record : Bibliographic record %d was unindexed but not modified.
PAS_BIBRECORDUPDATED	The bibliographic record has been updated.
PAS_BIBRECORDWITHIDNOTFOUND	Bibliographic record not found with id {0}
PAS_BIBREPLACINGRECORDSERROR	Unexpected error occurred while replacing records. The record was not saved.
PAS_BIBSAVE_NOTSAVEDUNINDEXED	The record was not saved but was unindexed.
PAS_BIBSAVE_NOTSAVEDUNINDEXED_ACK	The record was not saved

STRING IDENTIFIERS	DEFAULT MESSAGE
	and is no longer fully indexed for searching. Please make note of the record's control number as it may be the only usable search criterion. Please save the record again.
PAS_BIBSAVE_OTFREMOVEBLOCKS	{0} On-the-fly items are attached to this record. Remove the OTF block?
PAS_BIBSAVE_OTFREMOVEBLOCKS_TITLE	Remove on-the-fly blocks
PAS_BIBSAVE_SAVEDNOTINDEXED	The record was saved successfully but was not indexed.
PAS_BIBSAVE_SAVEDNOTINDEXED_ACK	The record was saved successfully but was not fully indexed for searching. Please make note of the record's control number as it may be the only usable search criterion. Please save the record again.
PAS_BIBSAVE_SAVEDNOTSORTED	The record has been saved. However, there was a failure during the sorting process. The record has not been sorted.
PAS_BIBSDELETEDSUCCESSMSG	{0} bibliographic record(s) deleted successfully
PAS_BIBSUNABLETODELETEWARNING	{0} bibliographic record(s) were not deleted
PAS_BIRTHDATEINVALIDTITLE	Invalid birthdate
PAS_BLOCKDESCRIPTIONLENGTHEXCEEDED	BlockDescription length cannot be longer than 255

STRING IDENTIFIERS	DEFAULT MESSAGE
	characters
PAS_BLOCKDESCRIPTIONNOTSUPPLIED	BlockDescription not supplied
PAS_BLOCKINGNOTEMAX	Blocking note cannot be greater than 4000 chars
PAS_BLOCKNOTFOUND	Block not found
PAS_BLOCKTYPEUSERLIBSYS	Block type must be user, library or system
PAS_BLOCKTYPEUSERLIBSYS3M	Block type must be user, library, system or 3M
PAS_BOUNDWITHHOLDSTITLE	Bound-With Title
PAS_BRANCHIDREQUIRED	Branch level organization ID is required
PAS_BRIEFITEMCREATETITLE	Brief Item Entry
PAS_BRIEFITEMDATAREQUIRED	Brief item entry reply data must be supplied.
PAS_BUILDLINKERRORINVALIDOBJECTTYPE	Object type is not supported for link object building.
PAS_BULK_HOLD_BIBID_INVALID	Bibliographic Record with ID {0} not found.
PAS_BULK_HOLD_FAILED_MSG	Hold request failed to create for {0} patron(s).
PAS_BULK_HOLD_PATRON_INVALID_TITLE	Invalid Patron
PAS_BULK_HOLD_SUCCESS_MSG	Hold request is created for {0} patron(s).
PAS_BULK_NUMBARCODESEENTERED	{0} barcodes entered
PAS_BULK_USESYSTEMASSIGNEDRANGE	Use system assigned range of {0}
PAS_BULKCHANGEREPOR_T_BARCODE	Barcode number
PAS_BULKCHANGEREPOR_T_ERRDETAILS	ERROR DETAILS

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BULKCHANGEREPORT_ERROR	Error
PAS_BULKCHANGEREPORT_ERRRECSETNAME	Error record set name
PAS_BULKCHANGEREPORT_ERRRECSETOWNER	Error record set owner
PAS_BULKCHANGEREPORT_GENINFO	GENERAL INFORMATION
PAS_BULKCHANGEREPORT_HOURS	hours
PAS_BULKCHANGEREPORT_ITEMRECORD	Item Record
PAS_BULKCHANGEREPORT_ITEMTITLE	Title
PAS_BULKCHANGEREPORT_MINUTES	minutes
PAS_BULKCHANGEREPORT_NORECSET	(No errors found; no record set created)
PAS_BULKCHANGEREPORT_NUMBARBADFORMAT	Number of barcodes not assigned because of incorrect format
PAS_BULKCHANGEREPORT_NUMBARDUPE	Number of barcodes not assigned because of detected duplicates
PAS_BULKCHANGEREPORT_NUMECONERRS	Number of eContent items with errors (partial changes may apply)
PAS_BULKCHANGEREPORT_NUMERRS	Number of items with errors (partial changes may apply)
PAS_BULKCHANGEREPORT_NUMITEMBARCODEEXISTS	Number of items not assigned a barcode because item already had a barcode
PAS_BULKCHANGEREPORT_NUMITEMNOBARCODES	Number of items not assigned a barcode because not enough barcodes specified
PAS_BULKCHANGEREPORT_NUMPERMERRS	Number of items unchanged due to per-

STRING IDENTIFIERS	DEFAULT MESSAGE
	mission errors
PAS_BULKCHANGEREPORT_NUMPROC	Number of items processed
PAS_BULKCHANGEREPORT_NUMRSVERRS	Number of reserve items with errors (partial changes may apply)
PAS_BULKCHANGEREPORT_PROCTIME	Processing time
PAS_BULKCHANGEREPORT_REASONS	Reason(s)
PAS_BULKCHANGEREPORT_RECSETNAME	Processed record set name
PAS_BULKCHANGEREPORT_RECSETOWNER	Processed record set owner
PAS_BULKCHANGEREPORT_SECONDS	seconds
PAS_BULKCHANGEREPORT_STATS	STATISTICS
PAS_BULKCHANGEREPORT_SUMMARY	SUMMARY OF CHANGES
PAS_BULKCHANGEREPORT_TITLE	BULK CHANGE REPORT
PAS_BULKCHANGEREPORT_USERNAME	User name
PAS_BULKCHANGEREPORT_WARNING	Warning
PAS_BULKCHECKINDISPLAYOPTION_BARCODE	Barcode
PAS_BULKCHECKINDISPLAYOPTION_COMMENT	Comment
PAS_BULKCHECKINDISPLAYOPTION_DUEDATE	Due Date
PAS_BULKCHECKINDISPLAYOPTION_FINECHARGED	Fine Charged
PAS_BULKCHECKINDISPLAYOPTION_STATUS	Status
PAS_BULKCHECKINHEADING_ASSIGNEDBRANCH	Assigned Branch
PAS_BULKCHECKINHEADING_CALLNUMBER	Call Number
PAS_BULKCHECKINHEADING_COLLECTION	Collection
PAS_BULKCHECKINHEADING_MATERIALTYPE	Material Type
PAS_BULKCHECKINHEADING_PATRONNAME	Patron Name
PAS_BULKCHECKINHEADING_SHELFLOCATION	Shelf Location
PAS_BULKCHECKINHEADING_TITLE	Title

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BULKERROR_BULKCHANGE_ITEM_TEMPLATENAMEEXISTS	An item bulk change template name already exists for this owner. Please rename the template or change the owner.
PAS_BULKERROR_BULKCHANGEREPORTNAMEISNULL	BulkChangeReportName cannot be null or empty.
PAS_BULKERROR_ERRORRECORDSETOWNERIDISINVALID	ErrorRecordSetOwnerID is invalid. Must be in the 'user:1' or 'org:1' format.
PAS_BULKERROR_ERRORRECORDSETOWNERIDISNULL	ErrorRecordSetOwnerID cannot be null.
PAS_BULKERROR_PROPERTYHOLDABLEINVALID	Holdable must be null, 0 or 1.
PAS_BULKERROR_PROPERTYISINVALID	{0} is invalid.
PAS_BULKERROR_PROPERTYLENEXCEEDED	{0} length cannot exceed {1} characters.
PAS_BULKERROR_PROPERTYMUSTBEDISABLED	{0} must be disabled.
PAS_BULKERROR_PROPERTYREQUIRED_HOLDABLEBYPICKUP	{0} cannot be changed without enabling HoldableByPickup.
PAS_BULKERROR_PROPERTYREQUIRESHOLDABLE	{0} cannot be changed without enabling Holdable.
PAS_BULKERROR_RECORDSETNAMEEXISTS	A record set name already exists for this owner. Please rename the record set or change the owner.
PAS_BULKITEMCHANGEIDINVALID	Bulk item change ID is invalid
PAS_BULKPREFIX_ASSIGNEDBRANCH	Assigned branch
PAS_BULKPREFIX_ASSIGNEDCOLLECTION	Assigned collection
PAS_BULKPREFIX_BARCODES	Barcodes

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BULKPREFIX_BIBNONTRONUM	Bib control no.
PAS_BULKPREFIX_CALLNUMBERPREFIX	Call number prefix
PAS_BULKPREFIX_CALLNUMBERSUFFIX	Call number suffix
PAS_BULKPREFIX_CIRCULATIONSTATUS	Circulation status
PAS_BULKPREFIX_CLASSIFICATIONNUMBER	Classification number
PAS_BULKPREFIX_COPYNUMBER	Copy number
PAS_BULKPREFIX_CUTTERNUMBER	Cutter number
PAS_BULKPREFIX_DISPLAYINPAC	Display in PAC
PAS_BULKPREFIX_DONOTMAILTOPATRON	Do not mail to patron
PAS_BULKPREFIX_FINECODE	Fine code
PAS_BULKPREFIX_FREETEXBLOCK	Free text block
PAS_BULKPREFIX_FREETEXBLOCKAPPEND	Free text block (Append)
PAS_BULKPREFIX_FREETEXBLOCKPREPEND	Free text block (Prepend)
PAS_BULKPREFIX_FUNDINGSOURCE	Funding source
PAS_BULKPREFIX_HOLDABLE	Holdable
PAS_BULKPREFIX_HOLDABLEBYBRANCH	Patrons from this branch only
PAS_BULKPREFIX_HOLDABLEBYLIBRARY	Patrons from this library and branches
PAS_BULKPREFIX_HOLDABLEBYPRIMARYLENDER	Preferred borrowers
PAS_BULKPREFIX_HOMEBRANCH	Home branch
PAS_BULKPREFIX_ITEMDOESNOTFLOAT	Item does not float
PAS_BULKPREFIX_LIBRARYASSIGNEDBLOCK	Library assigned block
PAS_BULKPREFIX_LOANABLEOUTSIDESYSTEM	Loanable outside system
PAS_BULKPREFIX_LOANPERIODCODE	Loan period code
PAS_BULKPREFIX_MATERIALTYPE	Material type
PAS_BULKPREFIX_NAMEOFPIECE	Name of piece
PAS_BULKPREFIX_NO	No
PAS_BULKPREFIX_NONCIRCULATING	Non circulating

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_BULKPREFIX_NONE	None
PAS_BULKPREFIX_NONPUBLICNOTE	Non-public note
PAS_BULKPREFIX_NONPUBLICNOTEAPPEND	Non-public note (Append)
PAS_BULKPREFIX_NONPUBLICNOTEPREPEND	Non-public note (Prepend)
PAS_BULKPREFIX_OWNER	Owner
PAS_BULKPREFIX_PARENTITEM	Parent item
PAS_BULKPREFIX_PHYSICALCONDITION	Physical condition
PAS_BULKPREFIX_PHYSICALCONDITIONAPPEND	Physical condition (Append)
PAS_BULKPREFIX_PHYSICALCONDITIONPREPEND	Physical condition (Prepend)
PAS_BULKPREFIX_PICKUPAT	Pickup at
PAS_BULKPREFIX_PICKUPATWITHBRANCH	Pickup at {0} ({1})
PAS_BULKPREFIX_PRICE	Price
PAS_BULKPREFIX_PUBLICNOTE	Public note
PAS_BULKPREFIX_PUBLICNOTEAPPEND	Public note (Append)
PAS_BULKPREFIX_PUBLICNOTEPREPEND	Public note (Prepend)
PAS_BULKPREFIX_RENEWALLIMIT	Renewal limit
PAS_BULKPREFIX_SHELFLOCATION	Shelf location
PAS_BULKPREFIX_SHELVINGScheme	Shelving scheme
PAS_BULKPREFIX_STATISTICALCODE	Statistical code
PAS_BULKPREFIX_TEMPORARYLOCATION	Temporary location
PAS_BULKPREFIX_USEBIBCALLNUMBER	Use call number fields from bib record
PAS_BULKPREFIX_VOLUMENUMBER	Volume number
PAS_BULKPREFIX_YES	Yes
PAS_BULKWARNING_ASSIGNEDHOMEDIFF	WARNING: Assigned branch and Home branch fields are different
PAS_BULKWARNING_ITEMSWILLNOTDISPLAYINPAC	No - WARNING: These

STRING IDENTIFIERS	DEFAULT MESSAGE
	items will not display in PAC.
PAS_CALLINGERROR	Error calling {0}. {1}
PAS_CALLNUMBERPREFIXLENGTHERROR	Call number prefix cannot exceed 60 characters.
PAS_CALLNUMBERSUFFIXLENGTHERROR	Call number suffix cannot exceed 60 characters.
PAS_CANCELDELETION	Cancel Deletion
PAS_CANCELDIALOG	Cancel the dialog.
PAS_CANNOTPERFORMOPERATION	This operation cannot be performed
PAS_CATALOGINGREQUIRED	Cataloging required
PAS_CCCREDITNOTSUPPORTED	Credit card credits are not supported.
PAS_CCEWREFUNDNOTSUPPORTED	EnvisionWare eCommerce doesn't support refund to credit card.
PAS_CCPAYMENTAUTHFAILED	Credit card payment failed. Authorization failed.
PAS_CCPAYMENTFAILED	Credit card payment failed. Please try again.
PAS_CCPAYMENTINVALIDTASK	Credit card payment failed. Invalid task.
PAS_CCPAYMENTMISSINGVENDORINFO	Missing vendor information. Check SA vendor configuration.
PAS_CCPAYMENTOVERPAYMENT	Over payment is not allowed. This transaction may have already been paid partially. Please refresh your view.
PAS_CCPAYMENTPENDINGTXN	A previous credit card pay-

STRING IDENTIFIERS	DEFAULT MESSAGE
	ment was pending and has been finalized. Please try again.
PAS_CCPAYMENTSMINFINEINVALID	Fines must total at least {0:c} for credit card payments
PAS_CCPAYMENTSNOTALLOWED	Credit card payments are not allowed.
PAS_CCPAYMENTSNOTLICENSED	Credit card payments are not licensed.
PAS_CCPAYMENTSNOTSUPPORTED	Credit card payments are not supported.
PAS_CCPAYMENTSTARTTXNFAILED	Credit card payment failed. Unable to begin transaction with vendor.
PAS_CCPaymentStatusInvalidAction	Cannot update patron account when credit card transaction status is {0}
PAS_CCPAYMENTTXNCOMPLETED	Credit card transaction already completed.
PAS_CCPAYMENTTXNNOTFOUND	Credit card transaction was not found.
PAS_CCPAYMENTUNEXPECTEDERROR	Credit card payment failed. An unexpected error has occurred.
PAS_CCPAYMENTVENDORFAILED	Credit card payment failed. Vendor returned an invalid response.
PAS_CCPAYMENTZEROBALANCE	This transaction has a zero balance and may have already been paid. Please refresh your view.
PAS_CCREFUNDNOTPOSSIBLE	A refund is not possible.

STRING IDENTIFIERS	DEFAULT MESSAGE
	Please check the library credit card gateway setup
PAS_CCREFUNDSNOTSUPPORTED	Credit card refunds are not supported.
PAS_CHANGEDAMOUNTLARGER THANBALANCE	Changed amount should not be larger than the balance
PAS_CHANGEDAMOUNTLARGER THANBALANCENUM	Changed amount should not be larger than the balance ({0})
PAS_CHANGE PICKUP BRANCH_CONTINUE	<p>Do you want to continue with this operation?</p> <p>You are changing this item's pickup branch to: {0} ({1})</p> <p>The item will remain held until it is rerouted to the new location.</p> <p>Title: {2}</p>
PAS_CHANGE PICKUP BRANCHMESSAGE	<p>You are changing this item's pickup branch to: {0} ({1})</p> <p>The item will remain held until it is rerouted to the new location.</p> <p>Title: {2}</p>
PAS_ChargeAlertThreshold_Exceeded	Charge amount exceeds the configured threshold.
PAS_CHARGE CHECKOUT CREDIT APPLIED	Action from charge for checkout - credit applied to overpayment
PAS_CHARGE DATA NULL ERROR	Charge data object cannot

STRING IDENTIFIERS	DEFAULT MESSAGE
	be null
PAS_CHARGENULLERROR	charge data cannot be null
PAS_CHARGETHRESHOLD_EXCEEDED	Charge amount exceeds the configured threshold.
PAS_CHECKDUPBIBRECORDSERROR	Unexpected error occurred while checking for duplicate bibliographic records.
PAS_CHECKEDOUTITEMSREQUIRED	There are no checked out or renewed item records included
PAS_CHECKEOTDATEIDNOTFOUND	Organization ID or patron code ID not found from CheckEOTDate
PAS_CHECKHEADINGS_REASON_TXT	Reason unknown
PAS_CHECKHEADINGS_REASON_TXT1	Indicator one value
PAS_CHECKHEADINGS_REASON_TXT2	Indicator two value
PAS_CHECKHEADINGS_REASON_TXT3	No authorizing subfields
PAS_CHECKHEADINGS_REASON_TXT4	No usage specified
PAS_CHECKHEADINGS_SOL_DSPLYTXT	Leave heading unlinked
PAS_CHECKHEADINGSASSISTANT	Check Headings Assistant
PAS_CHECKHEADINGSError	Unexpected error occurred while checking headings.
PAS_CHECKIN_CHARGECLAIMMISSINGPARTS_DIFFERENTPATRON	Patron must be the last use patron for check in with charge for missing parts.
PAS_CHECKINDEFAULTVIEWSAVEERROR	Error saving the check-in user default view: Mnemonic {0} and Value is {1}.
PAS_CHECKINDISPLAYOPTION_BARCODE	Barcode
PAS_CHECKINDISPLAYOPTION_COMMENT	Comment
PAS_CHECKINDISPLAYOPTION_DUEDATE	Due Date

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_CHECKINDISPLAYOPTION_STATUS	Status
PAS_CHECKINFAILEDACQRECEIVE	Quick-circ items cannot be checked in and received. Please check-in the item in Circulation.
PAS_CHECKINFAILEDACQSTATUSINVALID	An item with a status of {0} cannot be checked in and received. Please check-in the item in Circulation.
PAS_CHECKINFAILEDACQUISITIONSITEM	This item has not been ordered through Acquisitions. Check in the item using the Normal Check In view.
PAS_CHECKINFAILEDCKONOTFOUND	Checkin failed for unknown reason. Failed to find CheckOut entry for PatronID {0}, ItemRecordID {1}
PAS_CHECKINFAILEDINHOUSE	In House check in failed.
PAS_CHECKINFAILEDINHOUSEITEMSTATUSINVALID	Item status is {0} and belongs to {1}. In House check in failed.
PAS_CHECKINFAILEDINHOUSEOUTITEM	Item is Out. Please check this item in.
PAS_CHECKINFAILEDINHOUSEQUICKCIRCITEM	Quick-circ items cannot be checked in for in-house use.
PAS_CHECKINFAILEDINVENTORY	Inventory update failed.
PAS_CHECKINFAILEDINVENTORYQUICKCIRCITEM	Quick-circ items cannot be checked in for inventory.
PAS_CHECKINFAILEDRETURNILL	Item is an INTER-LIBRARY LOAN. The item status is Returned-ILL and the request status is Returned.

STRING IDENTIFIERS	DEFAULT MESSAGE
	The item cannot circulate.
PAS_CHECKINFAILEDSELFRREADY	Shelf ready check in failed.
PAS_CHECKINFAILEDUNKNOWN	Checkin failed for unknown reason
PAS_CHECKINGMEDIADISPENSER	Checking media dispenser...
PAS_CHECKINHEADING_ASSIGNEDBRANCH	Assigned Branch
PAS_CHECKINHEADING_CALLNUMBER	Call Number
PAS_CHECKINHEADING_COLLECTION	Collection
PAS_CHECKINHEADING_MATERIALTYPE	Material Type
PAS_CHECKINHEADING_PATRONNAME	Patron Name
PAS_CHECKINHEADING_SHELFLOCATION	Shelf Location
PAS_CHECKINHEADING_TITLE	Title
PAS_CHECKININHOUSEASNBANCHINVALID	Item status is IN and belongs to {0}. In House check in failed.
PAS_CHECKININHOUSEHELDITEMSTATUSPROMPTMSG	Item {0} satisfies a hold or ILL request. Please check this item in.
PAS_CHECKININHOUSEHELDITEMSUCCESS	Item satisfies a hold request. In House check-in succeeded.
PAS_CHECKININHOUSEINITEMSUCCESS	Item is currently in the library. In House check-in succeeded.
PAS_CHECKININHOUSEITEMSTATUSINVALID	Unexpected item status: {0}. In House check in failed.
PAS_CHECKININHOUSERECORDSTATUSDELETED	The record status of this item is Deleted. Action cannot be taken against this item.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_CHECKININHOUSERECORDSTATUSPROVISIONAL	The record status of this item is Provisional. Action cannot be taken against this item.
PAS_CHECKININHOUSESUCCESS	In House check-in successful
PAS_CHECKININVENTORYASNBRANCHINVALID	Item status is IN and belongs to {0}. Inventory check in failed.
PAS_CHECKININVENTORYHELDSTATUSCOMMENT	Inventory update successful. Item satisfies a hold request.
PAS_CHECKININVENTORYSUCCESS	Inventory update successful.
PAS_CHECKININVENTORYSUCCESSFORSTATUSES	Inventory update successful for item with a status of {0}.
PAS_CHECKININVENTORYSUCESSCOMMENT	Inventory update successful.
PAS_CHECKININVENTORYTRANSFERREDSTATUSCOMMENT	Item needs to be transferred. Inventory update successful.
PAS_CHECKININVENTORYUNEXPECTEDSTATUSCOMMENT	Unexpected item status: {0}. Inventory update successful.
PAS_CHECKINITEMLOCATIONFAILEDHEADING	Unexpected location
PAS_CHECKINITEMRECORDSTATUSFAILEDHEADING	Unexpected record status
PAS_CHECKINITEMSTATUSFAILEDHEADING	Unexpected status
PAS_CHECKINLOSTITEMERROR	CheckInLostItem() error: {0}
PAS_CHECKINPROCEDURECANCELLED	Checkin procedure canceled
PAS_CHECKINSUCCESS	Check-in successful

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_CHECKITEMCIRCSTATUS	Circulation status was {0}. Check item
PAS_CHECKMARC21ERROR	Unexpected error occurred while checking MARC21 format.
PAS_CHECKMARC21RESULTS	MARC Validation Results
PAS_CHECKMARC21VALIDATION_ERRORS	The bibliographic record cannot be saved with the following errors.
PAS_CHECKOUTACTION	Check Out
PAS_CHECKOUTCHARGETITLE	Patron Check-out Charge
PAS_CHECKOUTDUEDATEMOVED	The due date that is a closed date was moved to the next open date.
PAS_CHECKOUTENTRYDOESNOTEXIST	Checkout entry for itemID {0} does not exist
PAS_CHECKOUTENTRYDOESNOTEXISTBARCODE	Checkout entry for item barcode {0} does not exist
PAS_CHECKOUTENTRYDOESNOTEXISTPATRONITEM	Failed to find CheckOut entry for PatronID {0}, ItemRecordID {1}
PAS_CHECKOUTFAILEDDELETEDITEM	The record status of this item is Deleted. The item can not be checked-out. Please complete item processing.
PAS_CHECKOUTFAILEDDETOITEMSTATUS	Check out failed, unexpected item status: {0}.
PAS_CHECKOUTFAILEDINVALIDITEMRECORDSTATUS	The item has an invalid record status. Action can not be taken on this item.
PAS_CHECKOUTFAILEDPROVISIONALITEM	The record status of this item is Provisional. The

STRING IDENTIFIERS	DEFAULT MESSAGE
	item can not be checked-out. Please complete item processing.
PAS_CHECKOUTFAILEDUNKNOWN	Check-out failed for unknown reason
PAS_CHECKOUTOVERRENEWLIMIT	Item over renewal limit.
PAS_CHECKOUTPROCEDURECANCELLED	Check-out procedure canceled
PAS_CHECKOUTRECEIPTUNKNOWNERR	Unknown error code returned formatting check-out receipt
PAS_CHECKOUTRECORDDESC	check out record
PAS_CHECKOUTSUCCESS	Check-out successful
PAS_CHECKOUTTOSECUREDPATRON	Item was checked out to a patron record that is secured.
PAS_CHECKPATRONBARCODEFORMATERROR	Check-PatronBarcodeFormat error
PAS_CHILDITEMDESC	child item
PAS_CHOOSEPAYMENTMETHOD	Choose a payment method
PAS_CIRC_CHECKEOTDATEIDNOTFOUND	Organization ID or patron code ID not found from Circ_CheckEOTDate
PAS_CIRCCHECKOUTCLAIMEDBYOTHER	This item was claimed by another patron as '{0}'. Do you want to continue with the check out?
PAS_CIRCCHECKOUTCLAIMEDBYPATRON	This item was claimed by this patron as '{0}'. Do you want to check it in and continue the check-out?
PAS_CIRCINTRANSIT	Barcode: {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
	Title: {1} This item does not belong to this branch. Do you want to put it {2} to {3}?
PAS_CIRCINTRANSITCONTINUE	This item is in-transit to {0}. Do you want to continue with the checkout?
PAS_CIRCOTFCREATERECORD	This item is not linked to a record, and cannot circulate. Would you like to create a record 'on-the-fly'?
PAS_CIRCOTFCREATERECORDTITLE	Item not found
PAS_CIRCOTFPATRONBARCODEEXISTS	A patron record exists for this barcode {0}.
PAS_CIRCSTATUSCHANGENOTALLOWED_RECACQ	The circulation status of this item cannot be changed until it is received in acquisitions.
PAS_CIRCTODIFFPATRON	Circulated to different borrower.
PAS_CIRCTRANTYPENOTCKI	CircTranType is not a check in type
PAS_CIRCTRANTYPENOTCKO	CircTranType is not a check-out type
PAS_CIRCTXNSUBTYPECODEINVALID	Circ txn subtype code is invalid
PAS_CIRCTXNTYPEINVALID	Circulation transaction type is not invalid
PAS_CIRCULATIONRESTRICTED	Circulation of item is restricted

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_CIRCULATIONRESTRICTEDFORPATRON	Circulation of this item for patron code {0} is restricted. Do you want to continue?
PAS_CITYFIELDNAME	City
PAS_CLAIMCANCELLED	Claim canceled.
PAS_CLAIMCHECKINITEMBILLED	The patron has already been billed for this item. To check-in the item, use normal check-in.
PAS_CLAIMDOESNOTEXIST	A claim for patron with patronID {0} for item {1} does not exist
PAS_CLAIMINVALID	Claim is not valid
PAS_CLAIMLISTINVALID	Please provide a valid claims list
PAS_CLAIMNOTALLOWED	Claims are not permitted for eContent
PAS_CLAIMSUCCESS	Claim successful
PAS_CLAIMTYPEUNKNOWN	Unknown claim type
PAS_CLASSIFICATIONNUMBERLENGTHERROR	Classification number cannot exceed 60 characters.
PAS_COLLECTIONFLOATINGLIMITREACHED	Barcode: {0} Title: {1} You have reached your collection floating limit.
PAS_COLLECTIONFLOATINGLIMITTYPEREACHED	Barcode: {0} Title: {1} You have reached your {2} floating limit for this title.
PAS_COLLECTIONWITHIDNOTFOUND	Collection not found with ID

STRING IDENTIFIERS	DEFAULT MESSAGE
	{0}
PAS_COLUMN	Column
PAS_CONSTITUENTBIBLIOGRAPHICRECORDSDESC	constituent bibliographic record(s)
PAS_CONSTITUENTMULTIPLELINKEDFINALERROR	Constituent records may not have item records with a record status of 'final' linked to them.
PAS_CONTACTPERSON_EMAILADDRESS_INVALID	Contact Person email address is invalid.
PAS_CONTACTPERSON_EMAILADDRESS_LENGTHINVALID	Contact Person email address length is invalid.
PAS_CONTACTPERSON_FAXNUMBER_LENGTHINVALID	Contact Person fax number length is invalid.
PAS_CONTACTPERSON_NAME_LENGTHINVALID	Contact Person name length is invalid.
PAS_CONTACTPERSON_PHONENUMBERONE_LENGTHINVALID	Contact Person phone number one length is invalid.
PAS_CONTACTPERSON_PHONENUMBERTWO_LENGTHINVALID	Contact Person phone number two length is invalid.
PAS_CONTINUEDELETING	Continue deleting
PAS_CONTINUEDELETION	Continue Deletion
PAS_CONTINUEFLOATINGCHECKIN	Do you want to check this item {0} at {1} ({2})? (Click Cancel to stop the check-in process.)
PAS_CONTINUEHOLDINGITEMCANCELSTOP	Continue to hold the item? (Click Cancel to stop the check-in/check-out process.)
PAS_CONTINUEHOLDINGITEMTITLE	Continue holding item
PAS_CONTINUETOBLOCKITEMFOROTF	Continue to block this item

STRING IDENTIFIERS	DEFAULT MESSAGE
	for On-The-Fly?
PAS_CONVERTHOLDFAILEDINCORRECTSTATUS	Hold request is not in correct status to do the conversion.
PAS_CONVERTHOLDFAILEDNOTFOUND	Hold request not found in the table
PAS_CONVERTHOLDTOILLFAILED	Hold request 'convert to ILL' failed
PAS_CONVERTTOILLSUCCESS	Hold request is converted successfully
PAS_COPYIDINVALID	Copy ID is invalid.
PAS_COPYNUMBERLENGTHERROR	Copy number cannot exceed 60 characters.
PAS_COULDNOTGETSAVALUE	Could not get SA Value: {0}
PAS_COURSERESERVEDESC	course reserve
PAS_COURSERESERVEDOESNOTEXIST	Course reserve record does not exist
PAS_COURSERESERVEINVALIDDATA	Course reserve record {0} is not valid
PAS_COURSERESERVEVENOTFOUND	Course Reserve not found.
PAS_CREATECIRCOTFITEM	Create a circ on-the-fly item record.
PAS_CREATERECORDSET	Do you still wish to create the record set?
PAS_CREATORIDINVALID	Creator ID must be valid
PAS_CREDITAPPLIEDTOOVERPAYMENTNOTE	Action from processing overdue fines - credit applied to overpayment
PAS_CURRENCYIDINVALID	Currency ID is invalid.
PAS_CURRENTITEMSTATUS	Current status {0}.
PAS_CURRENTITEMSTATUSIDINVALID	currentItemStatusID '{0}' is not valid.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_CURRENTLYONHOLD	This {0} is currently on hold.
PAS_CUTTERNUMBERLENGTHERROR	Cutter number cannot exceed 60 characters.
PAS_DATABASEERROR	Database error
PAS_DATEINPAST	Date cannot be in the past
PAS_DATEINTERVALSCONTROLLER_EXACTDATE	exact date
PAS_DATEINTERVALSCONTROLLER_MONTH	months
PAS_DATEINTERVALSCONTROLLER_YEAR	years
PAS_DATEISINPAST	Date is in the past
PAS_DELAYEDHOLDSDAYSError	The number of days past first available must be between 1 and 999.
PAS_DELAYEDHOLDSERROR	'Delayed hold processing' cannot be true when 'holdable by library' is false.
PAS_DELETEAUTHNODELETEPERMISSION	You do not have permission to delete authority record {0}.
PAS_DELETEAUTHORITYLINKEDAUTHS	There are {0} authority record(s) linked to this authority record.
PAS_DELETEAUTHORITYLINKEDBIBS	There are {0} bibliographic record(s) linked to this authority record.
PAS_DELETEAUTHORITYLINKEDBIBSANDDELETEDBIBS	There are {0} bibliographic record(s) and {1} deleted bibliographic record(s) linked to this authority record. Deleted record links will automatically be unlinked.
PAS_DELETEAUTHORITYLINKEDDELETEDBIBS	There are {0} deleted bibliographic record(s) linked

STRING IDENTIFIERS	DEFAULT MESSAGE
	to this authority record. Deleted record links will automatically be unlinked.
PAS_DELETEAUTHORITYRECORD	Delete authority record
PAS_DELETEAUTHORITYRECORDMARKEDCONFIRM	The authority record will be marked for deletion. Do you want to continue?
PAS_DELETEAUTHORITYRECORDPERMANENTLYCONFIRM	The authority record will be permanently deleted. Do you want to continue?
PAS_DELETEAUTHORITYWOULDYOU	Would you like to:
PAS_DELETEBIBNODELETEPERMISSION	You do not have permission to delete bibliographic record {0}.
PAS_DELETEBIBRECORD	Delete bibliographic record
PAS_DELETEBIBRECORDIDINVALID	Bibliographic record ID {0} is invalid
PAS_DELETEBIBRECORDMARKEDCONFIRM	The bibliographic record will be marked for deletion. Do you want to continue?
PAS_DELETEBIBRECORDPERMANENTLYCONFIRM	The bibliographic record will be permanently deleted. Do you want to continue?
PAS_DELETEBIBRECORDPROCEDURECANCELLED	Deletion was canceled by user.
PAS_DELETEBULKBIBRECORDCONFIRMMSG	Are you sure you want to delete {0} selected Bibliographic record(s)?
PAS_DELETEBULKITEMRECORDCONFIRMMSG	Are you sure you want to delete {0} selected Item record(s)?
PAS_DELETEBULKITEMRECORDCONFIRMTITLE	Delete item records

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_DELETEBULKITEMRECORDMARKEDCONFIRM	{0} item records will be marked for deletion. Do you want to continue?
PAS_DELETEBULKITEMRECORDPERMANENTLYCONFIRM	{0} item records will be permanently deleted. Do you want to continue?
PAS_DELETEBULKPATRONRECORDCONFIRMMSG	Are you sure you want to delete {0} selected Patron record(s)?
PAS_DELETEISSDIPWARNING	No other records are linked to its linked bibliographic record. Do you still want to display this bibliographic record in the PAC?
PAS_DELETEISSDIPWARNINGTITLE	Display in PAC
PAS_DELETEISSHARDLINKSERR	You cannot delete {0} Check the linked item's links and status.
PAS_DELETEISSITEMLOCKEDERR	%s Has a linked item record that is being modified by another user.
PAS_DELETEISSLNKDROUTESTITLE	Linked Records
PAS_DELETEISSLNKDROUTESWARNING	There are {0} records linked to this issue record. Do you want to continue?
PAS_DELETEISSRETAINEDWARNING	Retention settings in the linked Serial Holdings Record indicate the following is retained:

STRING IDENTIFIERS	DEFAULT MESSAGE
	{0} Do you still want to delete this issue/part?
PAS_DELETEISSRETAINEDWARNINGTTL	Issue/Part is Retained
PAS_DELETEISSUEPARTCANCELLED	Delete serial issue/part procedure canceled.
PAS_DELETEISSUEPARTSUCCESS	The issue/part was deleted successfully.
PAS_DELETEISSUNEXPECTEDERR	Unexpected error occurred. The issue/part was not deleted.
PAS_DELETEITEMRECORD	Delete item record
PAS_DELETEITEMRECORDCONFIRMAUTO	Auto delete is on. The item record will be deleted. Do you want to continue?
PAS_DELETEITEMRECORDFORILL	Item record for ILL
PAS_DELETEITEMRECORDIDINVALID	Item record ID {0} is invalid
PAS_DELETEITEMRECORDMARKEDCONFIRM	The item record will be marked for deletion. Do you want to continue?
PAS_DELETEITEMRECORDPERMANENTLYCONFIRM	The item record will be permanently deleted. Do you want to continue?
PAS_DELETEITEMRECORDPROCEDURECANCELLED	Deletion was canceled by user.
PAS_DELETEMULTIBIBRECORDCONFIRMTITLE	Delete bibliographic records
PAS_DELETEMULTIBIBRECORDMARKEDCONFIRM	{0} bibliographic records will be marked for deletion. Do you want to continue?
PAS_DELETEMULTIBIBRECORDPERMANENTLYCONFIRM	{0} bibliographic records will be permanently

STRING IDENTIFIERS	DEFAULT MESSAGE
	deleted. Do you want to continue?
PAS_DELETEMULTIPATRONRECORDCONFIRMTITLE	Delete patron records
PAS_DELETEPATRONFAILEDUNKNOWN	Delete patron failed for unknown reason
PAS_DELETEPATRONRECORD	Delete patron record
PAS_DELETEPATRONRECORDIDINVALID	Patron record ID {0} is invalid
PAS_DELETEPATRONRECORDPERMANENTLYCONFIRM	The patron record will be permanently deleted. Do you want to continue?
PAS_DELETEPATRONRECORDPROCEDURECANCELLED	Deletion was canceled by user.
PAS_DELETEPATRONRECORDSECURED	Patron record with ID {0} is secured
PAS_DELETEPATRONSUCCESS	Delete patron successful
PAS_DELETERECORDFORILL	Bibliographic record for ILL
PAS_DELETERECORDINVALID	Invalid record ID
PAS_DELETERECORDNOTFOUND	Record not found
PAS_DELETERECORDNOTFOUNDBIB	Bibliographic Record with ID {0} not found
PAS_DELETERECORDNOTFOUNDMETHOD	Item Record with ID {0} not found
PAS_DELETERECORDNOTFOUNDPATRON	Patron Record with ID {0} not found
PAS_DELETERECORDOBJECTLOCK	Object lock
PAS_DELETERECORDOBJECTLOCKBIB	Bibliographic record {0} is locked by {1}
PAS_DELETERECORDOBJECTLOCKITEM	Item record {0} is locked by {1}
PAS_DELETERECORDOBJECTLOCKPATRON	Patron record {0} is locked by {1}

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_DELETE_RECORDSETPROCEDURECANCELLED	Deletion was canceled by user.
PAS_DELETE_ROUTED_ISSUE_ERROR	Cannot delete an issue record with 'routed' status.
PAS_DEPOSIT_IS_NULL_ERR	Deposit data cannot be null
PAS_DESIGNATION	Designation
PAS_DISPLAY_IN_PAC_REQUIRED	DisplayInPAC is required.
PAS_DISPLAY_IN_PAC_TITLE	Display in PAC
PAS_DISTRIBUTED_WAIVE_AMT_LARGER_THAN_MIN	Distributed waive amount should not be larger than the minimum charge of {0}
PAS_DOMAIN_NULL	Domain is null
PAS_DOMAIN_USER_PWD_INCORRECT	The domain, username or password is incorrect
PAS_DONOR_CHANGE_LINKED_TO_PO_NOT_ALLOWED	Donor information may not be changed. This item is linked to a purchase order.
PAS_DONOR_CORPORATE_NAME_LENGTH_ERROR	Donor corporate name cannot exceed 255 characters.
PAS_DONOR_FIRST_NAME_LENGTH_ERROR	Donor first name cannot exceed 30 characters.
PAS_DONOR_LAST_NAME_LENGTH_ERROR	Donor last name cannot exceed 50 characters.
PAS_DONOR_MIDDLE_NAME_LENGTH_ERROR	Donor middle name cannot exceed 15 characters.
PAS_DONOTRENEW	Do Not Renew
PAS_DOYOUWANTTOCONTINUE	Do you want to continue?
PAS_DUE_DATE_ATTRIBUTE_INVALID	Invalid 'dueDate' attribute
PAS_DUE_DATE_CLOSED_NEXT_DATE	Due date is a closed date. The next open date is {0}
PAS_DUE_DATE_INVALID	Due date is invalid

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_DUEDATEISCLOSED_MOVED	Due date is a closed date. It will be moved to next open date.
PAS_DUEDATENOTRESETEBOOKNOTPERMITTED	Reset due date is not permitted for ebook items
PAS_DUEDATENOTRESETITEMSTATUSNOTPERMITTED	Due date cannot be reset. This item's status is not permitted.
PAS_DUEDATENOTRESETOVERDUE	Due date cannot be reset. This item is overdue.
PAS_DUEDATESETTOEOT	Due date set to end-of-term date from due date governing branch {0}
PAS_DUEDATETRUNCATED_TITLE	Due date truncated
PAS_DOYOUWANTTOCONTINUE	Do you want to continue?
PAS_DUEDATEATTRIBUTEINVALID	Invalid 'dueDate' attribute
PAS_DUEDATECLOSEDNEXTDATE	Due date is a closed date. The next open date is {0}
PAS_DUEDATEINVALID	Due date is invalid
PAS_DUEDATEISCLOSED_MOVED	Due date is a closed date. It will be moved to next open date.
PAS_DUEDATENOTRESETEBOOKNOTPERMITTED	Reset due date is not permitted for ebook items
PAS_DUEDATENOTRESETITEMSTATUSNOTPERMITTED	Due date cannot be reset. This item's status is not permitted.
PAS_DUEDATENOTRESETOVERDUE	Due date cannot be reset. This item is overdue.
PAS_DUEDATESETTOEOT	Due date set to end-of-term date from due date governing branch {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_DUEDATETRUNCATED_TITLE	Due date truncated
PAS_DUPEDETECTIONINVALIDMARCRECORDTYPE	PerformDuplicateDetection: Invalid MARC record type.
PAS_DUPLICATEBARCODE	Duplicate barcode
PAS_DUPLICATEBARCODEDETECTEDTITLE	Duplicate barcode detected
PAS_DUPLICATEHOLDREQUESTSEXISTMSG	Duplicate holds exists for {0}.
PAS_DUPLICATEHOLDREQUESTSEXISTTITLE	Duplicate hold requests exist
PAS_DUPLICATEHOLDSEXIST_CONTINUE	Duplicate hold requests exist. Do you want to con- tinue?
PAS_DUPLICATEHOLDTOCONVERTTITLE	Duplicate hold requests exist
PAS_DUPLICATEID	Duplicate id {0}.
PAS_DUPLICATEOFEXISTINGRECORDS	This record appears to be a duplicate of existing records:
PAS_DUPLICATEPATRONBARCODETITLE	Duplicate barcode
PAS_DUPLICATEPATRONDISPLAY_BIRTHDATE	Birth Date
PAS_DUPLICATEPATRONDISPLAY_BRANCH	Branch
PAS_DUPLICATEPATRONDISPLAY_CITY	City
PAS_DUPLICATEPATRONDISPLAY_EMAIL	E-mail
PAS_DUPLICATEPATRONDISPLAY_NAME	Name
PAS_DUPLICATEPATRONDISPLAY_NAMEID	Name on Identification
PAS_DUPLICATEPATRONDISPLAY_PHONE1	Voice Phone 1
PAS_DUPLICATEPATRONDISPLAY_POSTALCODE	Postal Code
PAS_DUPLICATEPATRONDISPLAY_STREET	Street
PAS_DUPLICATEPATRONRECORDS	Duplicate Patron Records
PAS_DUPLICATESUPPLIER	Supplier name/owner com- bination already used.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_EBOOKCANNOTCHECKIN	EContent items cannot be checked in.
PAS_EBOOKCANNOTCHECKOUT	EContent items cannot be checked out or renewed from Leap.
PAS_ECONTENTDECLAREDLOSTERR	EContent items cannot be declared lost.
PAS_ECONTENTDECLAREDLOSTWITHIDERR	Ebook items cannot be declared lost. Item ID {0}.
PAS_ECONTENTLOANCANNOTBEDELETED	The econtent item record has a status of EContent External Loan and cannot be deleted.
PAS_EDITION	Edition
PAS_EDITIONLENGTHERROR	Edition cannot exceed 50 characters.
PAS_ELECCOMM_FTPADDRESS_LENGTHINVALID	FTP Address is required.
PAS_ELECCOMM_PASSWORD_LENGTHINVALID	Password is required.
PAS_ELECCOMM_POAINVDIRECTORY_LENGTHINVALID	POA/INV Directory is required.
PAS_ELECCOMM_POFILEDIRECTORY_LENGTHINVALID	PO File Directory is required.
PAS_ELECCOMM_POFILEEXT_LENGTHINVALID	PO File Extension is required.
PAS_ELECCOMM_PROFILETYPEID_INVALID	Access/Profile ID is invalid.
PAS_ELECCOMM_USERNAME_LENGTHINVALID	Username is required.
PAS_EMAILADDRESS_FORMATERROR	Please re-enter data for {0} Address in a valid format.
PAS_EMAILADDRESS_FORMATERROR_ATSIGNS	Please re-enter data for {0} Address in a valid format. Address can not have multiple '@' characters.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_EMAILADDRESS_FORMATERROR_PERIODS	Please re-enter data for {0} Address in a valid format. Address can not have successive '.' characters.
PAS_EMAILADDRESS_FORMATERROR_STARTEND_@SIGN	Please re-enter data for {0} Address in a valid format. Address can not begin or end with '@'.
PAS_EMAILADDRESS_FORMATERROR_STARTEND_'.'	Please re-enter data for {0} Address in a valid format. Address can not begin or end with '.'.
PAS_EMAILADDRESS_FORMATERROR_WHITESPACE	Please re-enter data for {0} Address in a valid format. Address can not have white space.
PAS_EMAILADDRESS_MAXLENGTH	{0} Address cannot exceed 64 characters.
PAS_EMAILADDRESS_MISSING	{0} Address is not supplied.
PAS_EMAILADDRESSFORMATERROR	Please re-enter data for {0} Address in a valid format.
PAS_EMAILADDRESSFORMATERROR1	Please re-enter data for {0} Address in a valid format. Address can not begin or end with '.'.
PAS_EMAILADDRESSFORMATERROR2	Please re-enter data for {0} Address in a valid format. Address can not begin or end with '@'.
PAS_EMAILADDRESSFORMATERROR3	Please re-enter data for {0} Address in a valid format. Address can not have successive '.' characters.
PAS_EMAILADDRESSFORMATERROR4	Please re-enter data for {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
	Address in a valid format. Address can not have white space.
PAS_EMAILADDRESSFORMATERROR5	Please re-enter data for {0} Address in a valid format. Address can not have multiple '@' characters.
PAS_EMAILADDRESSINVALIDTITLE	Valid email address not found
PAS_EMAILADDRESSNOTSUPPLIED	Email address not supplied.
PAS_EMAILFIELDNAME	Email
PAS_EMAILINVALIDTITLE	Invalid email address
PAS_EMAILNOTSUPPLIED	Email address not supplied.
PAS_EMAILRECEIPTSNOTENABLED	email receipts are not enabled at patron's library
PAS_EMPTYLIST_ERR	List cannot be empty.
PAS_ENTERVALIDPAYMENTMETHOD	Please enter a valid payment method.
PAS_EPHEMERALCHECKOUTREQUIRESCOUNT	Check out failed. Ephemeral item checkouts (quick-circ) must supply an item count between 1 and 999
PAS_EPHEMERALCOUNT	{0} items
PAS_EPHEMERALITEMBARCODENOTFOUND	Ephemeral item record with barcode {0} not found
PAS_ERECEIPTISEMAILSELECTEMAIL	eReceipt option is email. Please enter E-mail address.
PAS_ERECEIPTISTXTSELECTPHONE	eReceipt option is Txt Messaging. Please select a phone number to receive text messages.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ERECEIPTOPTIONEMAILMISSING	eReceipt option is email. Please enter E-mail address.
PAS_ERECEIPTOPTIONINVALID	Please select a valid eReceipt option.
PAS_ERECEIPTSNOTENABLED	eReceipts are not enabled at patron's library
PAS_ERECEIPTTEXTPHONEINVALID	Please select a valid phone number to receive text messages.
PAS_ERECEIPTTEXTPHONEMISSING	eReceipt option is Txt Messaging. Please select a phone number to receive text messages.
PAS_ERRORCALCULATINGDUEDATE	Error calculating due date.
PAS_ERRORRECORDSETCREATED	Record Set {0} ({1}) has been created.
PAS_ERRORREPORTTITLE	Error Report
PAS_EXCEEDEDCLAIMSLIMITTITLE	Exceeded claims limit
PAS_EXCEEDEDTOTALMATERIALLIMIT	Exceeded material type request limit
PAS_EXCEEDEDTOTALREQUESTLIMIT	Exceeded total request limit
PAS_EXCELFALSE	N
PAS_EXCELMAXROWSEXCEEDED	Record set is too large to export. Exceeds Excel's maximum of approximately 1,000,000 records.
PAS_EXCELTRUE	Y
PAS_EXISTINGPROVISIONALBIBERROR	An error occurred determining whether the bib is an existing, provisional record.
PAS_EXPIRATIONDATEERROR	Expiration date has to be

STRING IDENTIFIERS	DEFAULT MESSAGE
	greater than or equal to the current date.
PAS_EXPORTMAXROWSEXCEEDED	Record set is too large to export. Exceeds configured maximum of {0} records.
PAS_EXTERNALAUTHDBERRMSG	An error occurred when attempting to search an external authority database
PAS_EXTERNALAUTHDBERROR	An error occurred when attempting to search an external authority database
PAS_EXTERNALAUTHDBERRORTIP	<p>If you are connecting to the Polaris ZMARC database, please make sure your production server can make outgoing TCP connections on port 210. Please contact Polaris customer support for details.</p> <p>If you are using a different external database, please contact that vendor.</p> <p>{0}</p>
PAS_EXTERNALAUTHDBERRRTITLE	Remote Automatic Authority Control
PAS_FAILEDTORELOADPATRONINFO	Failed to reload the patron information
PAS_FAILEDTOSETSAVALUE	Failed to set the SA value
PAS_FEEREASONCODE_LOSTBILLED_INVALID	Invalid fee reason code has been supplied for lost/-billed payment.
PAS_FEEREASONCODEMISSING	Must specify fee reason code

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_FEEREASONCODENOTALLOWED	Fee reason code must be allowed by the logged in branch.
PAS_FILEEXTENSIONNOTSUPPORTED	File extension not supported.
PAS_FILENAMEINVALID	Filename may not contain <, >, :, ", /, \, , ?, *, or .
PAS_FILETYPEINVALID	'fileType' value not supported.
PAS_FILEUPLOADFAILEDDBADFORMAT	File upload failed due to improperly formatted request.
PAS_FILEUPLOADFAULTEDORCANCELLED	Read faulted or was canceled.
PAS_FILLHOLDREQUEST	Fill hold request
PAS_FILLILLREQUESTTITLE	Fill ILL request
PAS_FILLNEXTHOLDTITLE	Fill next hold request
PAS_FILLSHOLDREQUESTFORPATRON	{0} Barcode: {1} satisfies a hold request for: {2} Barcode: {3}
PAS_FILLSREQUESTRENEWITEM	Barcode: {0} Title: {1} This item fills a request at {2}. Do you want to renew the item? (The hold request will remain active.)

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_FILLSREQUESTSAMEPATRONRENEWITEM	Barcode: {0} Title: {1} This item fills a request at {2}. (The request is for the same patron who currently has the item checked out.) Do you want to renew the item? (The hold request will remain active.)
PAS_FILLSREQUESTTRANSFER	Barcode: {0} Title: {1} This item fills a request at {2} Transfer for hold? (Click Cancel to stop the check-in/check-out process.)
PAS_FINEAMOUNTINVALID	Fine amount must be greater than 0
PAS_FINECODEIDREQUIRED	FineCodeID is required.
PAS_FINECODENOEXIST	Fine code does not exist.
PAS_FINESENTRYDOESNOTEXIST	The Fines table does not have an entry or default entry associated with the organization for item {0}
PAS_FISCALYEAR_DATESINVALID	Fiscal year end date must be later than the fiscal year start date.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_FISCALYEAR_FUNDSATTACHED	There are funds attached to this fiscal year.
PAS_FISCALYEAR_INVALID_ID	Fiscal year ID invalid.
PAS_FISCALYEAR_NAMELENGTHINVALID	Fiscal year name length is invalid.
PAS_FISCALYEAR_NOTESLENGTHINVALID	Fiscal year Notes length is invalid.
PAS_FISCALYEAR_STATUSIDINVALID	Fiscal year Status ID is invalid.
PAS_FISCALYEARCREATORIDINVALID	Fiscal year Creator ID is invalid.
PAS_FIXEDFIELDTAGTYPEIDINVALID	fixedFieldTagTypeID is not a valid AE_MARCFixedFieldTagType.
PAS_FLOATINGITEMLIMITEXCEEDED	Exceeded floating item limit
PAS_FREETEXTBLOCKLENGTHERROR	Free text block cannot exceed 255 characters.
PAS_FREETEXTBLOCKNOTFOUNDFORPATRON	Free-text block with ID {0} not found for Patron with ID {1}.
PAS_FREETEXTBLOCKTOOLONG	Free text block's length is too long.
PAS_FUNCTIONCODEINVALID	functionCode '{0}' is not valid
PAS_FUNCTIONCODENULL	functionCode cannot be null.
PAS_FUND_ADDRESSID_INVALID	Fund Address ID is invalid.
PAS_FUND_DONOR_EMAIL	Fund Donor email is invalid.
PAS_FUND_ENCLIMPERITEM_NEGATIVE	Encumbrance Limits Line item must be greater than or equal to zero.
PAS_FUND_ENCLIMPERORDER_NEGATIVE	Encumbrance Limits Orders

STRING IDENTIFIERS	DEFAULT MESSAGE
	must be greater than or equal to zero.
PAS_FUND_ENCLIMTOTCURRENC_NEGATIVE	Encumbrance Limits Fund must be greater than or equal to zero.
PAS_FUND_EXPLIMPERITEM_NEGATIVE	Exp/Debit Limit Line item must be greater than or equal to zero.
PAS_FUND_EXPLIMPERORDER_NEGATIVE	Exp/Debit Limit Invoices must be greater than or equal to zero.
PAS_FUND_EXPLIMTOTEXP_NEGATIVE	Exp/Debit Limit Fund must be greater than or equal to zero.
PAS_FUND_ID_INVALID	Fund {0} is invalid.
PAS_FUND_INVALID_ID	Fund {0} is invalid.
PAS_FUND_OVEREXPALLOW_NEGATIVE	Exp/Debit Limit Exceed free balance by must be greater than or equal to zero.
PAS_FUND_TYPE_INVALID	Fund type is invalid.
PAS_FUNDCANNOTDELETEHASCHILDREN	This fund cannot be deleted because it has subfunds linked to it.
PAS_FUNDCANNOTDELETELINKEDADMINISTRATIONPROFILES	This fund is used in one or more Administration profiles. Are you sure you want to delete it?
PAS_FUNDCANNOTDELETELINKEDINVOICELINEITEMS	This fund cannot be deleted because there are invoice line items linked to it.
PAS_FUNDCANNOTDELETELINKEDINVOICES	This fund cannot be deleted because there are invoices linked to it.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_FUNDCANNOTDELETELINKEDPURCHASEORDERLINEITEMS	The fund cannot be deleted because there are purchase order line items linked to it.
PAS_FUNDCANNOTDELETELINKEDPURCHASEORDERS	The fund cannot be deleted because there are purchase orders linked to it.
PAS_FUNDCANNOTDELETELINKEDSELECTIONLISTLINEITEMS	This fund cannot be deleted because there are selection list line items linked to it.
PAS_FUNDCANNOTDELETELINKEDSUBSCRIPTIONS	This fund cannot be deleted because it has linked subscription records.
PAS_FUNDCANNOTDELETETRANSACTIONSPOSTED	The fund cannot be deleted because there are transactions posted against it.
PAS_FUNDINGSOURCELENGTHERROR	Funding source cannot exceed 50 characters.
PAS_FUNDINVALIDID	Fund is not found {0}
PAS_FUNDNAMEINVALID	Fund Name is invalid.
PAS_FUNDNAMEMULTIPLE	[Multiple]
PAS_FUNDNAMENONE	[None]
PAS_FUNDSTATUSINVALID	Fund Status is invalid.
PAS_FUNDTYPEIDCHANGEFROMDAINVALID	Fund Type change to Deposit Account is restricted.
PAS_FUNDTYPEIDCHANGETODAINVALID	Fund Type change to Deposit Account is restricted.
PAS_GETOVERDUEFINEERROR	GetOverdueFine() error:
PAS_GETSACLEAROVDFINEATCIRCERROR	Error: GetSAClearOvdFineAtCirc() failed to get SA parameter for clearing overdue fine.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_HEADERCHARGENOTFOUND	Header Charge not found.
PAS_HEADERCHARGESLISTISEMPTY	Header Charges list is empty.
PAS_HELDFOR	For {0}
PAS_HISTORYIDDOESNOTBELONGTOPATRON	HistoryID {0} does not exist or does not belong to this patron {1}
PAS_HISTORYWITHIDINVALID	HistoryID {0} is invalid
PAS_HOLDABLEBYBRANCHANDLIBRARYERROR	Both 'holdable by library' and 'holdable by branch' cannot be true.
PAS_HOLDABLEBYPICKUPREQUIRED	HoldableByPickup field must also be supplied when AssignedBranchID is provided.
PAS_HOLDABLEBYPRIMARYERROR	No other 'holdable by' options can be true when 'holdable by primary lender' is true.
PAS_HOLDABLEBYPRIMARYLENDERREQUIRED	HoldableByPrimaryLender field must also be supplied when AssignedBranchID is provided.
PAS_HOLDABLEREQUIRED	Holdable is required.
PAS_HOLDBRANCHTYPEIDINVALID	Hold branch type ID is not valid
PAS_HOLDCONTINUEOPTIONTEXT	Do you want to continue with this operation?
PAS_HOLDILLITEMFORPATRON	Item is an INTER-LIBRARY LOAN for: {0} Barcode: {1}

STRING IDENTIFIERS	DEFAULT MESSAGE
	Do you want to hold this item for the patron?
PAS_HOLDINFOUNVERIFIED	Unable to verify hold info
PAS_HOLDITEMCANCELSTOP	Do you want to hold the item? (Click Cancel to stop the check-in/check-out process.)
PAS_HOLDLOCKEDBY	Hold request is locked by {0}.
PAS_HOLDNOTE	Hold Note
PAS_HOLDORSSTOPMESSAGE	*** Hold for Outreach Services Patron ***
PAS_HOLDPICKUPBRANCHIDREQUIRED	HoldPickupBranchID field must also be supplied when AssignedBranchID is provided.
PAS_HOLDPICKUPBRANCHNOEXIST	Hold pickup branch does not exist.
PAS_HOLDPICKUPBRANCHNOTALLOWED	Hold pickup branch not allowed for assigned branch.
PAS_HOLDPICKUPBRANCHREQUIRED	Hold pickup branch must be provided when HoldableByPickup is true.
PAS_HOLDPROCESSINGCANCELLED	Hold processing canceled
PAS_HOLDREQUESTASSOCPATRON	Hold request for associated patron
PAS_HOLDREQUESTASSOCPATRONCONTINUE	This item will satisfy a hold request for an associated patron. Do you want to continue with the check-out?

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_HOLDREQUESTCANNOTBEROUTED_ONLYAVAIL	{0} ({1}) has the only available item(s), the request cannot be routed.
PAS_HOLDREQUESTCREATED	The hold request has been created.
PAS_HOLDREQUESTDESC	hold request
PAS_HOLDREQUESTFAILED	Placing hold request failed.
PAS_HOLDREQUESTFILLED	The hold request has been filled.
PAS_HOLDREQUESTIDNOTFOUND	Holds request {0} not found
PAS_HOLDREQUESTINVALIDSTATUSID	Unexpected status '{0}'.
PAS_HOLDREQUESTISCANCELLED	Hold request is canceled
PAS_HOLDREQUESTNOTFOUND	Hold request not found
PAS_HOLDREQUESTREACTIVATED	Request reactivated for patron {0}, {1}.
PAS_HOLDREQUESTREACTIVATEFAILED_NOTBOUND	This request cannot be bound to a bibliographic record and cannot be reactivated.
PAS_HOLDREQUESTREACTIVATEFAILED_NOTFINAL	Cannot reactivate this request. Bibliographic record {0} does not have a status of Final.
PAS_HOLDREQUESTRECORDBOUNDWITH	This record is linked to the title: {0} Your request will be listed under that title.
PAS_HOLDREQUESTRECORDLINKEDTOTITLE	The record "{0}" is linked to the title: "{1}" Your request will be listed under that title.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_HOLDREQUESTSDESC	hold requests
PAS_HOLDREQUESTSTATUSREQUIREMENTS	Hold request status must be either ACTIVE, INACTIVE, PENDING, HELD, or LOCATED
PAS_HOLDREQUESTSTATUSUPDATEHOLDUNTIL	Hold request status must be either HELD or SHIPPED
PAS_HOLDREQUESTTRANSFERRED	The hold request has been transferred
PAS_HOLDREQUESTUPDATE_CANNOTFILL_CONTINUE	<p>Do you want to continue with this operation?</p> <p>This item's 'Limit to: 'branch is set to: {0} ({1})</p> <p>This item cannot fill the request according to its assigned branch policy.</p> <p>Title: {2}</p>
PAS_HOLDREQUESTUPDATECANNOTFILLMSG	<p>This item's 'Limit to: 'branch is set to: {0} ({1})</p> <p>This item cannot fill the request according to its assigned branch policy.</p> <p>Title: {2}</p>
PAS_HOLDSTATUSIDINVALID	Hold status ID is not valid
PAS_HOLDSTATUSINCORRECT	Hold request status incorrect for this operation
PAS_HOLDTILLDATENOTSPECIFIED	HoldTillDate not specified
PAS_HOMEBRANCHIDREQUIRED	HomeBranchID is required.
PAS_HOMEBRANCHNOEXIST	Home branch does not

STRING IDENTIFIERS	DEFAULT MESSAGE
	exist.
PAS_HOMEBRANCHNOTBRANCHTYPEERROR	Home branch cannot be at the system or library level.
PAS_HOSTBIBLIOGRAPHICRECORDDESC	host bibliographic record
PAS_HOSTMULTIPLELINKEDFINALERROR	Host records can have no more than 1 linked item record with a record status of 'final'.
PAS_IDS_MSG_CKINCANSUB	The subscription issue is linked to a subscription that was canceled.
PAS_ILLCIRCULATED	The ILL item was originally requested by patron {0}, {1}.
PAS_ILLCONVERSIONPROCEDURECANCELLED	ILL conversion procedure canceled
PAS_ILLITEM	ILL Item
PAS_ILLITEMNOCHECKIN	ILL items cannot be checked in and received. Please check-in the item in Circulation.
PAS_ILLITEMNOCIRC	Item is an INTER-LIBRARY LOAN. The item status is Returned-ILL and the request status is Returned. The item cannot circulate.
PAS_ILLITEMRETURNEDSTATUSNOCIRC	Item is an INTER-LIBRARY LOAN. The item status is Returned-ILL and the request status is Returned. The item can not circulate.
PAS_ILLITEMTEMPLATEREQUIRED	There is no 'ILL Item' item record template for {0}. Please create one.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ILLRECEIVEDUPLICATEBARCODEEXIST	This barcode is a duplicate and cannot be used to create an ILL item.
PAS_ILLRECEIVEDUPLICATEBARCODEEXISTTITLE	Duplicate barcode
PAS_ILLRECEIVEFAILED	Ill request 'Receive' failed
PAS_ILLRECEIVEPROCEDURECANCELLED	ILL-Receive procedure canceled
PAS_ILLRECEIVESUCCESS	ILL-Receive successful
PAS_ILLRECEIVESUCCESSITEMHELD	This ILL item was created. Item status is Held.
PAS_ILLRECEIVESUCCESSITEMTRANSFERRED	This ILL item was created. Item status is Transferred.
PAS_ILLRECEIVESUCCESSPATRONNOWANT	This ILL item was created. The INN-Reach request indicates the patron no longer wants this item.
PAS_ILLRECEIVESUCCESSTITLE	ILL item created
PAS_ILLRECORDSELECTDIFFERENT	The bibliographic record you specified is an ILL record. Please select a different record.
PAS_ILLREQUESTALREADYRETURNED	ILL request is already returned
PAS_ILLREQUESTDELETEFAILED	ILL request {0} cannot be deleted.
PAS_ILLREQUESTDELETEINVALIDSTATUSID	Unexpected ILL status '{0}'. ILL request delete failed.
PAS_ILLREQUESTIDINVALID	ILLRequest ID is invalid
PAS_ILLREQUESTINVALIDSTATUSID	Unexpected item status '{0}'. ILL request update failed.
PAS_ILLREQUESTLOCKEDBY	ILL request is locked by {0}.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ILLREQUESTPACNOTESUPDATEFAILED	ILL request update failed. PAC notes update is not allowed.
PAS_ILLREQUESTSNOTPERMITTED	ILL requests are not permitted by the patron's library
PAS_ILLREQUESTSNOTPERMITTEDTITLE	ILL request blocked
PAS_ILLREQUESTTYPEINVALID	Request type is invalid
PAS_ILLREQUESTUPDATED	The ILL request has been updated.
PAS_ILLREQUESTUPDATEFAILED	Ill request update failed.
PAS_ILSSTOREORDERCREATEFAILED	Create ILS store order failed
PAS_ILSSTOREORDERDETAILDOESNOTEXIST	ILSStoreOrderDetail record does not exist
PAS_ILSSTOREORDERDETAILINVALID	Associated ILS store order detail is invalid
PAS_ILSSTOREORDERIDINVALID	ILS store order ID is invalid
PAS_ILSSTOREORDERTRANSACTIONINVALID	Associated ILS store order transaction is invalid
PAS_IMPORTJOB_DUPLICATERECORDSETKINDS	Import Job has duplicate record set ImportRecordSetKind fields
PAS_IMPORTJOB_INVALIDRECORDSETOPTIONS	Invalid number of Record Set options
PAS_IMPORTJOB_NAMELENGTHINVALID	Import Job File Name length is invalid
PAS_IMPORTJOB_PATHNAMEINVALID	Import Job path name is invalid
PAS_IMPORTJOBSTATUSINVALID	Import Job Status Invalid
PAS_IMPORTPROFILEDESC	import profile

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_INAVLIDHOLDREQUESTID	Invalid Hold request ID
PAS_INHOUSECHECKINFAILED	In House check in failed.
PAS_INNREACHDENY	Deny INN-Reach hold request
PAS_INNREACHDENYMSG	You are denying this INN-Reach request. Are you sure you want to continue?
PAS_INNREACHFILL	Fill INN-Reach hold request
PAS_INNREACHFILLMSG	{0} Barcode: {1} satisfies an INN-Reach hold request to be shipped to: {2}, {3}, for: {4} Phone: {5} Do you want to ship the item? (Click Cancel to stop the check-in/check-out process.)
PAS_INNREACHITEMISHELDCHECKINMSG	This INN-Reach item has already been checked in and declared shipped. Do you still want to ship this item?
PAS_INNREACHITEMISHELDCHECKOUTMSG	This item satisfies an INN-Reach request and cannot be checked out. It is currently being held for: {0} Phone: {1}

STRING IDENTIFIERS	DEFAULT MESSAGE
	Do you still want to ship this item?
PAS_INNREACHITEMTEMPLATEREQUIRED	There is no 'INNER Item {0}-{1}' item record template for {2}. Please create one.
PAS_INSERTRECORDSFAILED	Failed to insert records
PAS_INTRANSIT	In-Transit
PAS_INTRANSITITEM	In-transit item
PAS_INTRANSITTO	To
PAS_INTRANSITTOWITHABBR	To {0} ({1})
PAS_INVALIDADDRESSID	Address ID is invalid.
PAS_INVALIDATTRIBUTEVALUE	Attribute value '{0}' is not valid for attribute type '{1}'
PAS_INVALIDCONTACTPERSONID	Contact Person ID is invalid.
PAS_InvalidCreditCardPaymentData	Invalid Credit Card Payment Data.
PAS_INVALIDCUSTOMDATA	The value of {0} may not be greater than 2,147,483,647.
PAS_INVALIDCUSTOMDATATITLE	Invalid value
PAS_INVALIDDATECUSTOMDATA	{0} contains an invalid date value.
PAS_INVALIDDATECUSTOMDATATITLE	Invalid Date
PAS_INVALIDDISCRATE	Discount rate is invalid
PAS_INVALIDDOMAINFORATTR	Invalid domain for attribute '{0}'
PAS_INVALIDDOMAINSPECIFIED	Invalid domain specified
PAS_INVALIDEMAILATSIGN	Invalid Email format: Address can not begin or end with '@'.
PAS_INVALIDEMAILDOMAIN	Invalid Email format:

STRING IDENTIFIERS	DEFAULT MESSAGE
	Improper domain.
PAS_INVALIDEMAILMULTIPLEATSIGNS	Invalid Email format: Address can not have multiple '@' characters.
PAS_INVALIDEMAILPERIOD	Invalid Email format: Address can not begin or end with '!'.
PAS_INVALIDEMAILSUCCESSIVEPERIODS	Invalid Email format: Address can not have successive '!' characters.
PAS_INVALIDEMAILWHITESPACE	Invalid Email format: Address can not have white space.
PAS_INVALIDFAXSUPRESSED	System Admin is set to suppress FAX.
PAS_INVALIDFILEGROUPTYPEFORRECORDSETADD	Invalid file group type for record set add operation.
PAS_INVALIDFISCALYEARNAMEORORG	Fiscal year name is already in use for this organization.
PAS_INVALIDHEADERCHARGE	Header Charge already exists.
PAS_INVALIDHOLDPICKUPBRANCH	Invalid Pickup Branch
PAS_INVALIDHOLDUSERSUPPLIED	Invalid hold user not supplied reason
PAS_INVALIDIMPORTJOBID	Invalid Import Job ID
PAS_INVALIDINNREACHREQUESTFORILLEXPORT	INN-Reach requests not eligible for export.
PAS_INVALIDITEMID	Invalid Item ID.
PAS_INVALIDITEMSTATUS	Not a valid item status [{0}]
PAS_INVALIDITEMSTATUSFORILLCANCEL	Item has {0} status. Please check the item in.
PAS_INVALIDITEMSTATUSFORILLDELETE	Item has {0} status. Please

STRING IDENTIFIERS	DEFAULT MESSAGE
	return it and try again.
PAS_INVALIDLICENSE	Invalid license.
PAS_INVALIDNAMEID	Use for print / phone notices is checked. Please populate the Last name and First name on Identification.
PAS_INVALIDNOTIFICATIONOPTIONTITLE	Invalid notification option
PAS_INVALIDOBJECTTYPEAUTHTOBIBRECORDSET	Invalid ObjectType. Failed to create Bib recordset from Authority record set.
PAS_INVALIDOBJECTTYPEBIBTOAUTHITEMRECORDSET	Invalid ObjectType. Failed to create Authority/Item recordset from Bib record set.
PAS_INVALIDOBJECTTYPEITEMTOBIBRECORDSET	Invalid ObjectType. Failed to create Bib recordset from Item record set.
PAS_INVALIDORGANIZATIONID	Invalid Organization ID
PAS_INVALIDORIGINATINGRECORDSETID	Invalid OriginatingRecordSetID {0}.
PAS_INVALIDPASSWORD	Password can contain only numeric characters.
PAS_INVALIDPASSWORDTITLE	Invalid Password
PAS_INVALIDPATRONBIRTHDATE	Birthdate is in the future. Please enter a valid birthdate.
PAS_INVALIDPATRONBRANCHID	Patron organization {0} is not a valid branch.
PAS_INVALIDPATRONREGDATE	Registration date is in the future. Please enter a valid registration date.
PAS_INVALIDPHONE3SUPRESSED	System Admin is set to

STRING IDENTIFIERS	DEFAULT MESSAGE
	supress Phone 3.
PAS_INVALIDPHONE3TITLE	Invalid phone
PAS_INVALIDPICKUPBRANCHID	Invalid pickup branch id
PAS_INVALIDPOLARISUSERID	Invalid Polaris User ID
PAS_INVALIDPROMPTRESULT	Invalid reply
PAS_INVALIDSALESTAXRATE	Sales tax is invalid
PAS_INVALIDTRANS	Invalid Trans
PAS_INVENTORYUPDATEFAILED_ITEMBELONGSTO	Item status is {0} and belongs to {1}. Inventory update failed.
PAS_INVENTORYUPDATESUCCESS_ITEMHELD	Item is held. Inventory update successful.
PAS_INVENTORYUPDATESUCCESSWITHSTATUS	Inventory update successful for item with a status of {0}.
PAS_INVOICE_CHARGETYPE_INVALID	Invalid Header Charge Type.
PAS_INVOICE_CLOSED_FUNDS_MSG1	Transactions cannot be posted against the following closed funds:
PAS_INVOICE_CLOSED_FUNDS_MSG2	The operation will be canceled.
PAS_INVOICE_CLOSED_FUNDS_TITLE	Closed Funds
PAS_INVOICE_DETAILS_TRANSMETH_ELECTRONIC	Electronic
PAS_INVOICE_DETAILS_TRANSMETH_FAX	Fax
PAS_INVOICE_DETAILS_TRANSMETH_PAPER	Paper
PAS_INVOICE_DETAILS_TRANSMISSIONMETHODVALUEINVALID	Invoice Transmission Method value is invalid.
PAS_INVOICE_DUPLICATEFOUND	An invoice already exists that has the same number, suffix, type, and supplier.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_INVOICE_FUND_LIST_TITLE	Overexpenditure List
PAS_INVOICE_INVALID_CHECK_DATE	Invalid check date.
PAS_INVOICE_INVALID_ID	Invoice is not found {0}
PAS_INVOICE_INVALID_MISC_TYPE	Cannot pay open miscellaneous invoice with no line items or header charges.
PAS_INVOICE_INVALID_PYMNT_STATUS	Invalid PaymentStatusID {0}.
PAS_INVOICE_INVALID_STATUS	Invoice status is not Open.
PAS_INVOICE_INVALID_VOUCHER_DATE	Invalid voucher date.
PAS_INVOICE_LINKED_FUNDS_LOCKED_MSG	One or more linked funds are locked by other users. The operation will be canceled.
PAS_INVOICE_LINKED_FUNDS_LOCKED_TITLE	Linked Funds
PAS_INVOICE_LINKED_ITEMS_LOCKED_MSG	One or more linked items are locked by other users. The operation will be canceled.
PAS_INVOICE_LOCKED_TITLE	Linked Items
PAS_INVOICE_NOTELENGTHINVALID	Invoice Note length is invalid.
PAS_INVOICE_NULL_ID	Invalid InvoiceID {0}
PAS_INVOICE_NULL_LINES_MISC_TYPE	Cannot pay credited miscellaneous invoice with no line items.
PAS_INVOICE_NUMBERSUFFIXLENGTHINVALID	Invoice Number Suffix length is invalid.
PAS_INVOICE_NUMLBERLENGTHINVALID	Invoice Number length is invalid.
PAS_INVOICE_PAID_FAILED_MSG	Failed to pay invoice.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_INVOICE_PAID_SUCCESS_MSG	Invoice paid successfully.
PAS_INVOICE_PLANNAMELENGTHINVALID	Invoice Plan name length invalid.
PAS_INVOICE_PYMNT_CANCELLED	Invoice payment is cancelled.
PAS_INVOICE_TRANMETHODLENGTHINVALID	Invoice Transmission Method length is invalid.
PAS_INVOICELINEITEMDESC	invoice line item
PAS_INVOICESTATUSIDINVALID	Invoice Status ID is invalid
PAS_INVOICETYPEIDINVALID	Invoice Type ID is invalid
PAS_INVOICEUNDOPAYMENTNOTALLOWED	This invoice does not satisfy the conditions for undoing an invoice payment.
PAS_ISBN	ISBN
PAS_ISBNANDISSNPRESENTERROR	Both ISBN and ISSN cannot be present.
PAS_ISBNISSNLENGTHERROR	{0} cannot exceed 50 characters.
PAS_ISHOLDABLESTATUS01	No items are attached to the bibliographic record.
PAS_ISHOLDABLESTATUS02	An item at this branch is IN.
PAS_ISHOLDABLESTATUS03	All items have a prohibited status and will not fill this request.
PAS_ISHOLDABLESTATUS04	All items are restricted from filling this request.
PAS_ISHOLDABLESTATUS05	All items are restricted from filling this request according to their assigned branch policy.
PAS_ISHOLDABLESTATUS06	All items will not fill this request because they do

STRING IDENTIFIERS	DEFAULT MESSAGE
	not belong to a responder branch for this pickup location.
PAS_ISHOLDABLESTATUS07	All items are marked 'Do not mail to patron'. To fill this request, uncheck this option on one or more items or uncheck the Borrow by mail option for this request.
PAS_ISHOLDABLESTATUS09	Hold request not permitted. This bibliographic record has been created for ILL.
PAS_ISHOLDABLESTATUS10	The bibliographic record is Provisional. Hold requests are not permitted on Provisional records.
PAS_ISHOLDABLESTATUS11	The bibliographic record is Deleted. Hold requests are not permitted on Deleted records.
PAS_ISHOLDABLESTATUS16	The item is IN.
PAS_ISHOLDABLESTATUS17	The item has a prohibited status and is not available to fill your request.
PAS_ISHOLDABLESTATUS18	This item is not holdable.
PAS_ISHOLDABLESTATUS19	This item cannot fill the request according to its assigned branch policy.
PAS_ISHOLDABLESTATUS20	This item will not fill this request because it does not

STRING IDENTIFIERS	DEFAULT MESSAGE
	belong to a responder branch for this pickup location.
PAS_ISHOLDABLESTATUS21	This item is marked 'Do not mail to patron'. To fill this request, uncheck this option on the item or uncheck the Borrow by mail option for this request.
PAS_ISHOLDABLESTATUS22	This multipart item is restricted from filling requests.
PAS_ISHOLDABLESTATUS23	This serial item is restricted from filling requests.
PAS_ISHOLDABLESTATUS24	Hold request not permitted. This item record has been created for ILL.
PAS_ISHOLDABLESTATUS25	The item record is Provisional. Hold requests are not permitted on Provisional records.
PAS_ISHOLDABLESTATUS26	The item record is Deleted. Hold requests are not permitted on Deleted records.
PAS_ISHOLDABLESTATUS27	Hold requests are not permitted on eContent items.
PAS_ISHOLDABLESTATUSID	IsHoldable status id: {0}
PAS_ISHOLDABLESTATUSPROMPTFILLNOW	Do you want to fill the request with this item?
PAS_ISHOLDABLESTATUSPROMPTPLACE	Do you want to place this request?

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ISNEWINVALIDSTATE	Attempt to create a new item record when IsNew is set to false.
PAS_ISNEWRECANDBIBRECIDNOTALLOWED	Supplying both IsNewRecord and BibRecordID is not allowed.
PAS_ISSN	ISSN
PAS_ISSUE_CREATE_ERROR	Failed to create issue/part
PAS_ISSUEPART_RECORDLOCKEDBY	Serial issue/part record is locked by {0}.
PAS_ISSUEPARTRECORDDESC	issue/part record
PAS_ISSUEREORDCLAIMNOTFOUND	Claim Info for issue record with ID {0} not found.
PAS_ISSUEREORDINVALIDID	Invalid IssueID
PAS_ISSUEREORDNOTFOUND	Issue record with ID {0} not found.
PAS_ITEM_RECEIVED_MSG	This item has already been checked in and received. Do you want to continue?
PAS_ITEM_RECEIVED_TITLE	Item Received
PAS_ITEM_SECUREPATRON_MMSCHECKIN	You can't do this because the patron record for the last borrower of this item is secured. You can make the item Unavailable
PAS_ITEMALREADYHELDFORPATRON	Item was already held for patron {0}, {1}.
PAS_ITEMASSIGNEDTO	Item is assigned to {0}.
PAS_ITEMBARCODEDEFINEDFORPATRONS	This barcode format is defined for patron records.
PAS_ITEMBARCODEEMPTY	Item barcode is empty
PAS_ITEMBARCODEINVALIDFORMAT	Invalid barcode. This bar-

STRING IDENTIFIERS	DEFAULT MESSAGE
	code format is not defined. No matching item record was found. Check the item barcode.
PAS_ITEMBARCODEINVALIDISFORPATRON	Invalid barcode. Barcode format is for patron.
PAS_ITEMBARCODEINVALIDTITLE	Invalid barcode format
PAS_ITEMBARCODENOTDEFINEDCONTINUE	This barcode format is not defined. Do you want to continue?
PAS_ITEMBARCODENOTDEFINEDCONTINUE2	This barcode format is not defined. Do you want to use this barcode for this item?
PAS_ITEMBARCODENOTFOUND	No matching item record was found. Check the item barcode.
PAS_ITEMBARCODENULL	Item barcode is null
PAS_ITEMBILLEDTOPATRON	Item was billed to patron {0}, {1}.
PAS_ITEMBLOCKED	Item is blocked
PAS_ITEMBLOCKEDCONTINUE	Do you want to continue with this operation?
PAS_ITEMBLOCKEDTITLE	Item is blocked
PAS_ITEMBLOCKIDINVALID	Invalid item block id
PAS_ITEMCHECKEDINANDHELD	Item checked in and being held.
PAS_ITEMCHECKEDINANDTRANSFERRED	Item checked in and being transferred to pick up library.
PAS_ITEMCHECKEDINFORSECUREPATRON	Item was checked in for a patron record that is

STRING IDENTIFIERS	DEFAULT MESSAGE
	secured - Patron [{0}, {1}].
PAS_ITEMCHECKEDOUT	Item checked out
PAS_ITEMCHECKOUTCHARGE	There is a charge to check out this item.
PAS_ITEMCLAIMEDBILLEDBY	Item was claimed {0} by and billed to patron {1}, {2}.
PAS_ITEMCLAIMEDBY	Item was Claimed {0} by patron {1}, {2}.
PAS_ITEMCLAIMEDTITLE	Item is claimed
PAS_ITEMCLAIMLIMITMMSCHECKIN	Patron has exceeded total number of claims allowed. Do you want to continue with this operation?
PAS_ITEMDELETEDCANNOTFILLHOLD	The item record is Deleted. The item cannot fill a request.
PAS_ITEMDIFFBRANCHCONTINUE	This item is assigned to {0}. Do you want to continue with this transaction?
PAS_ITEMDOESNOTEXISTINQUEUE	ItemRecordID {0} does not exist in NotificationQueue
PAS_ITEMDUEATCLOSINGTIME_PERMITLOAN	Item is due at library closing time. Permit overnight loan?
PAS_ITEMFILLEDHOLDREQUEST	Item filled hold request for patron {0}, {1}.
PAS_ITEMFILLSREQUESTATTRANSFER	Barcode: {0} Title: {1} This item fills a request at {2} Transfer for hold?

STRING IDENTIFIERS	DEFAULT MESSAGE
	(Click Cancel to stop the check-in/check-out process.)
PAS_ITEMFILLSREQUESTTITLE	Item fills a request
PAS_ITEMFROMANOTHERBRANCH	Item is from another branch
PAS_ITEMHASOUTSTANDINGCHARGES	Item status is {0} and has outstanding patron charges.
PAS_ITEMHELDFOR	This item is held for: {0} Barcode: {1}
PAS_ITEMIDINVALID	Item ID is invalid
PAS_ITEMIDZEROERROR	Item Id has to be greater than zero.
PAS_ITEMINTRANSIT	Item is in-transit
PAS_ITEMINTRANSITBOUNDTOHOLD	Item In-Transit to {0}, bound to hold request for {1}, {2}.
PAS_ITEMINTRANSITTITLE	Item is in-transit
PAS_ITEMINTRANSITTO	The item is now In-Transit to {0} ({1})
PAS_ITEMINTRANSITTOWITHABBR	The item is now {0} to {1} ({2})
PAS_ITEMINTRANSITTRANSFERREDTO	Item In-Transit to {0} is being transferred to {1} hold request. Please send item to pick-up library.
PAS_ITEMISHELDTITLE	Item is held
PAS_ITEMISNOTILLITEM	It is not an ILL item. Item control number: {0}
PAS_ITEMISPROVISIONALCANNOTFILLHOLD	The item record is Provisional. The item cannot

STRING IDENTIFIERS	DEFAULT MESSAGE
	fill a request.
PAS_ITEMISRESERVEITEM	Item {0}, Title {1} is a reserve item
PAS_ITEMLASTCRCTXNNEWER	Item's lastCircTransactionDate is newer than this transaction date.
PAS_ITEMINTRANSITTRANSFERREDTO	Item In-Transit to {0} is being transferred to {1} hold request. Please send item to pick-up library.
PAS_ITEMISHELDTITLE	Item is held
PAS_ITEMISNOTILLITEM	It is not an ILL item. Item control number: {0}
PAS_ITEMISPROVISIONALCANNOTFILLHOLD	The item record is Provisional. The item cannot fill a request.
PAS_ITEMISRESERVEITEM	Item {0}, Title {1} is a reserve item
PAS_ITEMLASTCRCTXNNEWER	Item's lastCircTransactionDate is newer than this transaction date.
PAS_ITEMLINKEDTOHOSTBIB	Attention: This item record is linked to a host bibliographic record. You may also need to change the call numbers (if any) on linked constituent bib records.
PAS_ITEMLINKEDTOHOSTBIBDISPLAYINPAC	This item record is linked to a host bibliographic record. The Display In PAC setting also affects the display of constituent call numbers.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMLINKPARENTPARENTERROR	An item can't be linked to a parent record ({0}) that is itself linked to a parent record ({1}).
PAS_ITEMLOCKEDBY	Item record is locked by {0}.
PAS_ITEMLOSTACTION	Item was Lost
PAS_ITEMMARKEDASDONOTMAIL	<p>Title: {0}</p> <p>This item is marked 'Do not mail to patron'.</p> <p>To fill this request, uncheck this option on one or more items or uncheck the Borrow by mail option for this request.</p>
PAS_ITEMMUSTBEINTOFILLREQUEST	The item circulation status is {0}. The item must be In to fill a request.
PAS_ITEMNONCIRCULATING	Item is designated non-circulating
PAS_ITEMNOTCHECKEDOUT	Item was not checked out
PAS_ITEMNOTCHECKEDOUTTOPATRON	Item is not checked out to the patron
PAS_ITEMNOTCHECKEDOUTTOTHISPATRON	Item is not checked out to this patron.
PAS_ITEMNOTLINKEDTOREQUEST	Item not linked to this request
PAS_ITEMNOTLOSTORCLAIMED	Item with itemID {0} does not have a lost or claim status
PAS_ITEMNOTOUT	Item was not Out
PAS_ITEMNOWHELDFORPATRON	Item is now held for patron {0}, {1}.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMOUTBILLEDOUTTODIFFPATRON	Item that was out and billed to patron {0}, {1} has been checked out to patron {2}, {3}.
PAS_ITEMOUTBILLEDTO	Item was was out and billed to patron {1}, {2}.
PAS_ITEMOUTTOANOTHERPATRON	Item is out to another patron
PAS_ITEMOUTTOANOTHERPATRONCONTINUE	This item is already checked out to another patron. Do you want to continue with the check-out to {0}?
PAS_ITEMOUTTODIFFPATRON	Item that was out to patron {0}, {1} has been checked out to patron {2}, {3}.
PAS_ITEMOVERRENEWALLIMITCONTINUE	Item is over the renewal limit of {0}. Item has been renewed {1} times. Do you want to continue with renewal?
PAS_ITEMPARENTANDCHILDERROR	An item can't be linked to both a parent record ({0}) and a child record ({1}).
PAS_ITEMPARENTNOTITSELF	An item record can't have itself as a parent.
PAS_ITEMRECORDASSOCSERIALLOCKEDNODELETE	The item record's associated serial issue/part record is locked by {0} and cannot be deleted.
PAS_ITEMRECORDDELETED	The record was deleted successfully.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMRECORDDELETEFAILED	Item record {0} could not be deleted.
PAS_ITEMRECORDDELETEFAILEDUNKNOWN	Item record {0} could not be deleted. {1}
PAS_ITEMRECORDDESC	item record
PAS_ITEMRECORDHISTORYACTIONINVALID	Invalid item record history action supplied.
PAS_ITEMRECORDINSERTFAILEDMISSINGASSIGNEDBRANCH	Item Record insert failed due to missing assigned branch.
PAS_ITEMRECORDINSERTFAILEDMISSINGBIBLINK	Item Record insert failed due to missing bibliographic record link.
PAS_ITEMRECORDINSERTFAILEDMISSINGCIRCSTATUS	Item Record insert failed due to missing circulation status.
PAS_ITEMRECORDINSERTFAILEDMISSINGFINECODE	Item Record insert failed due to missing fine code.
PAS_ITEMRECORDINSERTFAILEDMISSINGHOME	Item Record insert failed due to missing home branch.
PAS_ITEMRECORDINSERTFAILEDMISSINGLOANPERIOD	Item Record insert failed due to missing loan period code.
PAS_ITEMRECORDINSERTFAILEDMISSINGMATTTYPE	Item Record insert failed due to missing material type.
PAS_ITEMRECORDINSERTFAILEDMISSINGOWNER	Item Record insert failed due to missing system wide owner.
PAS_ITEMRECORDINSERTFAILEDMISSINGRECORDSTATUS	Item Record insert failed due to missing record status.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMRECORDINSERTFAILEDMISSINGRENEWAL	Item Record insert failed due to missing renewal limit.
PAS_ITEMRECORDINSERTFAILEDMISSINGSHELFScheme	Item Record insert failed due to missing shelving scheme.
PAS_ITEMRECORDLINKSBREAKABLE	Item Record Links (Breakable)
PAS_ITEMRECORDLINKSBREAKABLEMESSAGE	The following links will be broken if you continue deleting item record {{0}}:
PAS_ITEMRECORDLINKSUNBREAKABLE	Item Record Links (Unbreakable)
PAS_ITEMRECORDLINKSUNBREAKABLEMESSAGE	Deletion of item record {{0}} is not possible due to the following unbreakable link (s):
PAS_ITEMRECORDLINKSBREAKABLEMESSAGE	The following links will be broken if you continue deleting item record {{0}}:
PAS_ITEMRECORDLINKSUNBREAKABLE	Item Record Links (Unbreakable)
PAS_ITEMRECORDLINKSUNBREAKABLEMESSAGE	Deletion of item record {{0}} is not possible due to the following unbreakable link (s):
PAS_ITEMRECORDMANAGEREXISTEDITEMBARCODE	Item barcode {0} already exists in the database.
PAS_ITEMRECORDMANAGEREXISTEDPATRONBARCODE	A patron record exists for this barcode {0}.
PAS_ITEMRECORDMANAGEREXISTEDQUICKCIRCBARCODE	Item barcode {0} is used as a quick-circ barcode.
PAS_ITEMRECORDMANAGERINVALIDBARCODELENGTH	A valid item barcode must

STRING IDENTIFIERS	DEFAULT MESSAGE
	be supplied. Maximum length is {0}.
PAS_ITEMRECORDMANAGERINVALIDITEMFORMAT	This barcode format is not defined. Do you want to use this barcode for this item?
PAS_ITEMRECORDMANAGERINVALIDPATRONFORMAT	This barcode format is defined for patron records. Do you want to use this barcode for this item?
PAS_ITEMRECORDMANAGERITEMBARCODEASSIGNED	Item barcode {0} is already assigned to this item.
PAS_ITEMRECORDMANAGERSTOPECONTENT	EContent item {0} cannot be modified from check-in.
PAS_ITEMRECORDMANAGERSTOPILL	ILL item {0} cannot be modified from check-in.
PAS_ITEMRECORDMANAGERSTOPLOCKED	Locked item {0} cannot be modified from check-in.
PAS_ITEMRECORDMANAGERSTOPNONEIN	Item {0} must be in and from this branch.
PAS_ITEMRECORDMANAGERSTOPQUICKCIRCITEM	Quick-circ item {0} cannot be modified from check-in.
PAS_ITEMRECORDOPENOPTIONIDINVALID	Invalid ItemRecordOpenOption id
PAS_ITEMRECORDOPENVIEWSAVEERROR	Error saving the item record open user default view: Mnemonic {0} and Value is {1}.
PAS_ITEMRECORDSAVED	The record was saved successfully.
PAS_ITEMRECORDSTATUSINVALIDCANNOTFILLHOLD	The item has an invalid record status. The item cannot fill a request.
PAS_ITEMRECORDUNDELETEFAILED	Item record {0} was not

STRING IDENTIFIERS	DEFAULT MESSAGE
	undeleted.
PAS_ITEMRECORDUNDELETEFAILEDUNKNOWN	Item record {0} was not undeleted. {1}
PAS_ITEMRECORDUPDATED	The item record has been updated.
PAS_ITEMRECORDUPDATEFAILED	Item record update failed.
PAS_ITEMRETURNEDFROMROUTING	Item was returned from routing.
PAS_ITEMSATISFIESHOLDREQUEST	Item satisfies a hold request.
PAS_ITEMSATISFIESREQUESTTITLE	Item satisfies request
PAS_ITEMSDLETEDMSG	{0} item record(s) deleted successfully
PAS_ITEMSECUREPATRONMMSCHECKIN	You can't do this because the patron record for the last borrower of this item is secured. You can make the item Unavailable.
PAS_ITEMSTATCODENOEXIST	Item statistical code does not exist.
PAS_ITEMSTATCODENOTALLOWED	Statistical code not allowed for assigned branch.
PAS_ITEMSTATUSCLAIMED	Item status is {0}, {1} or {2}.
PAS_ITEMSTATUSCLAIMMISSINGPARTS	Claim Missing Parts
PAS_ITEMSTATUSCLAIMNEVERHAD	Claim Never Had
PAS_ITEMSTATUSCLAIMRETURNED	Claim Returned
PAS_ITEMSTATUSDOESNOTEXIST	ItemStatus {0} does not exist
PAS_ITEMSTATUSHELDDHOLDNOTHELD	Item status was held, but hold status was not held or unfilled
PAS_ITEMSTATUSHELDDILLNOTRECEIVED	Item status was held, but ill

STRING IDENTIFIERS	DEFAULT MESSAGE
	status was not received-held
PAS_ITEMSTATUSIDINVALID	Item status ID is invalid
PAS_ITEMSTATUSIDINVALIDSTATE	Current item record status '{0}' cannot be change to '{1}'.
PAS_ITEMSTATUSIDNOTCLAIMMISSINGPARTS	Item status ID is not 'Claim Missing Parts'.
PAS_ITEMSTATUSIDNOTVALIDFORNEWRECORDS	Item status ID is not valid for item record creation.
PAS_ITEMSTATUSIDREQUIRED	ItemStatusID is required.
PAS_ITEMSTATUSOUT	Item Record {0} has an OUT status
PAS_ITEMSTATUSOUTILL	Item Record {0} has an OUT-ILL status
PAS_ITEMSTATUSTRANSFERREDHOLDNOTSHIPPED	Item status was transferred, but hold status was not shipped
PAS_ITEMSTATUSTRANSFERREDILLNOTRECEIVED	Item status was transferred, but ill status was not received-transferred
PAS_ITEMSTATUSUPDATEFAILED	{0} Error: item status update failed
PAS_ITEMUNABLETODELETEWARNING	{0} item record(s) were not deleted
PAS_ITEMTEMPLATEDESC	item template
PAS_ITEMTEMPLATEFIELDASSIGNEDBRANCH	Assigned branch
PAS_ITEMSTATUSUPDATEFAILED	{0} Error: item status update failed
PAS_ITEMUNABLETODELETEWARNING	{0} item record(s) were not deleted
PAS_ITEMTEMPLATEDESC	item template

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMTEMPLATEFIELDASSIGNEDBRANCH	Assigned branch
PAS_ITEMTEMPLATEFIELDFINECODE	Fine code
PAS_ITEMTEMPLATEFIELDHOMEBRANCH	Home branch
PAS_ITEMTEMPLATEFIELDITEMSTATUS	Item status
PAS_ITEMTEMPLATEFIELDLOANPERIODCODE	Loan period code
PAS_ITEMTEMPLATEFIELDMATERIALTYPE	Material type
PAS_ITEMTEMPLATEFIELDOWNINGBRANCH	Owning branch
PAS_ITEMTEMPLATEFIELDRENEWALLIMIT	Renewal limit
PAS_ITEMTEMPLATEFIELDSELVINGScheme	Shelving scheme
PAS_ITEMTEMPLATEFIELDSSMISSING	The following fields are missing from the '{0}' item record template for {1}: {2}
PAS_ITEMTEMPLATENOTFOUND	Item template not found.
PAS_ITEMTEMPLATEREQUIRED	There is no 'On The Fly' item record template for {0}. An item template is required to circulate this item on the fly.
PAS_ITEMTEMPLATEREQUIREDTITLE	Item template required
PAS_ITEMTRANSFERREDTO	The item is now transferred to {0}.
PAS_ITEMTRANSFERREDTOFORHOLD	Item is being transferred to {0} hold request. Please send item to pick-up library.
PAS_ITEMUPDATEFAILED_MISSINGASGNDBRANCHID	Item record update failed due to missing assigned branch ID.
PAS_ITEMUPDATEFAILED_MISSINGBIBID	Item record update failed due to missing associated bibliographic record ID.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMUPDATEFAILED_MISSINGFINECODEID	Item record update failed due to missing fine code ID.
PAS_ITEMUPDATEFAILED_MISSINGHOMEBRANCHID	Item record update failed due to missing home branch ID.
PAS_ITEMUPDATEFAILED_MISSINGITEMSTATUSID	Item record update failed due to missing item status ID.
PAS_ITEMUPDATEFAILED_MISSINGLOANPERIODCODE	Item record update failed due to missing loan period code ID.
PAS_ITEMUPDATEFAILED_MISSINGMATTYTYPEID	Item record update failed due to missing material type ID.
PAS_ITEMUPDATEFAILED_MISSINGMODIFIERID	Item record update failed due to missing modifier ID.
PAS_ITEMUPDATEFAILED_MISSINGOWNBRANCHID	Item record update failed due to missing owning branch ID.
PAS_ITEMUPDATEFAILED_MISSINGRECORDSTATUSID	Item record update failed due to missing record status ID.
PAS_ITEMUPDATEFAILED_MISSINGRENEWALLIMIT	Item record update failed due to missing renewal limit.
PAS_ITEMUPDATEFAILED_MISSINGSHELFSCHEMEID	Item record update failed due to missing shelving scheme ID.
PAS_ITEMWAS	Item was {0}
PAS_ITEMWASINTRANSIT	Item was In-Transit.
PAS_ITEMWASNOT	Item was not {0}
PAS_ITEMWITHDRAWNTITLE	Item is withdrawn

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ITEMWITHIDNOTFOUND	Item not found with ID {0}
PAS_KEEPPBLOCK	Keep block
PAS_LABEL_CONTENT_LASTLABELHASNULLLOREMPYCONTENT	Last label cannot have null or empty content.
PAS_LABEL_CONTENT1_LENGTHINVALID	Content1 length is invalid.
PAS_LABEL_CONTENT2_LENGTHINVALID	Content2 length is invalid.
PAS_LABEL_CONTENT3_LENGTHINVALID	Content3 length is invalid.
PAS_LASTCOPYAUTHDISPLAY	Authority Record {0} - {1}
PAS_LASTCOPYBIBDISPLAY	Bibliographic Record {0} - {1}
PAS_LASTCOPYOPTIONSTITLE	Last copy options
PAS_LASTCOPYORRECORDOPTIONS	The following record options are available:
PAS_LASTCOPYORRECORDREPORTTITLE	Last Copy Or Record Report
PAS_LASTRECORDOPTIONSTITLE	Last record options
PAS_LASTTXNDATEINVALID	Last transaction date is invalid
PAS_LASTUSEBRANCHIDINVALID	Last use branch ID is invalid
PAS_LASTUSEPATRONINFO	{0} item: Last borrower was {1}, {2}.
PAS_LASTUSEPATRONINVALID	Failed to get patron information with the last use patron id {0}.

Polaris Application Services Strings Reference (continued)

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_LASTCOPYORRECORDREPORTTITLE	Last Copy Or Record Report
PAS_LASTRECORDOPTIONSTITLE	Last record options
PAS_LASTTXNDATEINVALID	Last transaction date is invalid
PAS_LASTUSEBRANCHIDINVALID	Last use branch ID is invalid
PAS_LASTUSEPATRONINFO	{0} item: Last borrower was {1}, {2}.
PAS_LASTUSEPATRONINVALID	Failed to get patron information with the last use patron id {0}.
PAS_LCCN	LCCN
PAS_LCCNLENGTHERROR	LCCN cannot exceed 40 characters.
PAS_LIBRARYBLOCKIDINVALID	Invalid library-defined block id
PAS_LIBRARYBLOCKNOTFOUNDFORPATRON	Library-defined block (stop) with ID {0} not found for Patron with ID {1}.
PAS_LIBRARYBLOCKWITHIDNOTFOUND	Library assigned block not found with ID {0}
PAS_LINKASSOCIATIONCOUNTDESC	This {0} has {1} {2} associated with it.
PAS_LINKEDBIBNOTFINAL	Linked bibliographic record {0} does not have a status of final.
PAS_LINKEDPATRONINVALID	Linked patron ID is invalid
PAS_LINKEDREQUESTSFORITEMUPDATED	Linked requests for this item have been updated.
PAS_LINKEDTODIGITALRESOURCES	This {0} is linked to digital resource(s).
PAS_LOANABLEOUTSIDESYSTEMREQUIRED	LoanableOutsideSystem is required.
PAS_LOANINGORGIDINVALID	Loaning org ID is invalid

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_LOANPERIODCODEIDREQUIRED	LoanPeriodCodeID is required.
PAS_LOANPERIODCODENOEXIST	LoanPeriod code does not exist.
PAS_LOANPERIODSENTRYDOESNOTEXIST	The LoanPeriods table does not have an entry or default entry associated with the assigned branch of item {0}
PAS_LOANPERIODSHORTENEDDUETOHOLDS	Loan period shortened due to number of holds.
PAS_LOANUNITSINVALID	Loan units are invalid
PAS_LOANUNITTYPEINVALIDDATA	Loan unit type {0} is not valid
PAS_LOCKERROR	Error locking object ID {0}. {1}
PAS_LOGONBRANCHDOESNOTEXIST	Logon branch {0} does not exist
PAS_MAILINGADDRESSINVALIDTITLE	Invalid mailing address
PAS_MAINTXNIDINVALID	Must supply a valid main txn ID
PAS_MAINTXNIDSINVALID	Invalid MainTxnIDs
PAS_MAKECLAIMFAILEDUNKNOWN	Make claim failed for unknown reason
PAS_MANUALBLOCKIDREQUIRED	ManualBlockID field must also be supplied when AssignedBranchID is provided.
PAS_MANUALBLOCKNOEXIST	Library assigned block (manual block) does not exist.
PAS_MANUALBLOCKNOTALLOWED	Library assigned block (manual block) not allowed for assigned branch.
PAS_MARCRECORDFORMATIDINVALID	marcRecordFormatID is not a valid ILSMARCRecordFormats.
PAS_MARCTAG_NOTVALIDFIXEDFIELD	MARC tag number is not a valid fixed field. Please supply 0, 6, 7 or 8.
PAS_MARCTAGDEFINITION_NOTFOUND	MARC tag definition with ID {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
	not found.
PAS_MARCTYPEOFMATERIALNOEXIST	MARCTypeOfMaterial does not exist
PAS_MARCVALIDATIONPROBLEM	The following validation errors were found. To ignore these errors, click continue.
PAS_MARCVALIDATIONPROBLEMCANTSAVE	The bibliographic record cannot be saved with the following errors.
PAS_MATERIALTYPEIDREQUIRED	MaterialTypeID is required.
PAS_MATERIALTYPENOEXIST	Material type does not exist.
PAS_MATERIALTYPEWITHIDNOTFOUND	Material type not found with ID {0}
PAS_MATTYPELIMITEXCEEDED	Exceeded material type item limit
PAS_MEDIADISPENSERANDSLOT	Dispenser {0}, slot {1}
PAS_MEDIADISPENSERTITLE	Media Dispenser
PAS_MEDIADISPENSERWARNINGTITLE	Media to dispense
PAS_MEMORIALNOTE_INVALID	Donor Memorial note length is invalid.
PAS_MESSAGEIDINVALID	MessageID is an invalid value
PAS_MESSAGEIDORPATRONIDINVALID	MessageID or PatronID is an invalid value
PAS_MESSAGETYPEINVALID	{MessageType} must be 100 or 101
PAS_MESSAGEVALUEMAXLENGTH	MessageValue length is greater than 255 characters
PAS_MESSAGEVALUENULL	MessageValue is null or empty
PAS_MISSINGBARCODE	Missing barcode
PAS_MNEMONICNOTVALIDADMINATTR	Mnemonic '{0}' not a valid admin attribute

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_MODIFIEDBARCODE	Modified barcode
PAS_MSG_SSO_UPDATEBIB	{0}: No other records are linked to its linked bibliographic record. Do you still want to display this bibliographic record in the PAC?
PAS_MULTIPLEHOLDABLEBYNOTALLOWED	Multiple 'holdable by' options are not allowed.
PAS_NAMEIDINCOMPLETE_TITLE	Name on Identification is not complete
PAS_NAMEOFPIECELENGTHERROR	Name of piece cannot exceed 255 characters.
PAS_NEWMESSAGEIDINVALID	New MessageID is an invalid value
PAS_NOBARCODE	No barcode
PAS_NOBARCODECONTINUE	This item has no barcode. Do you want to continue saving?
PAS_NODISPLAYINPACCONTINUE	This item will not display in PAC. Do you want to continue saving?
PAS_NOFIRSTNAME	No first name
PAS_NOHEADINGPROBLEMSFOUND	No heading problems were found.
PAS_NOITEMSCHECKEDOUTTOPATRON	No items are checked out to this patron.
PAS_NOITEMSSATISFYOBJECTDELETETEWILLCANCELDESC	No other items are available to satisfy the {0}. Deleting this item will cancel {1} {2}.
PAS_NOITEMSSELECTDEPOSITONLY	No item(s) selected. Please select 'Deposit' type only.
PAS_NOITEMSSELECTED	No items have been selected
PAS_NOITEMSWITHDEPOSITS	No items have deposits asso-

STRING IDENTIFIERS	DEFAULT MESSAGE
	ciated with them
PAS_NOITEMWITHCHARGES	No items have charges associated with them
PAS_NOLASTNAME	No last name
PAS_NOMATCHINGITEMRECORD	No matching item record was found.
PAS_NONBLOCKINGNOTEINVALID	Invalid Non Blocking Status note
PAS_NONBLOCKINGNOTEMAX	Non Blocking note cannot be greater than 4000 chars
PAS_NONCIRCULATINGREQUIRED	NonCirculating is required.
PAS_NONE	(None)
PAS_NONLOCALINNREACHREQUESTSMAYNOTBECONVERTED	Non-local INN-Reach requests cannot be converted.
PAS_NONPUBLICNOTELENGTHERROR	Non-public note cannot exceed 255 characters.
PAS_NONPUBLICNOTETOOLONG	Non-Public note's length is too long.
PAS_NOORGLICENSEDFORLEAP	No organizations are licensed for LEAP circulation.
PAS_NOOTHERITEMSAREAVAILABLETOFILLHOLD	No other items at other branches are available to fill this hold
PAS_NOOWNERSHIPRIGHTS	You do not have the proper ownership rights to perform this operation.
PAS_NOOWNERSHIPRIGHTS_SERIAL	You do not have the proper ownership rights to perform this operation.
PAS_NOPATCODEID	No patron code id
PAS_NOTETOOLONG	Note field cannot exceeds {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
	characters.
PAS_NOTIFICATIONEMAILADDRESSMISSING	Notification option is E-mail. Please enter E-mail address.
PAS_NOTIFICATIONFAXMISSING	Notification option is FAX. Please enter a FAX number.
PAS_NOTIFICATIONMAILADDRESSMISSING	Notification Option is Mailing Address. Please select a Notices Address.
PAS_NOTIFICATIONPHONE1MISSING	Notification option is Phone 1. Please enter a number for Phone 1.
PAS_NOTIFICATIONPHONE2MISSING	Notification option is Phone 2. Please enter a number for Phone 2.
PAS_NOTIFICATIONPHONE3MISSING	Notification option is Phone 3. Please enter a number for Phone 3.
PAS_NOTIMPLEMENTED	Not implemented.
PAS_NUMRECORDSOUTOFRANGE	numRecords out of range
PAS_OBJECTDOESNOTEXIST	Object does not exist.
PAS_OBJECTLINKEDTO	This {0} is linked to {1} {2}(s).
PAS_OBJECTLINKEDTOOTHER	This {0} is linked to {1} other {2} (s).
PAS_OBJECTLOCKED	{0} is locked by {1} on {2}
PAS_OBJECTLOCKEDBYANOTHERUSER	Object is locked by another user.
PAS_OBJECTLOCKEDBYUSER	Object is currently locked by user '{0}'
PAS_OBJECTNOTFOUND	{0} not found.
PAS_OBJECTNOTLOCKED	Object has not been locked
PAS_OBJECTNULL	{0} cannot be null
PAS_OBJECTROUTED	This {0} is currently being

STRING IDENTIFIERS	DEFAULT MESSAGE
	routed.
PAS_OBJECTTYPEIDNOTVALIDFORRECORDSETS	ObjectTypeID {0} is not valid for record sets.
PAS_OBJECTTYPENOTEXPECTED	Expected ObjectType {0}, but received ObjectType {1}
PAS_OBJECTWITHDESCRIPTIONNOTFOUND	{0} with {1} {2} not found.
PAS_OBJECTWITHIDNOTFOUND	{0} with ID {1} not found.
PAS_OFFICE1FIELDNAME	Office 1
PAS_OFFLINEASSOCIATEDPATRONPICKEDUP	This item satisfied a hold request for an associated patron {0}, {1}.
PAS_OFFLINECHECKINLOSTITEMERROR	Item was {0}. No related patron information.
PAS_OFFLINECHECKOUTCHECKHOLD	checked out to patron {0}, {1}. Check hold request
PAS_OFFLINECHECKOUTCHECKKILL	checked out to patron {0}, {1}. Check ILL request.
PAS_OFFLINECHECKOUTHELD	Hold request for patron {0}, {1} may be invalid, item with status {2}.
PAS_OFFLINECHECKOUTILL	ILL request for patron {0}, {1} may be invalid, item with status {2}.
PAS_OFFLINECHECKOUTROUTEDITEM	'Routed' Item was checked-out.
PAS_OFFLINECIRCINPROCESSITEM	Item circulated was In-Process.
PAS_OFFLINECIRCINTRANSITITEM	Item was In-Transit to {0}.
PAS_OFFLINECIRCITEMOTHERSTATUS	Circulation status was {0}. Check item.
PAS_OFFLINECIRCNONCIRCITEM	The item circulated to the patron is a non-circulating item.
PAS_OFFLINECIRCNONCIRCPATRONCODE	The item circulated to the patron is a non-circulating item for

STRING IDENTIFIERS	DEFAULT MESSAGE
	the patron code.
PAS_OFFLINECIRCTRANSFERREDITEM	Item was In-Transit, bound to hold request for patron {0}, {1}.
PAS_OFFLINEFAILEDNEWERTXNEXISTS	Item's lastCircTransactionDate is newer than this transaction date.
PAS_OFFLINEHOLDSATISFIED	Item filled hold request for patron {0}, {1}.
PAS_OFFLINEILLSATISFIED	Item filled ILL request for patron {0}, {1}.
PAS_OFFLINENORELATEDPATRON	Item was {0}. No related patron information.
PAS_OLDMESSAGEIDINVALID	Old MessageID is an invalid value
PAS_ONLYINITEMSMAYBESETTOMISSING	Only items with a circulation status of 'In' may be set to 'Missing'.
PAS_ONLYITEMAVAILABLEFORHOLD	This is the only item available for hold
PAS_ONSHELF	on-shelf
PAS_OPENINVOICELINEITEMDESC	open invoice line item
PAS_ORGANIZATIONDOESNOTEXIST	Organization {0} does not exist
PAS_ORGANIZATIONDOESNOTEXISTINDOMAIN	"OrganizationID {0} does not exist in the '{1}' domain"
PAS_ORGANIZATIONIDINVALID	Organization ID is invalid
PAS_ORGANIZATIONIDINVALIDDATA	Organization {0} is not valid
PAS_ORGANIZATIONIDMUSTBEBRANCHID	Organization ID must be a branch ID.
PAS_ORGANIZATIONNOTLICENSEDFORLEAP	User's organization is not licensed for LEAP circulation.
PAS_ORGDOESNOTEXIST	Organization does not exist

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_ORGIDINVALID	OrgID {0} is invalid
PAS_ORIGINALITEMSTATUSIDREQUIRED	OriginalItemStatusID is required.
PAS_ORIGINATINGRECORDSETEEMPTY	The originating record set must contain records.
PAS_ORSMANAGER_INVALIDSTATUS	Invalid StatusID. Valid values are 1 (Active) or 2 (Inactive)
PAS_ORSMANAGER_LASTSVCDATAISNULL	patronData cannot be null.
PAS_ORSMANAGER_LASTSVCDATEINVALIDFUTURE	Last Service Date cannot be more than a year in the future.
PAS_ORSMANAGER_LASTSVCDATEINVALIDPAST	Last Service Date cannot be more than a year in the past.
PAS_ORSMANAGER_PATRONLISTISNULLERR	Patron list is invalid.
PAS_ORSNOTLICENSED	Outreach Services is not licensed.
PAS_ORSPATRONCHECKOUTSERVICEDATE	Do you want to update the next service date?
PAS_ORSPATRONPRIORCHECKOUTMSG	{0} was previously checked out by this patron on {1}. Do you want to continue?
PAS_ORSPATRONPRIORCHECKOUTTITLE	Outreach Services Patron
PAS_OTFUNABLETOCREATEBIBRECORD	Unable to create bibliographic record.
PAS_OTFUNABLETOCREATEITEMRECORD	Unable to create item record.
PAS_OUTREACH_PATRON_PREF_NOT_FOUND	Patron record must be saved as an outreach patron prior to adding preferences.
PAS_OUTREACH_SRVSC_NOTALLOWED	Outreach services are not allowed.
PAS_OUTREACH_SVS_DIS_DEL_ERR	Failed to delete ORS patron disability.
PAS_OUTREACH_SVS_EQIP_DEL_ERR	Failed to delete ORS patron

STRING IDENTIFIERS	DEFAULT MESSAGE
	equipment.
PAS_OUTREACH_SVS_EXCEEDSMONTH	Number of months to wait must be between 0 and 120.
PAS_OUTREACH_SVS_INVALID_DELMODE	Invalid outreach delivery mode.
PAS_OUTREACH_SVS_INVALID_DELROUTE	Invalid outreach delivery route.
PAS_OUTREACH_SVS_INVALID_DELSCHEDULE	Invalid outreach delivery schedule.
PAS_OUTREACH_SVS_INVALID_DELSTOP	Invalid outreach delivery stop.
PAS_OUTREACH_SVS_INVALID_STATUS	Invalid outreach status.
PAS_OUTREACH_SVS_LASTSVSDATENULL	lastServiceDate is null
PAS_OUTREACH_SVS_PATNOTENABLED	Patron is not enabled for Outreach Services
PAS_OUTREACH_SVS_PATRONNULL	Patron object cannot be null.
PAS_OUTREACH_SVSDATE_PATRON_NOT_FOUND	Patron record must be saved as an outreach patron prior to updating last service date.
PAS_OUTREACHHELDITEMSBRACHNONE	No items are being held for this patron at this branch.
PAS_OUTREACHHELDITEMSBRANCHNONE	No items are being held for this patron at this branch.
PAS_OUTREACHHELDITEMSERROR	Unable to retrieve hold requests.
PAS_OUTREACHHELDITEMSILLERROR	Unable to retrieve ILL requests.
PAS_OUTREACHHELDITEMSNONE	No items are being held for this patron.
PAS_OUTREACHNOPREFERENCESFOUND	Unable to save preferences. You must choose at least 1 subject, author or genre when other settings are selected.
PAS_OUTREACHPATRON	Outreach Services Patron
PAS_OUTREACHPATRONPREFNOTFOUND	Patron record must be saved as an outreach patron prior to

STRING IDENTIFIERS	DEFAULT MESSAGE
	adding preferences.
PAS_OUTREACHPREFDUPLICATEERROR	Term '{0}' has already been added to the list.
PAS_OUTREACHPREFINVALIDAUDIENCE	Invalid Target Audience
PAS_OUTREACHPREFINVALIDDATE	Invalid Publication Date
PAS_OUTREACHPREFINVALIDFORMAT	Invalid Material Type
PAS_OUTREACHPREFINVALIDLANG	Invalid Language
PAS_OUTREACHPREInvalidAUDIENCE	Invalid Target Audience
PAS_OUTREACHPREINVALIDDATE	Invalid Publication Date
PAS_OUTREACHPREINVALIDFORMAT	Invalid Material Type
PAS_OUTREACHPREINVALIDLANG	Invalid Language
PAS_OUTREACHSRVSCNOTALLOWED	Outreach services are not allowed.
PAS_OUTREACHSVSDATEPATRONNOTFOUND	Patron record must be saved as an outreach patron prior to updating last service date.
PAS_OUTREACHSVSDISDELERR	Failed to delete ORS patron disability.
PAS_OUTREACHSVSEQIPDELERR	Failed to delete ORS patron equipment.
PAS_OUTREACHSVSEXCEEDSMONTH	Number of months to wait must be between 0 and 120.
PAS_OUTREACHSVSINVALIDDELMODE	Invalid outreach delivery mode.
PAS_OUTREACHSVSINVALIDDELROUTE	Invalid outreach delivery route.
PAS_OUTREACHSVSINVALIDDELSCHEDULE	Invalid outreach delivery schedule.
PAS_OUTREACHSVSINVALIDDELSTOP	Invalid outreach delivery stop.
PAS_OUTREACHSVSINVALIDSTATUS	Invalid outreach status.
PAS_OUTREACHSVSLASTSVSDATENULL	lastServiceDate is null.
PAS_OUTREACHSVSPATNOTENABLED	Patron is not enabled for Outreach Services.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_OUTREACHSVSPATRONNULL	Patron object cannot be null.
PAS_OUTREACHSVSSAVEERR	Error occurred saving patron.
PAS_OUTREACHUPDATEFAILEDDISABILITY	Update failed. Invalid disability ID {0}.
PAS_OUTREACHUPDATEFAILEDEQUIPMENT	Update failed. Invalid equipment ID {0}.
PAS_OVERDUEAMOUNTINVALID	Please enter an overdue amount between 0.01 and 2,000,000.00.
PAS_OVERDUEFINEMESSAGE	Patron has account balance
PAS_OVERDUEFINETITLE	Overdue Fine
PAS_OVERDUETXNCODEINVALID	Please supply a valid overdue transaction code.
PAS_OVERDUETXNCODENOTALLOWED	Please supply an allowable overdue transaction code.
PAS_OVERPAYMENTNOTALLOWED	Over payment is not allowed. Changed amount should not be larger than the balance
PAS_OVERRIDEHOLDCONTINUECHECKOUT	This item cannot be checked out. It is being held for: {0} Barcode: {1} {2}Do you want to override the hold and continue with check out?
PAS_OWNINGBRANCHIDREQUIRED	OwningBranchID is required.
PAS_OWNINGORGDOESNOTEXIST	Owning organization does not exist.
PAS_OWNINGORGNOEXIST	Owning organization does not exist.
PAS_PACNOTESMODIFICATIONNOTALLOWED	Modifications to PAC notes are

STRING IDENTIFIERS	DEFAULT MESSAGE
	not allowed.
PAS_PAGES	Pages
PAS_PAPIPRIVSERROR	User lacks PAPI privileges
PAS_PARENTILLRECORDSELECTDIFFERENT	The parent item record you specified is an ILL record. Please select a different record.
PAS_PARENTITEMIDNOEXIST	Parent item record {0} does not exist in database.
PAS_PARENTITEMNOLINKEDBIB	Parent item record {0} does not have a linked bib record.
PAS_PARENTITEMNOTFINAL	Parent item record {0} does not have a status of final.
PAS_PARENTITEMRECORDNOEXIST	Parent item record does not exist.
PAS_PARENTNOTILLRECORDSELECTDIFFERENT	The parent item record you specified is not an ILL record. Please select a different record.
PAS_PARENTSAVEPROVISIONALRECORDASFINAL	The parent item record you specified is a provisional record. Please save the provisional record as final before linking another record to it.
PAS_PARENTUNDELETEDELETEDRECORD	The parent item record you specified is a deleted record. Please undelete the deleted record before linking another record to it.
PAS_PARTRECORDDESC	part record
PAS_PASSWORDNULL	Password is null
PAS_PASTCLOSINGTIME_DUEDATERESETTOTODAY	The time selected is past closing time. The time due will be reset to today's closing time.
PAS_PATRONACCOUNTAFFECTED	Patron account has been

STRING IDENTIFIERS	DEFAULT MESSAGE
	affected.
PAS_PATRONACCOUNTTXNCODEINVALID	Patron Account Txn Code is invalid
PAS_PATRONACCTTXNCHARGEWAIVEPAY	Patron account txn code must be charge/waive/pay
PAS_PATRONACCTTXNCODEINVALID	PatronAccountTxnCode needs a valid value to charge or waive registration fee.
PAS_PATRONADDRCHECKDATEPASTTITLE	Address check date has passed
PAS_PATRONADDRCHECKPASTCONTINUE	Address check date is in the past. Do you want to continue?
PAS_PATRONADDRCHECKTODAYCONTINUE	Address check date is today. Do you want to continue?
PAS_PATRONADDRDELETEFAILED	Failed to delete patron addresses for patron ID {0}
PAS_PATRONADDRESSESINSERTFAILED	failed to insert entry in patronaddresses table
PAS_PATRONADDRESSINFOMISSINGCONTINUE	No address information has been entered. Do you want to continue?
PAS_PATRONADDRESSMISSING	Notification option is Mailing address. Please enter address.
PAS_PATRONADDRESSZIPCITYINVALID	Zip code {0} with city {1} not found: address rejected.
PAS_PATRONADDRESSZIPCOUNTRYINVALID	The Postal Code {0} / Country {1} combination is not valid: address rejected.
PAS_PATRONADDRINSERT_FAILED	Failed to insert patron address for patron ID {0}.
PAS_PATRONASSOCACTIONINVALID	Invalid patron association action specified.
PAS_PATRONASSOCMAXLINKS	This patron is associated with

STRING IDENTIFIERS	DEFAULT MESSAGE
	the maximum number of {0} permitted linked records.
PAS_PATRONASSOCSAVEERR	Error saving patron association (s).
PAS_PATRONBARCODEEMPTY	Patron barcode is empty
PAS_PATRONBARCODEFORMATITEM	This barcode format is defined for item records.
PAS_PATRONBARCODEFORMATITEMCONTINUE	This barcode format is defined for item records. Do you want to use this barcode for this patron?
PAS_PATRONBARCODEFORMATNOTDEFINED	This barcode format is not defined. Do you want to use this barcode for this patron?
PAS_PATRONBARCODEFORMATTITLE	Invalid barcode format
PAS_PATRONBARCODEITEMBARCODEEXITS	An item record exists for this barcode.
PAS_PATRONBARCODENULL	Patron barcode is null
PAS_PATRONBLOCKDESC	Patron [{0}, {1}] is blocked: {2}.
PAS_PATRONBLOCKED	Patron is blocked.
PAS_PATRONBLOCKEDBULKCANCEL	{0} is blocked.
PAS_PATRONBLOCKEDBULKCONTINUE	{0} is blocked. Do you want to continue with this operation?
PAS_PATRONBLOCKEDCONTINUE	Do you want to continue with this operation?
PAS_PATRONBLOCKEDINSUFFICIENTPRIV	< Insufficient privilege to view patron blocks >
PAS_PATRONBLOCKEDTITLE	Patron is blocked
PAS_PATRONBLOCKEDVERIFYREGCONTINUE	Patron has been blocked to verify registration information.

STRING IDENTIFIERS	DEFAULT MESSAGE
	Do you want to continue to block this patron?
PAS_PATRONCHARGEFORREGISTRATION	There is {0} charge for registration. Please choose to Pay, Waive or Charge to the account.
PAS_PATRONCHARGEPAWVAIVEWRITEFAILED	Unable to write charge/pay/waive into PatronAccount table
PAS_PATRONCHECKOUTFEECHARGED	This item was charged for check-out. The patron account has been charged {0}.
PAS_PATRONCLAIMSEXCEEDED	Patron has exceeded total number of claims allowed
PAS_PATRONCLAIMSEXCEEDEDANDONETIME	and the number of claims allowed at one time
PAS_PATRONCLAIMSEXCEEDEDCONTINUE	Do you want to continue with this operation?
PAS_PATRONCLAIMSEXCEEDEDONETIME	Patron has exceeded the number of claims allowed at one time
PAS_PATRONCODEIDINVALID	Patron code ID is invalid
PAS_PATRONCUSTOMDATADATEINVALID	{0} contains an invalid date value.
PAS_PATRONCUSTOMDATADIGITINVALID	The value of {0} may be greater than 2,147,483,647.
PAS_PATRONCUSTOMDATAINVALID	Invalid PatronCustomData
PAS_PATRONDELETEFAILED	Failure in deleting patron {0}
PAS_PATRONDELETEDLINKS	Deletion of patron record is blocked due to the following links.
PAS_PATRONDELETEDLOCKED	Record is in use by another user and cannot be deleted.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PATRONDOESNOTEXIST	Patron with barcode {0} does not exist
PAS_PATRONEXCEEDEDCHECKOUTLIMIT	Patron ({0}) has exceeded check out limit for {1}. Patron has {2} items of {3} permitted.
PAS_PATRONEXCEEDEDCHECKOUTLIMITMATTYPE	Patron ({0}) has exceeded the check out limit for Material Type: {1}. Patron has {2} items of {3} permitted. Do you want to continue?
PAS_PATRONEXCEEDEDTTLCHECKOUTLIMIT	Exceeded total item limit
PAS_PATRONEXCEEDEDTTLCHECKOUTLIMITCONTINUE	Patron ({0}) has exceeded the total items out limit. Patron has a total of {1} items of {2} permitted. Do you want to continue?
PAS_PATRONEXCEEDITEMSOUTLIMIT	Patron has exceeded total items out limit. Patron has total of {0} items of {1} permitted.
PAS_PATRONEXCLUDEDFROMBILLMSG	According to the settings in the patron account, this user is excluded from billing.
PAS_PATRONEXCLUDEFROMHOLDNOTICESDISPLAY	Exclude from hold notices: {0}
PAS_PATRONEXPDATEPASTCONTINUE	Expiration date is in the past. Do you want to continue?
PAS_PATRONEXPDATE TODAYCONTINUE	Expiration date is today. Do you want to continue?
PAS_PATRONFEERECORDDESC	patron fee record
PAS_PATRONFIELDADDRESS	Address
PAS_PATRONFIELD BARCODE	Barcode
PAS_PATRONFIELD BIRTHDATE	Birth date
PAS_PATRONFIELD BRANCH	Branch

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PATRONFIELDEMAILADDRESS	Email address
PAS_PATRONFIELDEXPDATE	Expiration date
PAS_PATRONFIELDFIRSTNAME	First name
PAS_PATRONFIELDGENDER	Gender
PAS_PATRONFIELDLASTNAME	Last name
PAS_PATRONFIELDPASSWORD	Password
PAS_PATRONFIELDPATRONCODE	Patron code
PAS_PATRONFIELDSTATCLASS	Statistical class ID
PAS_PATRONFINEWRITEFAILED	Unable to write patron fine
PAS_PATRONHASNOCLAIMS	Zero total claims for this patron with ID: {0}
PAS_PATRONIDINVALID	Patron ID is invalid
PAS_PATRONIDNOTFOUND	Patron ID was not found in the database
PAS_PATRONLINKSTITLE	Patron Record Links
PAS_PATRONMERGEBLOCKCA	Patron has a collection agency block.
PAS_PATRONMERGEBLOCKCOURSERESERVES	Patron has linked course reserve records.
PAS_PATRONPAYMENTREPLYDATAREQUIRED	Failed to update patron custom data for patronID {0}.
PAS_PATRONPHONEDISPLAY	Phone: {0}
PAS_PATRONPHOTODOESNOTEXIST	Patron does not have a photo
PAS_PATRONPSWDALPHANUMERICONLY	Patron password should only contain alphanumeric characters.
PAS_PATRONPSWDEXCEEDSLENGTH	Patron password may not exceed 16 characters.
PAS_PATRONPSWDNUMERICONLY	Patron password should only contain numeric characters.
PAS_PATRONRECORDDELETEDFAILED	Patron record {0} could not be

STRING IDENTIFIERS	DEFAULT MESSAGE
	deleted.
PAS_PATRONRECORDDELETEFAILED	Delete patron record failed.
PAS_PATRONRECORDSECURED	Patron record is secured
PAS_PATRONRECORDSETCANNOTBEDELETED	This patron record set cannot be deleted.
PAS_PATRONREGDUPLICATEBARCODE	duplicate barcode
PAS_PATRONREGDUPLICATENAME	duplicate name
PAS_PATRONREGFAILEDUNKNOWN	Patron Registration failed for an unknown reason
PAS_PATRONREGINSERTFAILED	failed to insert entry in PatronRegistration table
PAS_PATRONREGISTRATIONCHARGETITLE	Patron registration charge
PAS_PATRONREGISTRATIONFEECHARGED	Patron Registration fee {0} charged to patron account.
PAS_PATRONREGISTRATIONFEEINVALID	Please enter an amount between 0.01 and 2,000,000.00 for registration fee.
PAS_PATRONREGISTRATIONSUCCESS	Registration successful
PAS_PATRONREGNAMEANDBARCODE	Patron Registration ({0}-{1})
PAS_PATRONREQUESTCOUNTMATTTYPE	Patron has made {0} of {1} requests permitted for material type {2}.
PAS_PATRONREQUESTLIMITZEROMATTTYPE	Patron request limit is 0 for material type {0}.
PAS_PATRONREQUESTSEXCEEDED_CONTINUE	Patron ({0} {1}) has exceeded the maximum number of requests permitted. Title: {2} Do you want to place this request?
PAS_PATRONREQUESTSEXCEEDEDMSG	Patron ({0} {1}) has exceeded

STRING IDENTIFIERS	DEFAULT MESSAGE
	the maximum number of requests permitted. Title: {2}
PAS_PATRONRESTRICTED	Patron ({0}) is restricted from borrowing {1}.
PAS_PATRONRESTRICTEDMATTTYPE	Patron ({0}) is restricted from borrowing Material type: {1}. Do you want to continue?
PAS_PATRONSAVEBARCODEEXISTED	Unable to save patron record, barcode is assigned to another patron.
PAS_PATRONSCONTROLLER_GROUPSUCCESS	Requests are grouped successfully.
PAS_PATRONSCONTROLLER_REMOVESUCCESS	Requests are removed from group successfully.
PAS_PATRONSDLETEDSUCCESSMSG	{0} patron record(s) deleted successfully
PAS_PATRONSEXISTINDB	The following patrons exist in the database already and may be a duplicate of {0} ({1}).
PAS_PATRONSRPCCONTROLLER_NORELEASE_RECORDLOCKED	Patron record is locked by another user and may not be released.
PAS_PATRONSRPCCONTROLLER_NORELEASE_RECORDNOTLOCKED	Patron record is not locked and may not be released.
PAS_PATRONSRPCCONTROLLER_NORELEASE_REGISTRATIONLOCKED	Patron registration record is locked by another user. The patron record may not be released.
PAS_PATRONSRPCCONTROLLER_NOSECURE_RECORDLOCKED	Patron record is locked by another user and may not be secured.
PAS_PATRONSRPCCONTROLLER_NOSECURE_RECORDNOTLOCKED	Patron record is not locked and may not be secured.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PATRONSRPCCONTROLLER_NOSECURE_REGISTRATIONLOCKED	Patron registration record is locked by another user. The patron record may not be secured.
PAS_PATRONSRPCCONTROLLER_UNABLETORELEASERECORD	Unable to release patron account.
PAS_PATRONSRPCCONTROLLER_UNABLETOSECURERECORD	Patron record cannot be secured. Record has one or more of the following: items checked out, hold/ILL requests, claimed or lost items, or is on the 'Patrons to include' list in the Collection Agency Setup dialog.
PAS_PATRONSTATUSNAMEANDBARCODE	Patron Status ({0}-{1})
PAS_PATRONSunABLETODELETEWARNING	{0} patron record(s) were not deleted
PAS_PATRONTABLEINSERTFAILED	failed to insert entry in Patrons table
PAS_PATRONTITLEINVALIDTITLE	Invalid Title
PAS_PATRONTITLELENGTHERROR	Title cannot exceed 8 characters.
PAS_PATRONTITLEREQUESTSEXCEEDED_CONTINUE	Patron ({0} {1}) has exceeded request limit for the title. <i>Title: {2}</i>
PAS_PATRONVALIDATIONERRORTITLE	Patron validation error found
PAS_PATRONVERIFYBLOCKTITLE	Verify patron block
PAS_PATRONWITHIDNOTFOUND	Patron with ID {0} not found.
PAS_PAYMENTMETHODINVALID	Payment method is invalid
PAS_PAYMENTS_MUST_BESAME_ORDER	A refund is not possible. All payments must be from the same credit card transaction.
PAS_PENDINGPOLINEITEMDESC	pending purchase order line

STRING IDENTIFIERS	DEFAULT MESSAGE
	item
PAS_PERMISSIONIDINVALID	{0} is not a valid Polaris permission ID.
PAS_PERMISSIONIDLISTEROR	List of permission IDs must contain valid integers.
PAS_PERMISSIONIDLISTREQUIRED	Please provide a comma delimited list of permission IDs.
PAS_PERMISSIONNOTGRANTED	PermissionNotGranted
PAS_PERMISSIONOWNEDBY	Owned by {0}
PAS_PERMISSIONREFRESH_NOT_ALLOWED	Clearing another user's permissions is not allowed.
PAS_PERMITOVERNIGHTLOAN	Permit overnight loan?
PAS_PHONE1INVALIDFORMAT	Please re-enter data for Phone 1 in a valid phone call format.
PAS_PHONE2INVALIDFORMAT	Please re-enter data for Phone 2 in a valid phone call format.
PAS_PHONE3INVALIDFORMAT	Please re-enter data for Phone 3 in a valid phone call format.
PAS_PHONECARRIERMISSING	Please select a wireless carrier for the text messaging phone.
PAS_PHONEINVALIDTITLE	Invalid phone number
PAS_PHYSICALCONDITIONLENGTHERROR	Physical condition cannot exceed 255 characters.
PAS_PICKUPBRANCHNOEXIST	Pickup branch does not exist.
PAS_PICKUPNOTBRANCHTYPEERROR	Pickup branch cannot be at the system or library level.
PAS_PLACEHOLDOPTIONTEXT	Do you want to place this request?
PAS_PLACEITEMINTRANSIT	Do you want to put this item {0} to {1} ({2})?
PAS_PLACEITEMINTRANSITPROMPT	Barcode: {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
	<p><i>Title: {1}</i></p> <p>This item does not belong to this branch.</p> <p>Do you want to put it In-Transit to {2} ({3})?</p>
PAS_PLACEITEMINTRANSITTITLE	Place item in-transit
PAS_PLACEREQUESTMATLIMITSNOTEXCEEDED	(Not all material limits were exceeded).
PAS_PLACEREQUESTNOTSUPPLIED	If placed, the request status will be Not-supplied.
PAS_PLACEREQUESTPROMPT	Do you want to place this request?
PAS_PO_RECORDLOCKEDBY	Purchase order record is locked by {0}.
PAS_PO_RELEASE_ALERT	Purchase Order Release Alert
PAS_PO_RELEASE_CANCELED	Purchase order release canceled.
PAS_PO_RELEASE_DUPLICATE_SEGMENTS_ERR	The following lines have duplicate segment data:
PAS_PO_RELEASE_LINE_BIBDIPUNCHECKED_ERR	The linked bibliographic record's "Display In PAC" box is unchecked
PAS_PO_RELEASE_LINE_MISSINGISBN_ERR	Missing ISBN/ISSN
PAS_PO_RELEASE_LINENUMBER_ERR	Line Number {0}
PAS_PO_RELEASE_MISSING_BIB_DATA_ERR	The following lines are missing bibliographic data:
PAS_PO_RELEASE_PRECHECK_LIBNAME_ERR	The purchase order cannot be released without a library name.
PAS_PO_RELEASE_PRECHECK_NUMBER_ERR	The purchase order cannot be released without an order number.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PO_RELEASE_EDI_INSTRUCTION	This supplier accepts EDI orders. After releasing the purchase order, select 'Send' from the 'Actions' menu to send the order via EDI.
PAS_PO_RELEASE_FUND_ENCUMBER_ERR	Fund expenditure error(s) occurred.
PAS_PO_RELEASE_ITEM_NOTEMPL_ERR	On-order items cannot be generated automatically for {0} because no matching item template was found for that branch, or that branch and template code.
PAS_PO_RELEASE_ITEMCREATION_ERR	Errors occurred during creation of item records:
PAS_PO_RELEASE_ITEMCREATION_UNKNOWN_ERR	An error occurred during creation of item records.
PAS_PO_RELEASE_ITEMTEMPLATEERRORS	Item templates were not found or are missing required fields.
PAS_PO_RELEASE_ITEMTEMPLATEERRORS_INSTRUCTIONS	Click 'Cancel' to create or correct the on-order template(s) for this branch and then re-release the order. Click 'Continue' to release the order without generating on-order item records for the problem templates.
PAS_PO_RELEASE_ITEMTEMPLATEERRORS_MISSINGFIELDS	The following item templates are missing required fields:
PAS_PO_RELEASE_ITEMTEMPLATEERRORS_TITLE	Item Template Errors
PAS_PO_RELEASE_LINE_BIBDIPUNCHECKED_ERR	The linked bibliographic record's "Display In PAC" box is unchecked

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PO_RELEASE_LINE_MISSINGISBN_ERR	Missing ISBN/ISSN
PAS_PO_RELEASE_LINENUMBER_ERR	Line Number {0}
PAS_PO_RELEASE_MISSING_BIB_DATA_ERR	The following lines are missing bibliographic data:
PAS_PO_RELEASE_NOTPERMITTED_CREATEITEMSFROMACQ_ERR	You do not have permission to create item records from Acquisitions. The operation will be canceled.
PAS_PO_RELEASE_POSTPROC_ERR	Purchase order was released, but an error occurred during post processing.
PAS_PO_RELEASE_PRECHECK_LIBNAME_ERR	The purchase order cannot be released without a library name.
PAS_PO_RELEASE_PRECHECK_NUMBER_ERR	The purchase order cannot be released without an order number.
PAS_PO_RELEASE_PRECHECK_ORDERTYPE_ERR	The purchase order cannot be released without an order type.
PAS_PO_RELEASE_PRECHECK_PAYMETHOD_ERR	The purchase order cannot be released without a payment method.
PAS_PO_RELEASE_PRECHECK_SUPADDR_ERR	The purchase order cannot be released without an ordering address for the supplier.
PAS_PO_RELEASE_PRECHECK_SUPNAME_ERR	The purchase order cannot be released without a supplier name.
PAS_PO_RELEASE_PROVBIBRECERRORS	On-order items will not be created for the above line numbers. Release this purchase order anyway?

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PO_RELEASE_PROVBIBRECERRORS_TITLE	Provisional Bibliographic Record Errors
PAS_PO_RELEASE_SEGNUM_DUPE_ERR	Segment Number {0} and {1} are duplicates
PAS_PO_RELEASE_SUCCESS	The order was released successfully.
PAS_POLARISAPICONTROLLER_BARCODE	barcode
PAS_POLARISAPICONTROLLER_NOTFOUND	{0} not found.
PAS_POLARISAPICONTROLLER_OBJECTDOESNOTEXIST	Object does not exist.
PAS_POLARISAPICONTROLLER_USERNAME	username
PAS_POLARISAPICONTROLLER_WERESORRY	We're sorry. Something went wrong. Help us improve your experience by sending us the error details.
PAS_POLARISAPICONTROLLER_WITHBARCODENOTFOUND	{0} with {1} {2} not found.
PAS_POLARISAPICONTROLLER_WITHIDNOTFOUND	{0} with ID {1} not found.
PAS_POLINE_ITEM_DELETE_FAILED_ID_INVALID	Delete failed. Invalid poline segment id {0}.
PAS_POLINE_ITEM_DELETE_FAILED_LINKED_INV	Delete failed. There are invoice line item segment(s) linked to this line item segment.
PAS_POLINE_ITEM_DELETE_FAILED_STATUS_INVALID	Delete failed. Invalid poline segment status for id {0}.
PAS_POLINE_ITEM_LAST_SEGMENT	Cannot delete the poline item {0} last segment.
PAS_POLINE_ITEM_SEGMENT_LIST_INVALID	Invalid segment id list for poline item with id {0}.
PAS_POLINE_ITEM_STATUS_INVALID	Purchase order line item status is not pending.
PAS_POLINE_ITEM_TOTAL_SEGMENTS	Cannot delete all the segments

STRING IDENTIFIERS	DEFAULT MESSAGE
	for the poline item {0}.
PAS_POLINEITEMDESC	purchase order line item
PAS_PONUM_LENGTH_EXCEEDSSUPPLIERLIMIT	This supplier cannot accept orders where the PO number exceeds {0} characters. Change the PO number and select the Release option again.
PAS_POSTALADDRESSMODIFYNOTALLOWED	User is not allowed to modify postal address information.
PAS_POSTALCODECOUNTRYCOMBOINVALID	The Postal Code / Country combination is not valid. Please re-enter data in {0} format.
PAS_POSTALCODEFIELDNAME	Postal code
PAS_POSTALCODESINSERTFAILED	failed to insert entry in PostalCodes table
PAS_POSTALCODESINSERTFAILED_CITY	City is required; failed to insert entry in PostalCodes table
PAS_POSTALCODESINSERTFAILED_CODEFORMAT	PostalCode is not a valid format; failed to insert entry in PostalCodes table
PAS_POSTALCODESINSERTFAILED_CODELENGTH	PostalCode is the wrong length; failed to insert entry in PostalCodes table
PAS_POSTALCODESINSERTFAILED_COUNTRY	CountryID is invalid; failed to insert entry in PostalCodes table
PAS_POSTALCODESINSERTFAILED_STATE	State is required; failed to insert entry in PostalCodes table
PAS_POSTNOTICE_INVALIDDELIVERYOPTION	Invalid delivery option.
PAS_POSTNOTICE_INVALIDNOTICETYPE	Invalid notification type.
PAS_PPPPVALUENULL	PPPPValue reference cannot be null

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PRINTOPTIONSCONTROLLER_INVALIDOPTION	'{0}' is not a valid print option type.
PAS_PRINTOPTIONSCONTROLLER_LISTREQUIRED	Missing print options list.
PAS_PRINTOPTIONSCONTROLLER_UPDATEFAILED	Update failed.
PAS_PROCEDURECANCELLED	Procedure canceled
PAS_PROCESSINGAMOUNTINVALID	Please enter a processing amount between 0.01 and 2,000,000.00.
PAS_PROCESSINGTXNCODEINVALID	Please supply a valid processing transaction code.
PAS_PROCESSINGTXNCODENOTALLOWED	Please supply an allowable processing transaction code.
PAS_PROMOTIONDESC	promotion
PAS_PUBLICATIONYEAR	PublicationYear
PAS_PUBLICNOTELENGTHERROR	Public note cannot exceed 255 characters.
PAS_PUBLISHER	Publisher
PAS_PUBLISHERLENGTHERROR	Publisher cannot exceed 100 characters.
PAS_PURCHASEORDER_CLM_MAX	Maximum claims allowed is 5.
PAS_PURCHASEORDER_DOESNOT_EXIST	Purchase order with id {0} does not exist
PAS_PURCHASEORDER_DUP_ERROR	This order number is already in use for this library. Enter a different number/suffix combination.
PAS_PURCHASEORDER_ERR_CLM_FIRST	Days after 1st claim
PAS_PURCHASEORDER_ERR_CLM_FOURTH	Days after 4th claim
PAS_PURCHASEORDER_ERR_CLM_HDR	Claiming:
PAS_PURCHASEORDER_ERR_CLM_RELEASE	Days after release

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PURCHASEORDER_ERR_CLM_SECOND	Days after 2nd claim
PAS_PURCHASEORDER_ERR_CLM_THIRD	Days after 3rd claim
PAS_PURCHASEORDER_ERR_CLM_WAIT	Cancel wait period
PAS_PURCHASEORDER_FUNDSLOCKED_STATUS	Funds can only be altered on orders with a status of 'Pending'.
PAS_PURCHASEORDER_INVALID_CHARGETYPE	Charge type {0} is not valid
PAS_PURCHASEORDER_INVALID_CLM_MAX	Maximum claims allowed is 5
PAS_PURCHASEORDER_INVALID_DISC_RATE	Discount rate is invalid.
PAS_PURCHASEORDER_INVALID_FIELD_MSG	Unable to save this record without the following fields:
PAS_PURCHASEORDER_INVALID_FUND	Fund with ID {0} not found for the branch {1}
PAS_PURCHASEORDER_INVALID_ORG	Ordering library
PAS_PURCHASEORDER_INVALID_PONUMBER	Purchase order number
PAS_PURCHASEORDER_INVALID_PYMNT_ORDR	This payment method and order type combination is not allowed.
PAS_PURCHASEORDER_INVALID_STATUS	Purchase order status is not pending.
PAS_PURCHASEORDER_INVALID_STATUS_UPDATE	Purchase order status is Closed
PAS_PURCHASEORDER_INVALID_SUPID	Supplier
PAS_PURCHASEORDER_INVALID_TAX	Sales tax is invalid
PAS_PURCHASEORDER_NOTE_LENGTHINVALID	Invalid Purchase order note length.
PAS_PURCHASEORDER_NUMBER_LENGTH_INVALID	Invalid Purchase number length.
PAS_PURCHASEORDER_NUMBER_SUFFIX_LENGTHINVALID	Purchase order Number Suffix length is invalid.
PAS_PURCHASEORDER_PLANNAME_LENGTHINVALID	Purchase order Plan name length is invalid.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_PURGECRITERIADESC	purge criteria
PAS_QUESTIONMARKS	???
PAS_QUICKCIRCCOUNTREQUIRED	A quick-circ item barcode has been detected. Please specify the number of items you are checking out.
PAS_QUICKCIRCITEMCANNOTFILLHOLD	Quick-circ item cannot fill hold requests.
PAS_QUICKCIRCITEMCOMMENT	Quick-circ item.
PAS_QUICKCIRCTITLE	Quick-circ
PAS_REACTIVATEHOLDREQUEST	Do you want to reactivate the hold request for this patron? Name: {0} Barcode: {1}
PAS_REACTIVATEHOLDTITLE	Reactivate hold
PAS_READINGHISTORYNOTFOUND	Reading history ID of {0} not found for patron ID {1}
PAS_RECEIPT_HOLD_SLIP_HEADER	HOLD SLIP
PAS_RECEIPTASSIGNEDBRANCHLABEL	Assigned branch:
PAS_RECEIPTAUTHORLABEL	Author:
PAS_RECEIPTCALLNOLABEL	Call no.:
PAS_RECEIPTCHECKOUTHEADER	Check Out Receipt
PAS_RECEIPTCOLLECTIONLABEL	Collection:
PAS_RECEIPTDELIVERYOPTIONINVALID	Receipt delivery option is invalid. Must be Email, Print or Txt.
PAS_RECEIPTDUELABEL	Due:
PAS_RECEIPTITIMELABEL	Item:
PAS_RECEIPTITEMSOUTHEADER	Items Out Receipt
PAS_RECEIPTMATERIALLABEL	Material:

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_RECEIPTNEWLINE	\r\n
PAS_RECEIPTPAYMENTHEADER	Payment Receipt
PAS_RECEIPTRENEWALSLEFTLABEL	Renewals left:
PAS_RECEIPTTITLELABEL	Title:
PAS_RECEIPTTOTALITEMSLABEL	Total items:
PAS_RECORDDELETEDSUCCESSFULLY	The record was deleted successfully.
PAS_RECORDIDNOTFOUND	Record ID {0} not found.
PAS_RECORDMUSTBEINDELETEDSTATE	Unable to undelete record. This record does not have a deleted status.
PAS_RECORDNAMEOWNERTYPEDUPLICATE	Record Set name/owner/type combination already used.
PAS_RECORDNOTSAVED	The record was not saved.
PAS_RECORDSAVEDPROVISIONALLY	The record status has been changed to Provisional.
PAS_RECORDSAVEFAILEDBECAUSE	Record save failed because:
PAS_RECORDSET_CONFLICTINGAPPENDREPL	{0} Record Set conflicts with another Record Set append or replace option
PAS_RECORDSET_CONFLICTNEWEXISTING	{0} Record Set record set conflict with New and Existing
PAS_RECORDSET_EXISTINGNAMEINVALID	{0} Record Set Existing name not provided
PAS_RECORDSET_INAVLIDOWNERNAME	{0} Record Set OwnerName is invalid
PAS_RECORDSET_INVALIDAPPENDORREPLACE	{0} Record Set AppendOrReplace is invalid
PAS_RECORDSET_INVALIDEXISTINGRECORDSET	{0} Record Set invalid Existing Record Set
PAS_RECORDSET_INVALIDKIND	Invalid record set ImportRecordSetKind

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_RECORDSET_INVALIDOWNERID	{0} Record Set OwnerID is invalid
PAS_RECORDSET_INVALIDOWNERNAME	{0} Record Set OwnerName is invalid.
PAS_RECORDSET_NAMELENGTHINVALID	{0} Record Set Name length is invalid
PAS_RECORDSET_NEWNAMEINVALID	{0} Record Set New name not provided
PAS_RECORDSETAUTHORITYDEL	Authority Deleted
PAS_RECORDSETAUTHORITYFINAL	Authority Final
PAS_RECORDSETAUTHORITYPROV	Authority Provisional
PAS_RECORDSETBIBDEL	Bibliographic Deleted
PAS_RECORDSETBIBFINAL	Bibliographic Final
PAS_RECORDSETBIBPROV	Bibliographic Provisional
PAS_RECORDSETCONTAINSID	This record set already contains record ID {0}.
PAS_RECORDSETCONTENTSFAILEDSTARTINDEXBAD	Unable to return record set contents when the start index is greater than the total number of records.
PAS_RECORDSETCREATORIDINVALID	CreatorID {0} is not valid.
PAS_RECORDSETDELETEINVALIDOBJECTTYPE	Invalid object type ({0}) for record set deletion.
PAS_RECORDSETDESC	record set
PAS_RECORDSETDOESNOTEXIST	{0} Record Set does not exist.
PAS_RECORDSETID_INVALID	Record Set ID is invalid
PAS_RECORDSETIDINVALID	Recordset ID is invalid
PAS_RECORDSETDELETEINVALIDOBJECTTYPE	Invalid object type ({0}) for record set deletion.
PAS_RECORDSETDESC	record set
PAS_RECORDSETDOESNOTEXIST	{0} Record Set does not exist.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_RECORDSETID_INVALID	Record Set ID is invalid
PAS_RECORDSETIDINVALID	Recordset ID is invalid
PAS_RECORDSETINCORRECTTYPE	{0} Record Set is the incorrect type.
PAS_RECORDSETINTERSECTINGIDSREMOVED	Intersecting IDs found in add and remove lists have been filtered out.
PAS_RECORDSETINVALIDNEWRECORDSET	{0} Record Set Name/Owner combination already exists. New custom string
PAS_RECORDSETINVALIDOWNERID	{0} Record Set OwnerID is invalid.
PAS_RECORDSETINVALIDOWNERNAME	{0} Record Set OwnerName is invalid.
PAS_RECORDSETITEMFINAL	Item Final
PAS_RECORDSETITEMPROV	Item Provisional
PAS_RECORDSETLINKSBREAKABLE	Record Set Links (Breakable)
PAS_RECORDSETLINKSBREAKABLEMESSAGE	The following links will be broken if you continue deleting record set [{0}]:
PAS_RECORDSETLINKSUNBREAKABLE	Record Set Links (Unbreakable)
PAS_RECORDSETLINKSUNBREAKABLEMESSAGE	Deletion of record set [{0}] is not possible due to the following unbreakable link(s):
PAS_RECORDSETMODIFIERIDINVALID	ModifierID {0} is not valid.
PAS_RECORDSETNAMEEMPTY	Name field is blank. Please supply a name before saving the record set.
PAS_RECORDSETNAMEREQUIRED	Record set name field is required.
PAS_RECORDSETNOTCREATED	Record set not created.
PAS_RECORDSETNOTFOUND	Record set with id {0} not

STRING IDENTIFIERS	DEFAULT MESSAGE
	found.
PAS_RECORDSETOBJECTREQUIRED	RecordSet object is required.
PAS_RECORDSETOBJECTTYPEINVALID	Record Set is not Item Record Set
PAS_RECORDSETORGOWNERIDINVALID	OrganizationOwnerID {0} is not a valid organization id.
PAS_RECORDSETPERMISSIONERROR	You do not have the proper ownership rights to perform this operation
PAS_RECORDSETSAVEFAILED_MISSINGCREATOR	Record Set save failed due to missing creator.
PAS_RECORDSETSTATUSDELETED	{0} Record Set status is Deleted. Action cannot be taken on this record set.
PAS_RECORDSETTYPEINVALID	Invalid record set object type ({0}).
PAS_RECORDSETTYPEWITHIDNOTFOUND	{0} record set with id {1} not found.
PAS_RECORDSETUSEDBYORGDELETEERROR	Used by {0} organization(s): SA patron deletion record set.
PAS_RECORDSETUSEDBYORGEXDELETEERROR	Used by {0} organizations: SA patron deletion exception record set.
PAS_RECORDSTATUSIDINVALID	Record status ID is invalid.
PAS_RECORDSTATUSIDREQUIRED	RecordStatusID is required.
PAS_RECORDUNDELETEDSUCCESSFULLY	The record was undeleted successfully.
PAS_RECORDUNDELETEFAILED	Record undelete failed
PAS_RECSET_EXPORTOFUSEROWNED_NOTALLOWED	Export of user owned record set is not allowed.
PAS_REENTERPHONEDATA	Please re-enter data for Phone {0} in a valid phone call format.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_REENTERPHONEDATATXT	Please re-enter data for Phone {0} in a valid TXT message format.
PAS_REENTERPHONENUMBERFORTXTMSGS	Please re-enter data for Phone {0} in a valid TXT message format.
PAS_REESTABLISHLINKSTITLE	Re-establish links
PAS_REGDATEINVALIDTITLE	Invalid registration date
PAS_REGISTRATIONEXPIREDTITLE	Registration is expired
PAS_REMINDERNOTICESISEMAILCONTINUE	Reminder notices option is e-mail. Do you want to continue?
PAS_REMOVEBLOCK	Remove block
PAS_RENEW	Renew
PAS_RENEWALACTION	Renewal
PAS_RENEWALCHECKOUTFAILED	The item {0} is no longer out to this patron and cannot be renewed.
PAS_RENEWALCHECKOUTSTOPPED	Renewal/Check-out is stopped by user.
PAS_RENEWALLIMITEXCEEDED	Renewal limit exceeded
PAS_RENEWALLIMITINVALID	Renewal limit must be greater than or equal to zero.
PAS_RENEWALLIMITREQUIRED	RenewalLimit is required.
PAS_RENEWALSUCCESS	Renewal successful
PAS_RENEWCHARGEABLEOVERDUEITEMTITLE	Renew chargeable overdue item
PAS_RENEWCONTINUE	This item is already checked out to this patron. Do you want to renew?
PAS_RENEWITEMTITLE	Renew item
PAS_RENEWPROCEDURECANCELLED	Renew procedure canceled

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_REPLACEMENTAMOUNTINVALID	Please enter a replacement amount between 0.01 and 2,000,000.00.
PAS_REPLACEMENTTXNCODEINVALID	Please supply a valid replacement transaction code.
PAS_REPLACEMENTTXNCODENOTALLOWED	Please supply an allowable replacement transaction code.
PAS_REPLPROCVDREQUIRED	At least one replacement, processing or overdue charge is required.
PAS_REPLYDATAINVALID	Reply Data contains invalid data.
PAS_REQUESTACTIVATIONDATEDOESNOTEXIST	Activation date is required
PAS_REQUESTACTIVATIONDATEINPAST	Activation date cannot be in the past
PAS_REQUESTALREADYFILLED	This item cannot fill this request, because the request has already been filled by another item.
PAS_REQUESTBIBORITEMDOESNOTEXIST	Item or Bibliographic Record must be specified
PAS_REQUESTBODYISREQUIRED	Request body is required.
PAS_REQUESTBODYNOTOBJECT	Request body cannot be converted to object.
PAS_REQUESTCANNOTBEFILLED	Request cannot be filled
PAS_REQUESTDOESNOTEXIST	Request {0} does not exist
PAS_REQUESTDOESNOTEXISTEXCEPTION	This item is associated with a title request or group request that has been filled. The item is no longer needed for the request.
PAS_REQUESTDOESNOTEXISTORBELONGTOPATRON	Request {0} does not exist or does not belong to current pat-

STRING IDENTIFIERS	DEFAULT MESSAGE
	ron.
PAS_REQUESTECONTENTRESTRICTED	Title: {0} Holds for eContent records are restricted. To place a hold on this record, you must use the PAC.
PAS_REQUESTEXPIRATIONBEFOREACTIVATION	Expiration date must be after Activation date
PAS_REQUESTEXPIRATIONDATEDOESNOTEXIST	Expiration date is required
PAS_REQUESTHELDDIFFITEM	Request {0} has already been held for a different item
PAS_REQUESTNOINPUT	Incomplete or invalidly formatted input data supplied
PAS_REQUESTORIGINDOESNOTEXIST	The patron is expired.
PAS_REQUESTPATRONIDDOESNOTEXIST	PatronID is required
PAS_REQUESTPICKUPBRANCHINVALID	Invalid pickup branch
PAS_REQUESTSHIPPEDDIFFITEM	Request {0} has already shipped for a different item
PAS_REQUESTSHIPPEDHELDDIFFITEM	Request {0} has already been shipped or held for a different item
PAS_REQUESTSUCCESSFULLYREACTIVATED	Request successfully reactivated
PAS_REQUESTSWILLBECOME	These requests will become {0}.
PAS_REQUESTTRAPEXCEPTION	This item cannot fill this request, because the request has already been filled by another item.
PAS_REQUESTUNLOCKEDTITLEDONOTESEXIST	Title field required for unlocked requests
PAS_REQUIREDFIELDSMISSING	Required fields are missing:

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_REQUIREDFIELDSMISSINGSTATEMSG	This country, {0} requires a state. Please populate the State field.
PAS_REQUIREDFIELDSMISSINGSTATETITLE	Missing State
PAS_REQUIREDFIELDSMISSINGTITLE	Missing required fields
PAS_REQUIREDFIELDSMUSTBEFILLEDIN	The following required fields must be filled in:
PAS_REROUTINGHOLD	Rerouting from: {0} to: {1}
PAS_RESERVEASSIGNEDBRANCHNOEXIST	Reserve assigned branch does not exist.
PAS_RESERVEASSIGNEDCOLLECTIONNOEXIST	Reserve assigned collection does not exist.
PAS_RESERVEASSIGNEDCOLLECTIONNOTALLOWED	Reserve assigned collection now allowed for reserve assigned branch.
PAS_RESERVEDITEMRECORD	This {0} is a reserved item record.
PAS_RESERVEITEMLIMITTOLIBUSE	Item: {0}, Title: {1} is a reserve item LIMITED TO LIBRARY USE.
PAS_RESERVEITEMPATRONEXCEEDLIMIT	{0} ({1}) has exceeded the total number of reserve items permitted.
PAS_RESERVEITEMSELECTEDTOCIRC	Item: {0}, Title: {1} is a reserve item linked to multiple courses. Course {2} was credited with the circulation.
PAS_RESERVESHELFLOCATIONNOTALLOWED	Shelf location now allowed for reserve assigned branch.
PAS_RESETDUEDATE_REASONDOESNOTEXIST	ReasonID {0} does not exist.
PAS_RESETDUEDATE_REASONREQUIRED	Please indicate a reason for modifying this due date.
PAS_RESOLVELOSTBILLEDITEMREPLYDATAINVALID	ResolveLostBilledItemReplyDat-

STRING IDENTIFIERS	DEFAULT MESSAGE
	a contains invalid data.
PAS_RESOURCEENTITY_NOLINKTEXT	{0} has no link text entered.
PAS_RESOURCEENTITYERRORS	Resource entity errors were found
PAS_RESTRICTEDTITLE	Restricted Title
PAS_ROUTELISTDESC	route list
PAS_RoutingSlipReportTitle	Route Slip
PAS_SASAVINGERRORMSG	Error saving the system administration value for {0}.
PAS_SAVECANCELLED	Save canceled
PAS_SAVEPROVISIONALLY	Save Provisionally
PAS_SAVEPROVISIONALRECORDASFINAL	The bibliographic record you specified is a provisional record. Please save the provisional record as final before linking another record to it.
PAS_SAVERECORDEROR	Save record error
PAS_SCK_BIB_BOUNDWITHGROUP	This bibliographic record is in a bound-with group. It cannot link to a standing order part. Please select another bibliographic record.
PAS_SCK_BIB_ISSERIAL	This bibliographic record is coded as a serial. Continue?
PAS_SCK_BIBISSERIAL_TITLE	Record Coded as Serial
PAS_SCK_BIBNOTFINAL_LINKERR	<p>This bibliographic record has a status that is not 'Final'. It cannot link to a Standing Order Part Record.</p> <p>Please select another bibliographic record or save it as 'Final'.</p>

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SCK_CHECKIN_FAILED	Serial record check in failed.
PAS_SCK_CHECKIN_RECORD_DELETED	The record has been deleted from the database.
PAS_SCK_CHECKIN_SUCCESS_MSG	The record has been checked in.
PAS_SCK_COMBINE_DLG_TITLE	Combine Issues
PAS_SCK_COMBINE_INVALID_ID_ERROR	No items have been selected.
PAS_SCK_COMBINE_ORDER_ERROR	Only subscription issues can be combined.
PAS_SCK_COMBINE_PUB_ERROR	These two issue records cannot be combined since they are linked to different publication patterns.
PAS_SCK_COMBINE_STATUS_ERROR	Issue records with a status of "received" or "claimed" cannot be combined.
PAS_SCK_COMBINE_SUCCESS_MSG	Combine issues was successful.
PAS_SCK_CREATE_BIB_DLG_TITLE	Create Part Bibliographic Record
PAS_SCK_CREATE_BIB_ERROR_TITLE	Missing Fields
PAS_SCK_CREATE_BIB_FAILED	Failed to create new bib record.
PAS_SCK_CREATE_BIB_FIELDS_ERROR	The following fields must be completed before saving this Bibliographic Record: {0}
PAS_SCK_CREATE_BIB_PUBDATE_ERROR	Operation failed. Please enter the four digit year of publication.
PAS_SCK_CREATE_ITEM_DLG_TITLE	Create Item for Issue/Part
PAS_SCK_CREATE_ITEM_PRICE_INVALID	Unit price cannot exceed \$9,999.99.
PAS_SCK_CREATE_ITEM_PRICE_TITLE_INVALID	Invalid unit price

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SCK_CREATE_ITEM_REMINDER_MSG	Do you need to input a barcode for the new item?
PAS_SCK_CREATE_ITEM_REMINDER_TITLE	Empty Item for Issue/Part
PAS_SCK_DUPLICATE_BARCODE	This barcode {0} is already in use. An item record will be generated without a barcode.
PAS_SCK_ISSUE_ID_INVALID	IssuePart ID is invalid
PAS_SCK_ISSUE_STATUS_INVALID	Issue with Received status cannot be checked in.
PAS_SCK_ISSUES_COMBINE_FAILED	An error occurred combining issues.
PAS_SCK_ISSUES_COMBINE_MIN_FAILED	Select two issues to combine.
PAS_SCK_LINKED_ROUTELIST_MSG	{0} is linked to one or more route lists. Please access the route list to print a route slip.
PAS_SCK_LINKED_ROUTELIST_TITLE	Print Route Slip
PAS_SCK_NO_ITEMTEMPLATE_MSG	No matching item template was found for {0}
PAS_SCK_NO_ITEMTEMPLATE_TITLE	Item Template
PAS_SCK_NO_TEMPLATE_MSG	No matching item template was found for {0}
PAS_SCK_PART_STATUS_INVALID	The following record has already been checked in, it cannot be checked in again: {0}
PAS_SCK_QUICK_CIRC_ITEM_MSG	This barcode {0} belongs to a quick-circ item. An item record will be generated without a barcode.
PAS_SCK_QUICK_ITEM_TITLE	Quick-circ item found
PAS_SCK_RECORDLOCKEDBY	Serial check in record is locked by {0}.
PAS_SCK_SERIALISSUEORPARTNOTFOUND	Serial issue or part with ID {0}

STRING IDENTIFIERS	DEFAULT MESSAGE
	not found.
PAS_SCK_SUBSCP_STATUS_PROMPT_MSG	The subscription issue is linked to a subscription that was canceled. Do you want to continue?
PAS_SCK_SUBSCP_STATUS_PROMPT_TITLE	Subscription Status
PAS_SCK_TEMPLATE_MISSING_VALUES	The following fields are missing from the item record template for {0}: {1}
PAS_SCK_TEMPLATE_MISSING_VALUES_TITLE	Missing Item Template Values
PAS_SCK_UNCHECKIN_HARD_LINKS	You cannot undo check-in because the linked item has other links or a circulation status that prevents its deletion. Check the item's links and status.
PAS_SCK_WARN_UNCHECKIN_EXPECTED	You cannot undo check-in because the record has not yet been checked in.
PAS_SCKRECORDPROCEDURECANCELLED	Serial check in procedure canceled.
PAS_SELECTACTIONFORCHARGE	Please select an action for each charge.
PAS_SELECTCHARGEONLY	Please select 'Charge' type only
PAS_SELECTCHARGEREASON	Please select a reason for the charge
PAS_SELECTDEPOSITONLY	Please select 'Deposit' type only
PAS_SELECTERECEIPTOPTION	Please select a valid eReceipt option.
PAS_SELECTIONLISTLINEITEMDESC	selection list line item
PAS_SELECTMOBILECARRIER	Please select a mobile phone carrier.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SELECTMULTIPLEREQUESTS	Please select more than one request.
PAS_SELECTPHONEFORTXTMSGS	Please select a valid phone number to receive text messages.
PAS_SELECTSINGLEGROUP	Please select one group only.
PAS_SERIAL_ENUM_INVALID_FORMAT1	Enter a number between {0} and {1}.
PAS_SERIAL_ENUM_INVALID_FORMAT2	Enter the Start value in Arabic numbers, without punctuation, when the enumeration format is equal to Number, Numeral or Roman.
PAS_SERIAL_ENUM_INVALID_FORMAT3	This issue's enumeration contains a value greater than {0}. Do you want to continue saving this issue?
PAS_SERIAL_ENUM_INVALID_FORMAT4	Enter only one upper or lower case letter in the enumeration Start value field.
PAS_SERIAL_ENUM_INVALID_FORMAT5	This issue's enumeration should contain a letter between '{0}' and '{1}'. Do you want to continue saving this issue?
PAS_SERIAL_ENUM_INVALID_FORMAT6	This issue's enumeration should contain a letter between '{0}' and '{1}'. Do you want to continue saving this issue?
PAS_SERIALHOLDINGSRECORDDESC	serial holdings record(s)
PAS_SERIALHOLDSTITLE	Serial Holds
PAS_SERIALISSUEORPARTNOTFOUND	Serial issue or part not found.
PAS_SERIALISSUEPARTDELETEFAILED	Serial issue/part {0} cannot be deleted.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SERIALMULTIPARTSELECTDESIGNATION	You have selected a serial or multi-part title. A request placed on the title will trap any available item. Would you like to:
PAS_SERIALMULTIPARTSELECTDESIGNATION_BULK	You have selected a serial or multi-part title. A request placed on the title will trap any available item at {0}. Would you like to:
PAS_SERIALMULTIVOLHOLDSTITLE	Serial/Multi Volume Holds
PAS_SERIALOTHERCOPIESAVAILABLE	Other copies of this item may be available. Do you want this specific item or the first available copy?
PAS_SERIALTITLESELECT	You have selected a serial title. A request placed on the title will trap any available item. Select one of the following:
PAS_SERIALTITLESELECTVOLUME	You have selected a serial title. A request placed on the title will trap any available item. Select one of the following: Select a volume ...
PAS_SERIES	Series
PAS_SERIESLENGTHERROR	Series cannot exceed 255 characters.
PAS_SHELFLOCATIONIDREQUIRED	ShelfLocationID field must also be supplied when AssignedBranchID is provided.
PAS_SHELFLOCATIONNOEXIST	Shelf location does not exist.
PAS_SHELFLOCATIONNOTALLOWED	Shelf location not allowed for assigned branch.
PAS_SHELFLOCATIONWITHIDNOTFOUND	ShelfLocation not found with ID

STRING IDENTIFIERS	DEFAULT MESSAGE
	{0}
PAS_SHELVINGSchemeIDREQUIRED	ShelvingSchemeID is required.
PAS_SHELVINGSchemeNOTVALID	Shelving scheme is not valid.
PAS_SHRBRANCHINVALID	{0} is invalid. Branch level organization ID is required.
PAS_SHRCOPYIDINVALID	Serial holding record {0} does not exist
PAS_SHRCOPYNOERROR	Invalid Copy no., enter a value between 1 and 99999.
PAS_SHRDELETE_ERR_MSG	Serial Holdings Record {0} cannot be deleted.
PAS_SHRDELETE_FAILED_MSG	Record failed to be deleted.
PAS_SHRDELETE_INVALID_COPYID	Invalid serial holdings record ID {0}.
PAS_SHRDELETE_LINKEDSSO_CONFIRM_MSG	. Do you still want to continue deleting this serial holdings record?
PAS_SHRDELETE_LINKEDSSO_EXISTS_MSG	There are one or more issues/-parts with a status of {0}
PAS_SHRDELETE_LINKEDSSO_RECEIVED_ERR_MSG	There are 'received' issue or part records linked to this serial holdings record. The delete operation failed.
PAS_SHRDELETE_LINKEDSSO_TITLE_DLG	Linked Issues/Parts
PAS_SHRDELETE_SHR_LOCKED	The record is being modified by {0}
PAS_SHRDUPLICATEEXISTS	A copy already exists for this destination and collection. Please change the copy number, destination or collection.
PAS_SHRIBIBIDINVALID	Bibliographic Record

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SHRICOPYNOINVALID	Copy No.
PAS_SHRIDESTINATIONINVALID	Destination
PAS_SHRIORDEREDATINVALID	Ordered at
PAS_SHRIORDERTYPEINVALID	Order Type
PAS_SHRIPOLINEITEMIDINVALID	Purchase Order Line Item
PAS_SHRSAVEERRMSG	Error occurred while modifying serial holding record.
PAS_SINGLESELECTONLY	Please select one item only.
PAS_SORTBYPROPERTYNAME_INVALIDFORRECORDSET	'SortByPropertyName' is invalid for record set object type.
PAS_SP_ENUM_RETRIEVAL_ERROR	An error occurred retrieving last enum value.
PAS_SP_ISSUE_PREDICTION_FAILED	Serial issue prediction failed.
PAS_SP_NONE_CHRONENUM_MSG	Need at least one level of enumeration or chronology to predict!
PAS_SP_NONE_PREDICTED_MSG	You cannot generate more issues/parts with this pattern because the number of issues/-parts to predict is 0, or the issue/part's chronology date would exceed the pattern's end date.
PAS_SP_PREDICT_LIST_DLG_MSG	The following issues/parts will be created:
PAS_SP_PREDICT_LIST_DLG_TITLE	Predict Issues/Parts
PAS_SP_PUB_PTTRN_CLOSED	Publication pattern ID {0} is not 'open'
PAS_SP_PUB_PTTRN_DETAILS_SUCCESS_MSG	Successfully returned publication pattern details
PAS_SP_PUB_PTTRN_DLG_TITLE	Select Publication Pattern
PAS_SP_PUB_PTTRN_DUP_MSG	There is already a template with

STRING IDENTIFIERS	DEFAULT MESSAGE
	this name, creator and frequency.
PAS_SP_PUB_PTTRN_FRQCY_MSG	No issues or parts can be predicted because the publication pattern has a frequency that does not allow it.
PAS_SP_PUB_PTTRN_INVALID	Publication pattern ID {0} is not associated with copy record ID {1}
PAS_SP_PUB_PTTRN_NOT_EXISTS_MSG	There are no open publication patterns for this serial holdings record. No issues/parts can be predicted.
PAS_SP_PUB_PTTRN_NOT_OPEN_MSG	There are no open publication patterns for this serial holdings record.
PAS_SP_SUCCESS_MSG	Issue/part creation was successful.
PAS_SPECIALITEMCHECKINNOTELENGTHERROR	Special item check-in note cannot exceed 255 characters.
PAS_SPECIALLOANUNITSINVALID	Special loan units are invalid. Must be 0 (null), 1 (days), 2 (hours) or 3 (minutes)
PAS_SODELETENOTPERMITTED	SSO isn't permitted to be deleted.
PAS_STAFFNOTES1LENGTHERROR	Staff notes 1 cannot exceed 255 characters.
PAS_STAFFNOTES2LENGTHERROR	Staff notes 2 cannot exceed 255 characters.
PAS_STARTINDEXINVALID	Invalid 'startIndex' value
PAS_STATEFIELDNAME	State
PAS_STATISTICAL_TRANSACTION_FAILED	Failed to write statistical transaction.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_STATISTICALCODEIDREQUIRED	StatisticalCodeID field must also be supplied when AssignedBranchID is provided.
PAS_STATUSCHANGEDCONTINUEWITHSAVE	The circulation status of this item has been changed to {0}. Would you like to continue saving the record with this status?
PAS_STATUSFINALREESTABLISHLINKS	The record status has been changed to Final. Make sure to re-establish any necessary links.
PAS_STOREDPROCERROR	Unexpected error from {0}
PAS_STREETFIELDNAME	Street
PAS_STRING1	Permission(s) not granted.
PAS_SUBSCRIPTIONRECORDDESC	Subscription Record
PAS_SUBSYSTEMTYPEINVALID	Invalid subsystem type.
PAS_SUPPLIEDILLSTATUSIDINVALID	Invalid ILL status ID ({0}) supplied.
PAS_SUPPLIER_ACCTNUMBER_LENGTHINVALID	Account Number length is invalid.
PAS_SUPPLIER_ADDRESSID_INVALID	Address ID is invalid.
PAS_SUPPLIER_ALTERNATIVENAME_LENGTHINVALID	Alternative Name is required.
PAS_SUPPLIER_AUTOCANCELINDICATOR_INVALID	Auto Cancel Waiting Period is invalid.
PAS_SUPPLIER_CANCELNOTICEINDICATOR_INVALID	Cancel Notice is invalid.
PAS_SUPPLIER_CANWTPER_INVALID	Cancel waiting period is invalid.
PAS_SUPPLIER_CLAIM_CONTACTPERSON_EMAIL	Claims Email
PAS_SUPPLIER_CLAIMEMAIL_MISSINGFORDELOPTEMAIL	Claims Email required for email claim notices.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SUPPLIER_CLAIMING_MISSINGFIELDS	Claims address and contact must be entered before saving with claim(s) setup.
PAS_SUPPLIER_CLAIMNOTICEIND_INVALID	Claims Notice is invalid.
PAS_SUPPLIER_CLAIMNOTICEINDICATOR_INVALID	Claims Notice is invalid.
PAS_SUPPLIER_CONTACTPERSONID_INVALID	Contact Person ID invalid.
PAS_SUPPLIER_DATAFORMATSACCEPTED_LENGTHINVALID	Data Formats Accepted length is invalid.
PAS_SUPPLIER_DAYSATERFIRSTCLAIM_INVALID	Days after 1st claim value is invalid.
PAS_SUPPLIER_DAYSATERFOURTHCLAIM_INVALID	Days after 4th claim value is invalid.
PAS_SUPPLIER_DAYSATERRELEASEEXPECTEDARRIVAL_INVALID	Days after release/expected arrival is invalid.
PAS_SUPPLIER_DAYSATERSECONDCLAIM_INVALID	Days after 2nd claim value is invalid.
PAS_SUPPLIER_DAYSATERTHIRDCLAIM_INVALID	Days after 3rd claim value is invalid.
PAS_SUPPLIER_DELIVERYOPTION_INVALID	Claims Notice delivery option is invalid.
PAS_SUPPLIER_EDISSETUP_INVALID	The required EDI Setup fields must be completed before saving this Supplier.
PAS_SUPPLIER_ELECCOMMSETUP_INVALID	EDI Setup is invalid.
PAS_SUPPLIER_EXTERNALID_LENGTHINVALID	Supplier External ID length is invalid.
PAS_SUPPLIER_ID_INVALID	Supplier ID {0} is invalid.
PAS_SUPPLIER_INVALIDELECCOMMFLAG	Electronic Communications indicator is invalid.
PAS_SUPPLIER_MAXCLAIMS	Max Claims is invalid.
PAS_SUPPLIER_NAME_LENGTHINVALID	Supplier Name is required.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_SUPPLIER_NOTE_LENGTHINVALID	Supplier Note length is invalid
PAS_SUPPLIER_ORDERING_CONTACTPERSON_EMAIL	Orders Email
PAS_SUPPLIER_OWNERID_INVALID	Supplier Owner ID is invalid.
PAS_SUPPLIER_PAYMENT_CONTACTPERSON_EMAIL	Payments Email
PAS_SUPPLIER_PLANNOTE_LENGTHINVALID	Supplier Plan Note length is invalid.
PAS_SUPPLIER_SAN_LENGTHINVALID	Supplier SAN length is invalid.
PAS_SUPPLIER_SAN_MISSING	Supplier's SAN is required for EDI ordering.
PAS_SUPPLIER_SANPREFIX_LENGTHINVALID	Supplier SAN Prefix length is invalid.
PAS_SUPPLIER_SANSUFFIX_LENGTHINVALID	Supplier SAN Suffix length is invalid.
PAS_SUPPRESSBIBNOMODIFYPERMISSION	You do not have permission to modify bibliographic record {0}.
PAS_SYSADMINATTRDOESNOTEXIST	Admin attribute for mnemonic '{0}' does not exist.
PAS_SYSADMINATTRREADONLY	Admin attribute for mnemonic '{0}' is read-only.
PAS_SYSADMINDOMAININVALID	Invalid system ({0}) administration domain supplied.
PAS_SYSADMINPREVENTED	System administration PPPP setting prevents this action.
PAS_SYSADMINPROVIDENONNULL	Must provide a non-null attribute value.
PAS_TAG	Tag
PAS_TEMPORARYSHELFLOCATIONLENGTHERROR	Temporary shelf location cannot exceed 25 characters.
PAS_TEST1	test

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_TEXTPHONE1MISSING	Text messaging phone is Phone 1. Please enter a number for Phone 1.
PAS_TEXTPHONE2MISSING	Text messaging phone is Phone 2. Please enter a number for Phone 2.
PAS_TEXTPHONE3MISSING	Text messaging phone is Phone 3. Please enter a number for Phone 3.
PAS_TEXTPHONECARRIERMISSING	Please select a mobile phone carrier.
PAS_TEXTPHONECARRIERMISSINGTITLE	No carrier selected
PAS_TEXTPHONEMISSING	Notification option is TXT Messaging. Please select a phone number to receive text messages.
PAS_THEREWASAPROBLEM	There was a problem. {0}.
PAS_TITLE	Title
PAS_TITLEBLOCKED	Title is blocked
PAS_TITLEHOLDABLE	Title: {0} {1}{2}
PAS_TITLEHOLDABLE_BULK	Title: {0} Branch(es): {1} {2} {3}
PAS_TITLEISREQUIRED	Title information is required to complete this transaction.
PAS_TITLELABEL	Title:
PAS_TITLELENGTHERROR	Title cannot exceed 255 characters.
PAS_TITLEORGROUPREQUESTALREADYFILLED	This item is associated with a title request or group request

STRING IDENTIFIERS	DEFAULT MESSAGE
	that has been filled. The item is no longer needed for the request.
PAS_TOKENGENERATIONERROR	Error generating access token.
PAS_TOTAL	total
PAS_TOTALILLLIMITEXCEEDEDMESSAGE	Patron ({0}) has exceeded the maximum number of ILL requests permitted. Title: {1} Do you want to place this ILL request?
PAS_TOTALILLLIMITEXCEEDEDTITLE	Exceeded total ILL request limit
PAS_TRANSACTINGAT	At
PAS_TRANSACTIONAMOUNTINVALID	Please enter an amount between 0.01 and 2,000,000.00.
PAS_TRANSFERFORHOLDTITLE	Transfer for hold
PAS_TRANSFERHOLDTITLE	Transfer hold
PAS_TRANSFERILLITEMFORPATRON	Item is an INTER-LIBRARY LOAN for: {0} Barcode: {1} Transfer this item to pickup library {2} for hold?
PAS_TRANSFERILLITEMTITLE	Transfer ILL item
PAS_TRANSFERITEMFORHOLD	Transfer this item to {0} for hold?
PAS_TRANSFERITEMTITLE	Transfer item
PAS_TRANSFERNEXTHOLDTITLE	Transfer for next hold
PAS_TRANSFERREDTOFILLHOLD	The item has been transferred to fill a hold request.
PAS_TRANSFERTOWITHABBR	To {0} ({1})

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_TXNALREADYBILLED	The selected item has already been billed.
PAS_TXNAMOUNTDIFFTHANBALANCE	TxnAmount cannot be different than total Balance. TxnAmount: {0}, Total Balance: {1}
PAS_TXNAMOUNTGREATERTHANBALANCE	TxnAmount cannot be greater than total Balance. TxnAmount: {0}, Total Balance: {1}
PAS_TXNAMOUNTINVALID	Transaction amount must be greater than 0
PAS_TXNAMOUNTPAYALLINVALID	Bad Amount Pay All
PAS_TXNCODECHARGEPAWAVE	TxnCodeID should be charge/pay/waive
PAS_TXNCODEINVALID	Invalid TxnCode
PAS_TXNIDDOESNOTEXIST	TxnID {0} does not exist
PAS_TXNIDINVALID	TxnID {0} is invalid
PAS_TXNWITHZEROBALANCE	Transaction has a zero balance and will not proceed
PAS_TXTMESSAGINGNOTENABLED	Text messaging is not enabled at patron's library
PAS_TXTMSGPHONEENTERNUMBER	Text messaging phone is Phone {0}. Please enter a number for Phone {0}.
PAS_TYPEDITEM	{0} item
PAS_UNABLETOAUTHENTICATECREDENTIALS	We are unable to authenticate your credentials at this time.
PAS_UNABLETOCHANGETOMLINKEDTODIGITAL	You cannot change the Type of Material (TOM) for this bibliographic record because it is linked to one or more digital resources.
PAS_UNABLETOCLOSEERMSSSESSION	Unable to release an ERMS ses-

STRING IDENTIFIERS	DEFAULT MESSAGE
	sion token. Please contact your system administrator.
PAS_UNABLETOCONVERTTOILL	Unable to convert to ILL.
PAS_UNABLETOCREATEBIBWITHDELETED05	You cannot create a bibliographic record with the LDR/05 = d (deleted). Select another value in LDR/05 and save the record.
PAS_UNABLETODELETEILLIBIBRECORDERROR	Unable to delete. This record was created for ILL. It will be deleted automatically by the system when the ILL request is deleted.
PAS_UNABLETODELETEILLITEMRECORDERROR	This item was created for ILL and will automatically be deleted by the system when the ILL request is deleted.
PAS_UNABLETOFLUSHERMSCACHE	Unable to flush cached ERMS access control information. Please contact your system administrator.
PAS_UNABLETOGROUPREQUEST	Title [{0}]: The request was not grouped.
PAS_UNABLETOGROUPREQUESTSTATUS	Title [{0}]: The request status is {1}. The request cannot be grouped.
PAS_UNABLETOOPENERMSSSESSION	Unable to acquire an ERMS session token. Please contact your system administrator.
PAS_UNABLETOOPENFILE	Unable to open file. Check the path and filename.
PAS_UNABLETORECEIVE	Unable to receive.
PAS_UNABLETOREGROUPREQUESTS	All requests are grouped. The requests cannot be grouped

STRING IDENTIFIERS	DEFAULT MESSAGE
	again.
PAS_UNABLETOUNDELETEBIBRECORDRESOURCEERROR	A duplicate resource entity was detected. The resource entity will be converted to an 856 tag.
PAS_UNABLETOUNDELETERECORDILLERROR	Unable to undelete record. This record was created for ILL.
PAS_TXNWITHZEROBALANCE	Transaction has a zero balance and will not proceed
PAS_TXTMESSAGINGNOTENABLED	Text messaging is not enabled at patron's library
PAS_TXTMSGPHONEENTERNUMBER	Text messaging phone is Phone {0}. Please enter a number for Phone {0}.
PAS_TYPEDITEM	{0} item
PAS_UNABLETOAUTHENTICATECREDENTIALS	We are unable to authenticate your credentials at this time.
PAS_UNABLETOCHANGETOMLINKEDTODIGITAL	You cannot change the Type of Material (TOM) for this bibliographic record because it is linked to one or more digital resources.
PAS_UNABLETOCLOSEERMSSSESSION	Unable to release an ERMS session token. Please contact your system administrator.
PAS_UNABLETOCONVERTTOILL	Unable to convert to ILL.
PAS_UNABLETOCREATEBIBWITHDELETED05	You cannot create a bibliographic record with the LDR/05 = d (deleted). Select another value in LDR/05 and save the record.
PAS_UNABLETODELETEILLIBIBRECORDERROR	Unable to delete. This record was created for ILL. It will be deleted automatically by the

STRING IDENTIFIERS	DEFAULT MESSAGE
	system when the ILL request is deleted.
PAS_UNABLETODELETEILLITEMRECORDERROR	This item was created for ILL and will automatically be deleted by the system when the ILL request is deleted.
PAS_UNABLETOFLUSHERMSCACHE	Unable to flush cached ERMS access control information. Please contact your system administrator.
PAS_UNABLETOGROUPREQUEST	Title [{0}]: The request was not grouped.
PAS_UNABLETOGROUPREQUESTSTATUS	Title [{0}]: The request status is {1}. The request cannot be grouped.
PAS_UNABLETOOPENERMSSSESSION	Unable to acquire an ERMS session token. Please contact your system administrator.
PAS_UNABLETOOPENFILE	Unable to open file. Check the path and filename.
PAS_UNABLETORECEIVE	Unable to receive.
PAS_UNABLETOREGROUPREQUESTS	All requests are grouped. The requests cannot be grouped again.
PAS_UNABLETOUNDELETEBIBRECORDRESOURCEERROR	A duplicate resource entity was detected. The resource entity will be converted to an 856 tag.
PAS_UNABLETOUNDELETERECORDILLERROR	Unable to undelete record. This record was created for ILL.
PAS_UNBREAKABLEPARENSDESC	(unbreakable)
PAS_UNCLAIMDATECLOSEDTITLE	Closed Day
PAS_UNCLAIMEDDATECLOSED	Unclaimed date is a closed date. It will be moved to next

STRING IDENTIFIERS	DEFAULT MESSAGE
	open date.
PAS_UNCLAIMEDDATEERROR	Unclaimed date cannot be in the past.
PAS_UNDELETECANCELED	Undelete record was canceled.
PAS_UNDELETEDELETEDRECORD	The bibliographic record you specified is a deleted record. Please undelete the deleted record before linking another record to it.
PAS_UNEXPECTEDERROR	An unexpected error has occurred.
PAS_UNEXPECTEDPARENTCHILDLINKERROR	An unexpected parent-child linkage error has occurred.
PAS_UNEXPECTEDSTATUSTITLE	Unexpected Status
PAS_UNLINKEDRECORDSETNAMEEXCEEDSLENGTH	Unlinked record set name cannot exceed 60 characters
PAS_UNLOCKERROR	Error unlocking object ID {0}. {1}
PAS_UPDATEBIBRECORDPROCEDURECANCELLED	Update bib record procedure canceled.
PAS_UPDATEHOLD_CHANGE_BRANCH_TITLE	Change Pickup Branch
PAS_UPDATEHOLDCHANGEBRANCHTITLE	Change Pickup Branch
PAS_UPDATEHOLDSUCCESS	The hold request has been updated.
PAS_UPDATEITEMRECORD	Update item record
PAS_UPDATEITEMRECORDNOCHANGES	No changes have been made to this record. Do you want to save it anyway?
PAS_UPDATEITEMRECORDPROCEDURECANCELLED	Update item record procedure canceled.
PAS_USERACCOUNTCLOSED	User account is closed
PAS_USERACCOUNTLOCKED	User account is locked

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_USERACCOUNTSUSPENDED	User account is suspended
PAS_USERDEFINEDFIELD	User-defined field {0}
PAS_USERDOESNOTEXIST	Polaris user {0} does not exist
PAS_USERIDINVALID	User ID is invalid
PAS_USERIDINVALIDDATA	Polaris user {0} is not valid
PAS_USERINPUTMISSINGTITLE	Missing contact information
PAS_USERNAME	Username may not be the same as barcode
PAS_USERNAMEEXISTS	Username already exists
PAS_USERNAMENULL	Username is null
PAS_USEROBJECTNULL	User object is null
PAS_VALIDATIONNULLRETURNED	ValidationRepository.ObjectExists: Null value returned
PAS_VALIDATIONOBJECTEXISTSTYPENOTSUPPORTED	ValidationRepository.ObjectExists: ObjectType ID {0} not supported
PAS_VALIDATIONREADFAILURE	ValidationRepository.ObjectExists: Read failure
PAS_VALIDATIONSTRUCTURALISSUEREPOR	Validation and Structural Issue Report
PAS_VALUEEMPTYSTRING	Value is empty string
PAS_VALUEEXCEEDSMAXLENGTH	Value exceeds maximum length of {0}
PAS_VALUENOTGREATERTHAN	Value is not greater than {0}
PAS_VALUENOTINRANGE	Value is not in range of {0} to {1}
PAS_VALUENOTLESSTHAN	Value is not less than {0}
PAS_VENDORACCOUNTDELETEFAILED	There was a problem. {0}. Vendor account not deleted.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_VENDORACCOUNTDELETEFAILEDUNPURGEDBIBS	The account has not been deleted, there may be unpurged bibliographic records preventing deletion of this vendor account.
PAS_VERIFYASSIGNEDHOMEBRANCH	Verify assigned / home branch settings
PAS_VOLUMEISSUELENGTHERROR	Volume and issue cannot exceed 255 characters.
PAS_VOLUMENUMBER	VolumeNumber
PAS_VOLUMENUMBERLENGTHERROR	Volume number cannot exceed 60 characters.
PAS_WAIVENULLERROR	waive data cannot be null
PAS_WIDOWEDAUTHRECORDSOPENTITLE	Authority record(s) open
PAS_WIDOWEDBIBRECORDSOPENTITLE	Bibliographic record(s) open
PAS_WIDOWEDELETERECORDOPENDETAIL	[0] {1}
PAS_WIDOWEDRECORDSETCREATED	Record Set {0} ({1}) has been created. The following record options are available:
PAS_WIDOWEDRECORDSOPENMSG	The following record(s) are currently open and will not be deleted.
PAS_WIDOWPROCERRORS	Record(s) are locked
PAS_WORKFLOWANSWERFORREQUESTNOTFOUND	Workflow answer record with request id {0} not found.
PAS_WORKFLOWANSWERNOTFOUND	Workflow answer record with answer id {0} not found.
PAS_WORKFLOWOVERDUEFINEPROMPTTITLE	Overdue Fine
PAS_WORKFLOWPROCEDURECANCELLED	Procedure canceled.
PAS_WORKFLOWREQUESTISNULL	WorkflowRequest is null.

STRING IDENTIFIERS	DEFAULT MESSAGE
PAS_WORKFLOWREQUESTNOTFOUND	Workflow request record with GUID {0} not found.
PAS_WORKFLOWRESOLVEBILLEDITEMTITLE	Resolve billed item
PAS_WORKFLOWRESOLVELOSTITEMTITLE	Resolve lost item
PAS_WORKSTATIONDOESNOTEXIST	Polaris workstation {0} does not exist
PAS_WORKSTATIONIDINVALID	Workstation ID is invalid
PAS_WORKSTATIONNOTFOUND	Workstation with id {0} was not found
PAS_WORKSTATIONORGSNOLEAPLICENSE	No workstations are associated with organizations licensed for LEAP circulation.

Polaris ExpressCheck Strings Reference

The following table lists ExpressCheck strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

STRING IDENTIFIERS	DEFAULT MESSAGE
EC_TEXT_FORGOTPASSWORD_1010	The e-mail could not be sent. Please contact the library for assistance.
EC_TEXT_FORGOTPASSWORD_EMAIL_HOURS	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
EC_TEXT_FORGOTPASSWORD_EMAIL_MINUTES	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator

Polaris MobilePAC Strings Reference

The following table lists Mobile PAC strings.

STRING IDENTIFIERS	DEFAULT MESSAGE
MP_ACCOUNTLOGON_RESET_SUCCESS	Your password has been reset.
MP_CRUMBS_RESETPWD	Reset Password
MP_HOLD_REQ_AVAIL_ERROR	Hold Requests are not allowed for this title
MP_MSG_FORGOTPASSWORD_EMAIL_HOURS	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
MP_MSG_FORGOTPASSWORD_EMAIL_MINUTES	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
MP_MSG_FORGOTPASSWORD_INFO_BARCODE_RESET	Your reset password link has expired. Please submit your Barcode below to request a new one.
MP_MSG_FORGOTPASSWORD_INFO_USERNAME_RESET	Your reset password link has expired. Please submit your Username or Barcode below to request a new one.

Polaris Notice Strings Reference

The following table lists English language strings for Polaris print, email, and text message (text to mobile phone) notices and related messages, as well as Borrow by Mail package materials. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

If you edit text message notices, keep the following rules in mind:

- **Character limit** - Individual messages are limited to 160 characters. If you enter more characters, the text will be carried into a second message, provided the patron's carrier supports this feature.
- **URLs** - You can include a URL in the message, but note that the URL takes up message space and the link may not be active, depending on the patron's carrier.
- **Languages** - Text messaging does not support Unicode, so text message notices in languages with diacritics are not rendered accurately.

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
BBM_MAILER	<p>A \$[AMOUNT] per item delivery charge has been added to your record. The due date has been extended to include delivery time. To return item you may reuse our mailer and the label provided below. You pay return postage. Or, to save postage, return item with mailer to any library. Please return material before the due date to avoid overdue fines. You may renew online or by phoning your library. To review your account, go to your library website and click on MyLibraryAccount. You may mail checks to the address below or pay delivery charge at any library. Please be sure to include your library card number on your check.</p>	<p>Borrow by Mail - package insert body text. For English, do not edit [AMOUNT]; the system supplies the charge. For a foreign language translation, you must specify the charge as text.</p>
BBM_MAILER_HEADER	Your Library Borrow-By-Mail	Borrow by Mail - package insert header
BBM_NOTICE_EMAIL_SUBJ	Borrow-By-Mail Error Notice	Borrow by Mail - Email error notice subject
BBM_NOTICE_EMAIL_TEXT	<p>The items you requested to be sent to you via our Borrow-By-Mail service have arrived. Unfortunately, there is a problem with your library account. Please check your account online or call the library. Once your account has been updated please remember to ask the staff to reactivate your request or, you may also reactivate the requests online using your library account. Please call the library if you have any questions about your</p>	Borrow by Mail - Email error notice text

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	account.	
BBM_NOTICE_HEADER	Borrow-By-Mail Error Notice	Borrow by Mail - Print error notice header
BBM_NOTICE_SMS_TEXT	The item you requested via our Borrow-by-Mail services cannot be delivered. Please check your account online or call the library.	Borrow by Mail - Text message error notice text
BBM_NOTICE_TEXT	The items you requested to be sent to you via our Borrow-By-Mail service have arrived. Unfortunately, there is a problem with your library account. Please check your account online or call the library. Once your account has been updated please remember to ask the staff to reactivate your request or, you may also reactivate the requests online using your library account. Please call the library if you have any questions about your account.	Borrow by Mail - Print error notice text
COURSERESERVE_EMAILSUBJECT	Course Reserve Summary	Course reserve email report for instructors (requested from Patron Account page in PAC) - message subject
COURSERESERVE_FOOTER	Attached are your current course reserve statistics. Please note any additions or deletions and return this notice to the library.	Course reserve email report for instructors (requested from Patron Account page in PAC) -

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		message footer
COURSERESERVE_HEADER	Attached are your current course reserve statistics. Please note any additions or deletions and return this notice to the library.	Course reserve email report for instructors (requested from Patron Account page in PAC) - message header
COURSERESERVE_NOTICETYPE	Course Reserves Notice	Course reserve email report for instructors (requested from Patron Account page in PAC)
COURSERESERVE_REPLYTOEMAILADDRESS	nobody@nowhere.com	Course reserve email report for instructors (requested from Patron Account page in PAC) - message reply-to address
COURSERESERVE_RETURNEMAILADDRESS	nobody@nowhere.com	Course reserve email report for instructors (requested from Patron Account page in PAC) - message return address
LBL_AMOUNT	Amount	Column label used as needed in print and email notices and reports

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
LBL_ASSIGNEDBRANCH	Assigned Branch	Column label used as needed in print and email notices and reports
LBL_AUTHOR	Author	Column label used as needed in print and email notices and reports
LBL_BARCODE	Barcode	Column label used as needed in print and email notices and reports
LBL_CALLNO	Call No.	Column label used as needed in print and email notices and reports
LBL_CHECKINDATE	Check-in Date	Column label used as needed in print and email notices and reports
LBL_CHECKOUTDATE	Check-out Date	Column label used as needed in print and email notices and reports
LBL_CHECKOUTFROM	Check-out From	Column label used as needed in print and email notices and reports

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
LBL_CLAIMDATE	Claim Date	Column label used as needed in print and email notices and reports
LBL_COURSE	Course	Column label used as needed in print and email notices and reports
LBL_DATE	Date	Column label used as needed in print and email notices and reports
LBL_DUE?	Due?	Column label used as needed in print and email notices and reports
LBL_DUEDATE	Due Date	Column label used as needed in print and email notices and reports
LBL_EMAILADDRESS	E-mail Address	Column label used as needed in print and email notices and reports
LBL_FORMAT	Format	Column label used as needed in print and email notices and

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		reports
LBL_FROM	From	Column label used as needed in print and email notices and reports
LBL_HELDTILL	Held-Till	Column label used as needed in print and email notices and reports
LBL_HOMEADDRESS	Home Address	Column label used as needed in print and email notices and reports
LBL_INSTRUCTOR	Instructor	Column label used as needed in print and email notices and reports
LBL_ITEM_REQUESTED	Item requested	Column label used in Borrow by Mail failure notice
LBL_LASTRENEWALDATE	Last Renewal Date	Column label used as needed in print and email notices and reports
LBL_MANBILL_ADDITIONALINFO	Additional information	Column label used as needed in print and email notices and reports (manual

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		bill)
LBL_MANBILL_CHARGINGLIBRARYBRANCH	Charging library/branch	Column label used as needed in print and email notices and reports (manual bill)
LBL_MANBILL_TOTALMSCCHARGES	Total Miscellaneous Charges	Column label used as needed in print and email notices and reports (manual bill)
LBL_MATERIALBARCODE	Material/Barcode	Column label used as needed in print and email notices and reports
LBL_NCKOS	Checkouts	Column label used as needed in print and email notices and reportsreports
LBL_NEWDUEDATE	New Due Date	Column label used as needed in print and email notices and reports
LBL_NOTICE	Notice	Column label used as needed in print and email notices and reports
LBL_NPATRONS	Patrons	Column label used as needed

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		in print and email notices and reports
LBL_NRENEWALS	# of Renewals	Column label used as needed in print and email notices and reports
LBL_OVERDUECHARGE	Overdue Charge	Column label used as needed in print and email notices and reports
LBL_PHONENUMBER	Phone Number	Column label used as needed in print and email notices and reports
LBL_PROCESSINGFEE	Processing Fee	Column label used as needed in print and email notices and reports
LBL_REASON	Reason	Column label used as needed in print and email notices and reports
LBL_RENEWALS	Renewals	Column label used as needed in print and email notices and reports
LBL_REPLACEMENT	Replacement	Column label used as needed

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		in print and email notices and reports
LBL_REPLACEMENTCOST	Replacement Cost	Column label used as needed in print and email notices and reports
LBL_RESERVESTARTENDDATE	Reserve Start / End Date	Column label used as needed in print and email notices and reports
LBL_TITLE	Title	Column label used as needed in print and email notices and reports
LBL_TOTAL	Total	Column label used as needed in print and email notices and reports
LBL_TOTALAMOUNTOWED	Total Amount Owed	Column label used as needed in print and email notices and reports
LBL_TOTALDUE	Total Due	Column label used as needed in print and email notices and reports
LBL_TOTALRESERVECKOS	Total number of checkouts for all items / course:	Column label used as needed

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		in print and email notices and reports
LBL_TOTRESERVEITEMS	Total number of items on reserve for the course:	Column label used as needed in print and email notices and reports
LBL_TXNDATE	Txn Date	Column label used as needed in print and email notices and reports
NOTICE_EBOOKREQAVAILBODY	The ebook you requested, {0}, is available from your 3M Cloud library account until {1}.	Email and text message request available (ebooks) - text. System supplies data for {0} and {1} - do not edit these characters.
NOTICE_EBOOKREQAVAILSUBJ	Your ebook is available	Email and text message request available (ebooks) - subject
NT_BILL_EM_HEADER	BILLING NOTICE	Email bill notice - header
NT_BILL_EM_TEXT	THIS IS A BILL. Your account has been charged for failure to return the following items. Please remit payment or contact the library as soon as possible.	Email bill notice - introductory text
NT_BILL_M_HEADER	BILLING NOTICE	Print bill notice -

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		header
NT_BILL_M_TEXT	THIS IS A BILL. Your account has been charged for failure to return the following items. Please remit payment or contact the library as soon as possible.	Print bill notice - introductory text
NT_BILL_SMS_TEXT	Money is owed on your library account. Please call the library or check your account on line.	Text message bill - text
NT_CANCEL_EM_HEADER	Your request has been cancelled	Email cancelled request notice - header
NT_CANCEL_EM_TEXT	Your request for:	Email cancelled request notice - introductory text
NT_CANCEL_M_HEADER	Your request has been cancelled	Print cancelled request notice - header
NT_CANCEL_M_TEXT	Your request for:	Print cancelled request notice - introductory text
NT_CANCEL_SMS_TEXT	Your request has been cancelled for title: [TITLE].	Text message cancelled request notice - text. System supplies title; do not edit or translate [TITLE].
NT_COMBINE_EM_HEADER	Library notice	Email combined notice - header
NT_COMBINE_EM_TEXT	As of [DATE], our files show that the following are charged to your account and overdue. Please return them as soon as possible. Thank you.	Email combined notice - introductory text. System supplies

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		date; do not edit or translate [DATE].
NT_COMBINE_M_HEADER	Library notice	Print combined notice - header
NT_COMBINE_M_TEXT	As of [DATE], our files show that the following are charged to your account and overdue. Please return them as soon as possible. Thank you.	Print combined notice - introductory text. System supplies date; do not edit or translate [DATE].
NT_COMBINE_SMS_TEXT	Please see contact the library or check your account on line.	Text message combined notice - text
NT-COMM_M_HEADER	Your organization's information may be out of date.	Stale Community records notice
NT_COMM_M_TEXT	According to our records, your organization's information has not changed since [DATE]. Please verify that the information contained in the library's online catalog is correct and contact us if you have any questions.	Stale Community records notice. System supplies date; do not edit or translate [DATE].
NT_EMAIL_FOOTER	If you do not wish to receive this information via email, please reply to this message or contact the library.	Email notice - generic footer
NT_FINE_EM_HEADER	FINE NOTICE	Email fine notice - header
NT_FINE_EM_TEXT	Our records show an outstanding fine balance on your account. Please contact the library as soon as possible to resolve these fines.	Email fine notice - introductory text
NT_FINE_M_HEADER	FINE NOTICE	Print fine notice - header

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
NT_FINE_M_TEXT	Our records show an outstanding fine balance on your account. Please contact the library as soon as possible to resolve these fines.	Print fine notice - introductory text
NT_FINE_SMS_TEXT	Money is owed on your library account. Please call the library or check your account on line.	Text message fine notice - text
NT_HOLD_EM_HEADER	Requested items are ready for you	Email request pickup notice - header
NT_HOLD_EM_TEXT	The following items are being held for you at the library. Please pick the items up on or before the date indicated.	Email request pickup notice - introductory text
NT_HOLD_M_HEADER	Requested items are ready for you	Print request pickup notice - header
NT_HOLD_M_TEXT	The following items are being held for you at the library. Please pick the items up on or before the date indicated.	Print request pickup notice - introductory text
NT_HOLD_SMS_TEXT	The item you requested [TITLE] is available for pickup at branch [BRANCH] until [DATE].	Text message request pickup notice - text. System supplies title, branch, and date; do not edit or translate [TITLE], [BRANCH], or [DATE].
NT_MANBILL_EMAIL_BODY	Please pay the following miscellaneous charges on your library account. See the individual charges for details.	Email manual bill - text

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
NT_MANBILL_EMAIL_HEADER	Miscellaneous Charges (Bill)	Email manual bill - header
NT_MANBILL_POSTCARD	Your library account was billed \$[AMOUNT] for [NUMCHARGES] charges. Please call the library or check your account online,	Postcard manual bill - text. System supplies [AMOUNT] and [NUMCHARGES] - do not edit these characters.
NT_MANBILL_PRINT_BODY	Please pay the following miscellaneous charges on your library account. See the individual charges for details.	Print manual bill - text
NT_MANBILL_PRINT_HEADER	Miscellaneous Charges (Bill)	Print manual bill - header
NT_MANBILL_SMS	Your library account has been charged [AMOUNT] ([FEEREASON]). Please call the library or check your account online.	Text message manual bill - text. System supplies [AMOUNT] and [FEE REASON]. Do not edit these characters.
NT_MISSINGPART_EM_HEADER	Missing library item	Email missing part notice - header
NT_MISSINGPART_EM_TEXT	An item was returned to the [BRANCH] missing a part(s). Please return the part(s) to the library within 48 hours to avoid fines.	Email missing part notice - text
NT_MISSINGPART_M_HEADER	Missing library item	Print missing part notice - header
NT_MISSINGPART_M_TEXT	An item was returned to the	Print missing

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	[BRANCH] missing a part(s). Please return the part(s) to the library within 48 hours to avoid fines.	part notice - text
NT_MISSINGPART_PH_TEXT	An item was returned to the [BRANCH] missing a part(s). Please return the part(s) to the library within 48 hours to avoid fines.	System use only. Do not edit.
NT_MISSINGPART_TXT_TEXT	Missing library item. [TITLE] was returned to the library with parts missing. Please return the part(s) to the library within 48 hours to avoid fines.	Text message missing parts notice - text
NT_MSG_SECURED_NOPAY	Your account has been secured; please contact the library for information on how to clear your account.	
NT_OVD_EM_HEADER	OVERDUE NOTICE	Email overdue notice - header
NT_OVD_EM_TEXT	As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible.	Email overdue notice - introductory text
NT_OVD_M_HEADER	OVERDUE NOTICE	Print overdue notice - header
NT_OVD_M_TEXT	As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible.	Print overdue notice - introductory text
NT_OVD_SMS_TEXT	Library items are overdue. Please call the library or check your account on line.	Text message overdue notice - text. Overdues 1, 2, 3 use the same message.
NT_OVD2ND_EM_HEADER	NOTICE	Email overdue

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
OVERDUE		notice 2 - header
NT_OVD2ND_EM_TEXT	As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible.	Email overdue notice 2 - introductory text
NT_OVD2ND_M_HEADER	OVERDUE NOTICE	Print overdue notice 2 - header
NT_OVD2ND_M_TEXT	As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible.	Print overdue notice 2 - introductory text
NT_OVD3RD_EM_HEADER OVERDUE	NOTICE	Email overdue notice 3 - header
NT_OVD3RD_EM_TEXT	As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible.	Email overdue notice 3 - introductory text
NT_OVD3RD_M_HEADER	OVERDUE NOTICE	Print overdue notice 3 - header
NT_OVD3RD_M_TEXT	As of the date shown our files show that the following items charged to your account are overdue. Please return these items as soon as possible.	Print overdue notice 3 - introductory text
NT_REMINDER_EXPIRE_EM_HEADER	Your library membership will expire soon	Email expiration reminder - header
NT_REMINDER_EXPIRE_EM_TEXT	Your library membership will expire in 10 day(s). You can renew your membership by calling the library during	Email expiration reminder - text

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	business hours.	
NT_REMINDER_EXPIRE_SMS_TEXT	Your library registration will expire in 10 days. Please contact the library to renew your registration.	Text message expiration reminder - text
NT_REMINDER_INACTIVE_EM_HEADER	Visited your library lately?	Email inactivity reminder - header
NT_REMINDER_INACTIVE_EM_TEXT	Our records show you have not used your library membership recently. Please call the library so we can update your records.	Email inactivity reminder - text
NT_REMINDER_INACTIVE_SMS_TEXT	Visited your library lately? Please call or visit your library to update your library membership.	Text message inactivity reminder - text
NT_REMINDER_OTHER_EM_HEADER	Other items checked out to you:	Email almost overdue reminder - other items checked out
NT_REMINDER_OVD_EM_HEADER	A reminder from your library	Email almost overdue reminder - header
NT_REMINDER_OVD_EM_TEXT	JUST A REMINDER. The following items are due back to the library on the dates indicated. Please return or renew these items at your convenience.	Email almost overdue reminder - text
NT_REMINDER_OVD_SMS_TEXT	Just a reminder: library items checked out to you will be due soon. Contact the library or check your account on-line.	Text message almost overdue reminder - text
NT_REMINDER_RENEW_EM_HEADER	We have automatically renewed the following items and they are now due	Email almost overdue/auto-

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	back on the date indicated below.	renew reminder - header
NT_REMINDER_RENEW_SMS_HEADER	Just a reminder: library items checked out to you have been automatically renewed. Contact the library or check your account on-line.	Text message almost over-due/auto-renew reminder - header
NT_ROUTE_EM_HEADER	Routed Material	Email routing notice - header
NT_ROUTE_EM_TEXT	The following items will be routed to you.	Email routing notice - introductory text
NT_ROUTE_M_HEADER	Routed Material	Print routing notice - header
NT_ROUTE_M_TEXT	The following items will be routed to you.	Print routing notice - introductory text
NT_SERIALCLAIM_EM_TEXT	In accordance with our records, we are claiming the following issue(s). Please supply as soon as possible or respond to the contact listed below.	Email serial claim notice - introductory text
NT_SERIALCLAIM_M_TEXT	In accordance with our records, we are claiming the following issue(s). Please supply as soon as possible or respond to the contact listed below.	Print serial claim notice - introductory text
NT_SMS_HEADER	Message from your library	Text message - generic header
NVAVER_BLOCKTEXT	NVA - Verification Sent	Not currently used
NVAVER_PATRONCODEID	11,12,16,17	Not currently used
NVAVER_REASON	Address Verification	Not currently

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		used
NVAVER_TEXT	Please bring this notice to the library to verify your address.	Not currently used
TXT_ALMOSTOVERDUE_OTHERITEMS	Other items checked out to you:	Almost overdue reminder - text where other items are checked out to patron
TXT_BILLEDPATRON_STATEMENT1	Please see the attached summary of all out standing charges on your library account	Patron billing statement report, used as needed.
TXT_BILLEDPATRON_STATEMENT2	Our records show that the following items have been billed to your account	Patron billing statement report, used as needed.
TXT_BILLEDPATRON_STATEMENT3	No balance due on this account.	Patron billing statement report, used as needed.
TXT_CANCELEDREQUEST_DETAILS	[TITLE], placed on [DATE], cannot be filled. [REASON].	Cancelled request notice text (print, email). System supplies title, date, and reason; do not edit or translate [TITLE], [DATE], or [REASON].
TXT_CANCELEDREQUEST_FOOTER	For assistance or for more information, please contact the library.	Cancelled request notice text (print, email) - closing paragraph.
TXT_CANCELREASON_	The request was cancelled	Cancelled

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
CANCELLED		request notice text (print, email) - reason
TXT_CANCELREASON_EXPIRED	The request has expired	Cancelled request notice text (print, email) - reason
TXT_CANCELREASON_UNFILLED	The library was unable to fill the request	Cancelled request notice text (print, email) - reason
TXT_FINE_MINORPATRON	You are receiving this notice on behalf of [MINOR].	Fine notice (print, email) text where notice is sent to guardian of minor patron. System supplies [MINOR] - do not edit these char- acters.
TXT_LOSTBILLEDITEMS	Lost/billed items	Fine notice (print, email) text for lost/billed item charges
TXT_OTHERCHARGES	Other charges:	Fine notice (print, email) text for other charges
TXT_OVERDUE_CLAIMEDITEMS	The library is unable to locate the following items currently checked out to you:	Overdue notice (print, email) text where claimed items are included in notice

Polaris PowerPAC Strings Reference

The following table lists PowerPAC strings.

STRING IDENTIFIERS	DEFAULT MESSAGE
PACML_COMMUNITY_AALHDR	Ask-a-Librarian box link:
PACML_COMMUNITY_AALMSG	Display an Ask-a-Librarian box link, where visitors can send reference questions to the library from your site.
PACML_COMMUNITY_AALWINHDR	Create an Ask-a-Librarian box link:
PACML_DASH_CHILDFICTIONSERIES	Children's Fiction Series
PACML_DASH_CHILDILLUSTRATED	Children's Illustrated
PACML_DASH_DONATION	Make a Donation
PACML_DASH_EARLYMIDDLE	Early and Middle Grade Readers (sys cust)
PACML_DASH_HARDFICTION	Hardcover Fiction
PACML_DASH_HARDNONFICTION	Hardcover Non-Fiction
PACML_DASH_MASSMARKET	Mass Market
PACML_DASH_MOSTCIRCAUTHORS	Most Circ'd Authors
PACML_DASH_MOSTCIRCSUBJECTS	Most Circ'd Subjects
PACML_DASH_MOSTCIRCTITLES	Most Circ'd Titles
PACML_DASH_NEWTITLES	New Titles
PACML_DASH_ONORDERITEMS	On-Order Items
PACML_DASH_PAPERFICTION	Trade Paperback Fiction
PACML_DASH_PAPERNONFICTION	Trade Paperback Non-Fiction
PACML_DASH_YOUNGADULT	Young Adult
PACML_FORGOTPASSWORD_1014	Your reset password link is invalid or has expired. Please submit your Username or Barcode below to request a new one.
PACML_FORGOTPASSWORD_1015	Your reset password link is invalid or

STRING IDENTIFIERS	DEFAULT MESSAGE
	has expired. Please submit your Barcode below to request a new one.
PACML_FORGOTPASSWORD_CONFIRM	Confirm Password:
PACML_FORGOTPASSWORD_EMAIL_HOURS	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} hours. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
PACML_FORGOTPASSWORD_EMAIL_MINUTES	Click on the following link to set/reset your password: Reset Password Link: {0} This link can be used to reset your password, and will expire in {1} minutes. If the link is expired, request a new one: {2} If you did not request to reset your password, please ignore this message. Sincerely, Your Library System Administrator
PACML_FORGOTPASSWORD_INST	Please create a new password. You will then be directed to log in.
PACML_FORGOTPASSWORD_NEW	New Password:
PACML_FORGOTPASSWORD_SHOW	Show password
PACML_FORGOTPASSWORD_TITLE	Reset Password
PACML_JETPAY_DONATION_NOTE	Thank you for your Donation.
PACML_JETPAY_PAYMENT_NOTE	Thank you for your payment.
PACML_JETPAY_TRANSACTION_ERR	There is a problem with your payment. Please contact the library for assistance.

STRING IDENTIFIERS	DEFAULT MESSAGE
PACML_LOGON_PASSWORDRESET	Your password has been reset.
PACML_PRIVACY_POLICY	This site uses cookies and other technologies to provide you with an optimal experience. By continuing use of this website you are agreeing to use of our cookies. To learn more, see our privacy policy and services privacy policy .
PACML_PROCESSINGFEES_JETPAY_ERR	JetPay fee is \$0.00 or there was a JetPay API error. You will see the fee when you are at the JetPay site.
PACML_SUMMARYLESS	Less
PACML_SUMMARYMORE	More
PACPROF_COOKIE_ACCEPT_BUTTON	Accept

Polaris Fusion Strings Reference

The following table lists Polaris Fusion English language strings and where they appear in the Fusion product. You can use this information to find and customize specific language strings. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

Note: For more information about Polaris Fusion, see Polaris Fusion online Help.

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
FUSIONML_ACCESSFAILUEMSG	The access token you have provided is either expired or invalid. Please contact the library for assistance.	ACL request form
FUSIONML_ACCREQCANCELLEDMSG	Access request cancelled, you may close this window.	Request access form
FUSIONML_ACCREQPLACEDMSG	Access request placed, you may close this window.	Request access form
FUSIONML_ACLREQINFORMATIONTOPATRON	A library staff member will determine your eligibility to access this resource. If the library grants your request, you may access this resource from the library's catalog.	Request access form
FUSIONML_ADDITEMSHOPPINGCART	Add item to your shopping cart	Add to shopping cart form
FUSIONML_AGREESTRING	Yes, I agree	Add to shopping cart, request access, and content

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		delivery forms
FUSIONML_ ALREADYINSHOPPINGCART	This item is already in your shopping cart.	Add to shopping cart form
FUSIONML_CANCELBUTTONTEXT	Cancel request	Request access form
FUSIONML_ CLOSEACCESSREQWINDOWMSG	Access request placed, you may close this window.	Request access form
FUSIONML_ CLOSESHOPPINGCARTWINDOWMSG	The item has been added to your shopping cart, you may close this window.	Add to shopping cart form
FUSIONML_ CLOSEWINDOWBUTTONLABEL	Close window	Request access form, shopping cart, and ACL Request form
FUSIONML_CONTACTINFORMATION	Please contact the library for more information	(Optional) Add to shopping cart, request access, and content delivery forms
FUSIONML_ COPYRIGHTINFORMATION	This item is copyright protected	(Optional) Add to shopping cart, request access, and content delivery forms

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
FUSIONML_DISAGREESTRING	No, I do not agree.	Add to shopping cart, request access, and content delivery forms
FUSIONML_DOWNLOADBUTTONTEXT	Download	ACL request form
FUSIONML_DOWNLOADSREMAININGMSG	Downloads remaining:	
FUSIONML_FILENAME_GRIDLABEL	File name	Add to shopping cart and request access forms in the file information grid
FUSIONML_FILETYPE_GRIDLABEL	File type	Add to shopping cart and request access forms in the file information grid
FUSIONML_FILINFOLAB	File information	File information label
FUSIONML_MISSINGREQELEMENTS	The following element(s) are missing from your patron account:	Request access form (Required information missing message)
FUSIONML_MISSINGREQELEMENTSPROCEED	Use the patron account tab to update your patron information,	Request access form

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	before proceeding.	(Required information missing message)
FUSIONML_PATRONTEXTCOMMUNICATIONLAB	Additional information (if any)	
FUSIONML_PATRONACCTINFOMSG	Your library account currently includes the following information about you	Request access form
FUSIONML_PATRONADDRESS_GRIDLABEL	Address	Request access form (Required information missing message)
FUSIONML_PATRONEMAIL_GRIDLABEL	E-mail address	Request access form (Required information missing message)
FUSIONML_PATRONNAME_GRIDLABEL	Name	Request access form, Patron information area
FUSIONML_PATRONPHONE_GRIDLABEL	Telephone number	Request access form (Required information missing message)
FUSIONML_PENDINGACCESSREQUEST	You already have a pending request for this resource. A lib-	Duplicate access request mes-

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	<p>rary staff member will determine your eligibility to access this resource. If the library grants your request, you may access this resource from the libraries catalog.</p>	<p>sage</p>
<p>FUSIONML_PRICE_GRIDLABEL</p>	<p>Price</p>	<p>Add to shopping cart and request access forms in the file information grid</p>
<p>FUSIONML_PRIVACYPOLICYLINK</p>	<p>This is the libraries privacy policy</p>	<p>(Optional) Privacy policy link, Add to shopping cart, request access and content delivery forms</p>
<p>FUSIONML_REQACCESS</p>	<p>Request access</p>	<p>Request access form</p>
<p>FUSIONML_REQREASONDROPDOWNLAB</p>	<p>Select a reason for your request</p>	<p>Request access form</p>
<p>FUSIONML_REQUIRESPURCHASELABEL</p>	<p>After the library determines your eligibility to access to this resource, purchase may be required. No charges will be added to your library account as a result of this access request.</p>	<p>Request access form</p>
<p>FUSIONML_SHOPPINGCARTINSTR</p>	<p>After adding this item to your shopping cart, use the shopping</p>	<p>Request access form</p>

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	cart link to complete your purchase. No charges will be added to your library account unless you decide to purchase this item.	
FUSIONML_TERMSOFUSE	This item may be copyright protected. If so, fair use printing and downloading are allowed for educational purposes only. Distribution, particularly for commercial purposes, requires permission from the copyright owner. This material is restricted and subject to the libraries' terms of use. For more information on these terms, contact the library.	(Optional) Terms of use. Add to shopping cart, request access, and content delivery forms
FUSIONML_TERMSOFUSE_AGREE	Do you agree to follow the library's terms of use?	Terms of use agreement. Add to shopping cart, request access, and content delivery forms
FUSIONML_TITLE_GRIDLABEL	Title	Add to shopping cart and request access forms in the file information grid

See also

- [Comparing and Editing Language Strings](#)

Inbound Telephony Strings Reference

The following table lists English language strings for Polaris inbound telephony (Polaris Phone Attendant). You can use this information to find and customize specific language strings. See [Comparing and Editing Language Strings](#).

Note: For more information about setting up inbound telephony, see Polaris staff client online Help.

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PA_LANGUAGE_MENU	press 1 for english, press 2 for spanish.	Cached .wav file for main menu language message (Spanish licensed only) - if you are overriding this message with a human voice message, override this file.
PA_LANGUAGE_MENU_FOR	for	Not used
PA_LANGUAGE_MENU_OPTION	For %s, press %d .	Main menu language message (Spanish licensed only). For human voice override, use PA_LANGUAGE_MENU
PA_LANGUAGE_MENU_PRESS	press	Not used
PA_MENU_CONTINUERENEW	To accept the charge and continue with the renewal, press 1. To cancel the renewal, press 2.	Renew single item - item is overdue
PA_MENU_ENDOFLIST	To hear the list again, press 1. To return to the main menu, press star. To quit, press zero.	End list message (Patron Account menu options 4, 5, 6)

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PA_MENU_ENDOFLIST_ITEMSOUT	<p>To hear the list again, press 1.</p> <p>To renew all items, press 6.</p> <p>To return to the main menu, press star.</p> <p>To quit, press zero.</p>	Items out - end message
PA_MENU_INVALIDLOGIN	<p>To enter your barcode and password again, press 1.</p> <p>To return to the main menu, press star.</p> <p>To quit, press zero.</p>	Log-in failure message
PA_MENU_LOGIN_ALPHA_NUMERIC_PASSWORD	Please enter your password using the number key appropriate to the letter. Press 0 for all special characters.	Password message when alpha-numeric passwords are enabled.
PA_MENU_LOGINBARCODE	Please enter your patron barcode and press the pound key when complete.	Log-in message 1 (barcode)
PA_MENU_LOGINPASSWORD	Please enter your password and press the pound key when complete.	Log-in message 2 (password)
PA_MENU_MAIN	<p>To log in to renew or get library account information, press 1.</p> <p>To hear the library's hours, press 2.</p> <p>To hear other announcements, press 3.</p> <p>At anytime, you may</p>	Main menu

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	press star to quit.	
PA_MENU_PATRONMAIN	<p>To hear an activity summary, press 1.</p> <p>To hear a list of all items out with an option to renew, press 2.</p> <p>To renew a specific item, press 3.</p> <p>To hear a list of overdue items, press 4.</p> <p>To hear a list of all requests, press 5.</p> <p>To hear a list of items held, press 6.</p> <p>To hear an account statement, press 7.</p> <p>To hear accrued fines, press 8.</p> <p>At anytime, you may press star to quit.</p>	Patron Account menu (after log-in)
PA_MENU_RENEWANOTHERITEM	<p>To enter another barcode, press 1.</p> <p>To return to the main menu, press star.</p> <p>To quit, press zero.</p>	Renew another single item
PA_MENU_RENEWDETAILS	<p>To hear a detailed list of the renewed items, press 1.</p> <p>To return to your list of items out, press 2.</p>	Review renewed items
PA_MENU_RENEWITEM	Enter the barcode of the item you would like to renew, followed by the pound key.	Renew single item (follows Patron Account menu option 3)

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PA_TEXT_ANNOUNCEMENTS	There are no special announcements at this time.	No announcements (main menu option 3)
PA_TEXT_ERROR	I received an unexpected problem accessing your account. Please notify the library. I will return you to the main menu.	Log-in error
PA_TEXT_GREETING	Thank you for calling the library automated renewal system. If you do not have a touch tone phone, please call your local county library branch. To continue, please select one of the following options.	Greeting message
PA_TEXT_INVALIDCHOICE	Invalid menu option.	Menu key error
PA_TEXT_LIBRARYHOURS	The library is open Monday thru Friday from 8am to 9pm. Saturday from 9am to 7pm. Closed on Sundays.	Library hours (main menu option 2)
PA_TEXT_MAXLOGINATTEMPTS	You have attempted to login too many times. If you are having problems logging in, please contact the library.	Log-in error
PA_TEXT_NORESPONSE	No response has been received. Good bye.	Error - no patron input
PA_TEXT_OPTIONDISABLED	I'm sorry, this option has been disabled.	Menu option disabled

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PA_TEXT_PATREC_ACCOUNTSTATEMENT_CHARGES	You have outstanding charges of \$%3.2f.	Patron account statement, charges. System supplies amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_ACCOUNTSTATEMENT_CREDITS	You have a credit in the amount of \$%3.2f.	Patron account statement, credit. System supplies amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_ACCOUNTSTATEMENT_DEPOSITS	You have a deposit in the amount of \$%3.2f.	Patron account statement, deposit. System supplies amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_ACCRUED_ITEM_COUNT	You have %d items overdue.	Patron account statement, multiple items overdue. System supplies count %d - do not edit these characters.
PA_TEXT_PATREC_ACCRUED_ITEM_ONE	You have one item overdue.	Patron account statement, one item overdue.
PA_TEXT_PATREC_ACCRUED_ITEMS_NONE	You have no items overdue.	Patron account statement, no items overdue.
PA_TEXT_PATREC_ACCRUEDFINE	estimated fine is \$%3.2f	Estimated fine on one item. System supplies amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_ACCRUEDFINE_NONE	You have no accrued fines	Patron account statement, no fines.
PA_TEXT_PATREC_ACTIVITYSUMMARY_BALANCE	You have outstanding charges of \$%3.2f and a credit of \$%3.2f.	Patron account statement, charges and credit. System supplies amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_ACTIVITYSUMMARY_HELD	and %d held items.	Patron account activity summary, multiple held items. System supplies number of items %d. Do not edit these

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		characters.
PA_TEXT_PATREC_ACTIVITYSUMMARY_HELD_NONE	and no held items.	Patron account activity summary, no held items.
PA_TEXT_PATREC_ACTIVITYSUMMARY_HELD_ONE	and 1 held item.	Patron account activity summary, one held item.
PA_TEXT_PATREC_ACTIVITYSUMMARY_ITEMSOUT	%d items out.	Patron account activity summary, multiple items out. System supplies number of items %d. Do not edit these characters.
PA_TEXT_PATREC_ACTIVITYSUMMARY_ITEMSOUT_NONE	No items out.	Patron account activity summary, no items out.
PA_TEXT_PATREC_ACTIVITYSUMMARY_ITEMSOUT_ONE	1 item out.	Patron account activity summary, one item out.
PA_TEXT_PATREC_ACTIVITYSUMMARY_OVERDUE	%d items overdue.	Patron account activity summary, multiple items overdue. System supplies number of items %d. Do not edit these characters.
PA_TEXT_PATREC_ACTIVITYSUMMARY_OVERDUE_NONE	No items overdue.	Patron account activity summary, no items overdue.
PA_TEXT_PATREC_ACTIVITYSUMMARY_OVERDUE_ONE	1 item overdue.	Patron account activity summary, one item overdue.
PA_TEXT_PATREC_ACTIVITYSUMMARY_REQUESTS	%d hold requests,	Patron account activity summary, multiple hold requests. System supplies number of requests %d. Do not edit these characters.

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PA_TEXT_PATREC_ACTIVITYSUMMARY_REQUESTS_NONE	No hold requests,	Patron account activity summary, no hold requests.
PA_TEXT_PATREC_ACTIVITYSUMMARY_REQUESTS_ONE	1 hold request,	Patron account activity summary, one hold request.
PA_TEXT_PATREC_ACTIVITYSUMMARY_START	Our records show that you have,	Patron account activity summary start (Patron Account menu option 1)
PA_TEXT_PATREC_ADDITIONAL_ACCRUEDFINE	Additional charges are due for lost or claimed items. Please contact the library for more information.	Played when patron has opted to hear estimated fines on overdue items and there are uncharged fines on lost or claimed items.
PA_TEXT_PATREC_AUTHORTHOTAVAILABLE	Author not available.	Items out list (Patron Account menu option 1), item title type error
PA_TEXT_PATREC_BRANCH	Belongs to %s.	Items out list (Patron Account menu option 1), item's assigned branch. System supplies library names %s - do not edit these characters.
PA_TEXT_PATREC_BY	by %s.	Used when building author details for items out, items overdue and items held. System supplies author name %s - do not edit these characters. Example: The Firm by Grisham, John
PA_TEXT_PATREC_DUEDATE	Due on %s.	Items out list (Patron Account menu option 1), item due date. System supplies date %s - do not edit

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		these characters.
PA_TEXT_PATREC_EXPIRATIONWARNING	Our records show that your library registration will expire soon. Please contact the library to renew your registration.	Expiration warning (after log-in)
PA_TEXT_PATREC_EXPIRED	Our records show that your library registration has expired. Please contact the library to renew your registration.	Error - expired account (after log-in)
PA_TEXT_PATREC_HELDCOUNT	You have %d held items.	Held items list (Patron Account menu option 6), multiple held items. System supplies number of items %d - do not edit these characters.
PA_TEXT_PATREC_HELDCOUNT_NONE	You have no held items.	Held items list (Patron Account menu option 6), no held items.
PA_TEXT_PATREC_HELDCOUNT_ONE	You have 1 held item.	Held items list (Patron Account menu option 6), one held items
PA_TEXT_PATREC_HOLDUNTILDATE	until %s.	Held items list (Patron Account menu option 6), held until date. System supplies date %s - do not edit these characters.
PA_TEXT_PATREC_ITEMSOUTCOUNT	You have %d items checked out.	Items out list (Patron Account menu option 1), multiple items out. System supplies number of items %d - do not edit these char-

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		acters.
PA_TEXT_PATREC_ITEMSOUTCOUNT_NONE	You have no items checked out.	Items out list (Patron Account menu option 1), no items out.
PA_TEXT_PATREC_ITEMSOUTCOUNT_ONE	You have 1 item checked out.	Items out list (Patron Account menu option 1), one item out.
PA_TEXT_PATREC_MATERIALTYPE	Format is %s.	Items out list (Patron Account menu option 1), item format. System supplies format %s - do not edit these characters.
PA_TEXT_PATREC_OVERDUE	Please note, this item is overdue.	Items out list (Patron Account menu option 1), overdue item.
PA_TEXT_PATREC_OVERDUECOUNT	You have %d items overdue.	Overdue list (Patron Account menu option 4), multiple items. System supplies number of items %d - do not edit these characters.
PA_TEXT_PATREC_OVERDUECOUNT_NONE	You have no items overdue.	Overdue list (Patron Account menu option 4), no items.
PA_TEXT_PATREC_OVERDUECOUNT_ONE	You have 1 item overdue.	Overdue list (Patron Account menu option 4), one item.
PA_TEXT_PATREC_PICKUPBRANCH	Available for pickup at %s.	Held items list (Patron Account menu option 6), pick-up library. System supplies library name %s - do not edit these characters.
PA_TEXT_PATREC_RENEW	To renew an item, press 5, while the title is read.	Items out list (Patron Account menu option 1), renew single item option.
PA_TEXT_PATREC_RENEW_ALL	To renew all items, press 6.	Items out list (Patron Account menu option 1),

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		renew all items option.
PA_TEXT_PATREC_RENEW_BLOCK_COLLAGENCY	Your renewal request has been stopped. Money is owed on your account. Please contact the library for more information.	Renewal block, patron - account in collection
PA_TEXT_PATREC_RENEW_BLOCK_CURCLAIMS	Your renewal request has been stopped. Please contact the library regarding claimed items.	Renewal block, patron - current claims
PA_TEXT_PATREC_RENEW_BLOCK_HOLD	This item cannot be renewed because it has been requested by another patron.	Renewal block, item - hold request
PA_TEXT_PATREC_RENEW_BLOCK_ITEMFREETEXT	Item cannot be renewed.	Renewal block, item - free-text block
PA_TEXT_PATREC_RENEW_BLOCK_ITEMLIBASSIGNED	Item cannot be renewed.	Renewal block, item - library-assigned block
PA_TEXT_PATREC_RENEW_BLOCK_ITEMNOTOUTTOPATRON	This item was not found on your check out list.	Single item renewal (Patron Account menu option 3), item not found error
PA_TEXT_PATREC_RENEW_BLOCK_LIMIT	Item cannot be renewed.	Renewal block, item - renewal limit
PA_TEXT_PATREC_RENEW_BLOCK_LONGOVERDUE	This item is overdue and cannot be renewed.	Renewal block, patron - long overdue item
PA_TEXT_PATREC_RENEW_BLOCK_LONGOVERDUEITEMS	Your renewal request has been stopped. Please contact the library regarding overdue items.	Renewal block, patron - long overdue items
PA_TEXT_PATREC_RENEW_	Your renewal request	Renewal block, patron - unre-

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
BLOCK_LOSTITEM	has been stopped. Please contact the library regarding lost items.	solved lost items
PA_TEXT_PATREC_RENEW_BLOCK_MONEYOWED	Your renewal request has been stopped. Money is owed on your account. Please contact the library for more information.	Renewal block, patron - money owed
PA_TEXT_PATREC_RENEW_BLOCK_OVERDUE	This item is overdue and cannot be renewed.	Renewal block, patron - overdue item
PA_TEXT_PATREC_RENEW_BLOCK_OVERDUEITEMS	Your renewal request has been stopped. Please contact the library regarding overdue items.	Renewal block, patron - overdue items
PA_TEXT_PATREC_RENEW_BLOCK_PATEXPDATE	Your registration will expire before item due date. Your account expiration date is %s.	Renewal block, patron - expiring registration. System supplies expiration date %s - do not edit these characters.
PA_TEXT_PATREC_RENEW_BLOCK_PATFREETEXT	Your renewal request has been stopped. Please contact the library regarding your account.	Renewal block, patron - free-text block
PA_TEXT_PATREC_RENEW_BLOCK_PATLIBASSIGNED	Your renewal request has been stopped. Please contact the library regarding your account.	Renewal block, patron - library-assigned block
PA_TEXT_PATREC_RENEW_BLOCK_PCODE	I'm sorry, renewal is not permitted.	Renewal block, patron - patron code

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PA_TEXT_PATREC_RENEW_BLOCK_TOTALCLAIMS	Your renewal request has been stopped. Please contact the library regarding claimed items.	Renewal block, patron - total claims
PA_TEXT_PATREC_RENEW_BLOCK_VERIFY	Your renewal request has been stopped. Please contact the library regarding your account.	Renewal block, patron - verify patron
PA_TEXT_PATREC_RENEW_CANCELLED	Renewal cancelled.	Response to key-press 2 (cancel) when an item is selected for renewal but is overdue
PA_TEXT_PATREC_RENEW_COMPLETE	Item has been renewed. Due date is %s.	Items out list (Patron Account menu option 1), renewal confirmation. System supplies due date %s - do not edit these characters.
PA_TEXT_PATREC_RENEW_COMPLETE_CHARGE	Item has been renewed. Your account has been charged \$%3.2f. Due date is %s.	Items out list (Patron Account menu option 1), renewal confirmation for overdue item. System supplies charge amount \$%3.2f and due date %s - do not edit these characters.
PA_TEXT_PATREC_RENEW_EBOOK	Renewals are not permitted for electronic items	Items out list (Patron Account menu option 1), renew specific ebook item; renew all,soem are ebook items.
PA_TEXT_PATREC_RENEW_ITEMNOTFOUND.	This item was not found on your check out list.	Renew specific item (Patron Account menu option 3), error message
PA_TEXT_PATREC_RENEW_	This item is overdue.	Renew specific item, over-

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
OVERDUE	Your account will be charged \$%3.2f.	due item. System supplies charge amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_RENEW_WAIT	Please wait while we process your renewals.	Wait message
PA_TEXT_PATREC_RENEWITEM_CHARGE	Your account will be charged \$%3.2f to renew this item.	System supplies charge amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_RENEWITEM_OVDANDCHARGES	Overdue and renewal charges will apply. Your account will be charged \$%3.2f.	System supplies charge amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_RENEWITEMS_ACCOUNT_CHARGED	Your account has been charged. Select the account option for a summary of charges.	Items out list (Patron Account menu option 1), renew all, some overdue. Charge confirmation.
PA_TEXT_PATREC_RENEWITEMS_BLOCKED	It is not possible to renew these items at this time. Please call the library for assistance.	Items out list (Patron Account menu option 1), renew all, error.
PA_TEXT_PATREC_RENEWITEMS_CHARGE	Your account will be charged \$%3.2f to renew these items.	System supplies charge amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_RENEWITEMS_COMPLETE_ALL	All items have been renewed.	Items out list (Patron Account menu option 1), renew all, confirmation.
PA_TEXT_PATREC_RENEWITEMS_COMPLETE_SOME	%d items could not be renewed.	Items out list (Patron Account menu option 1), renew all, some not renewed. System supplies number of items %d - do not

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		edit these characters.
PA_TEXT_PATREC_RENEWITEMS_LIST	%s was renewed. Due date is %s.	Items out list (Patron Account menu option 1), renew specific item, confirmation. System supplies due date \$s - do not edit these characters.
PA_TEXT_PATREC_RENEWITEMS_LIST_NOTRENEWED	%s was not renewed.	Items out list (Patron Account menu option 1), renew all, title not renewed. System supplies title %s - do not edit these characters.
PA_TEXT_PATREC_RENEWITEMS_NONE	The system was unable to renew any items. Please call the library for assistance.	Items out list (Patron Account menu option 1), renew all error message.
PA_TEXT_PATREC_RENEWITEMS_OVERDUES	Some items are overdue. Your account will be charged \$%3.2f.	Items out list (Patron Account menu option 1), renew all, some overdue. System supplies charge amount \$%3.2f - do not edit these characters.
PA_TEXT_PATREC_REQUESTCOUNT	You have %d requests.	Request list (Patron Account menu option 5), multiple requests. System supplies number of requests %d - do not edit these characters.
PA_TEXT_PATREC_REQUESTCOUNT_NONE	You have no requests.	Request list (Patron Account menu option 5), no requests.
PA_TEXT_PATREC_REQUESTCOUNT_ONE	You have 1 request.	Request list (Patron Account menu option 5), one request.
PA_TEXT_PATREC_REQUESTDATE	, requested on %s,	Request list (Patron Account menu option 5), request date (follows title info). System

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		supplies date %s - do not edit these characters.
PA_TEXT_PATREC_REQUESTSTATUS	has a status of %s.	Request list (Patron Account menu option 5), request status (follows request date). System supplies status %s - do not edit these characters.
PA_TEXT_PATREC_SKIP	At anytime, you may press 2, to skip to the next item.	Items out list (Patron Account menu option 1), skip item.
PA_TEXT_PATREC_TOTAL_ACCRUEDFINE	As of today the estimated accrued fines are \$%3.2f	Estimated fines total. System supplies amount \$%3.2f - do not edit these characters.
PA_TEXT_PATRONNOTFOUND	I'm sorry, I could not find a matching record.	Log-in error
PA_TEXT_PATREC_MATERIALYPENOTAVAILABLE	Format not available.	Items out list (Patron Account menu option 1), item material type error
PA_TEXT_PATREC_TITLENOTAVAILABLE	Title not available.	Items out list (Patron Account menu option 1), item title type error
PA_TEXT_QUIT	Thank you. Good Bye	Final message (after star key-press)

Outbound Telephony Strings Reference

The following table lists English language strings for Polaris outbound telephony (telephone notification). You can use this information to find and customize specific language strings.

Note: For more information about setting up outbound telephony, see Polaris staff client online Help.

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PN_BBM_ERROR_MESSAGE	The item you requested to be sent to you via our Borrow-By-Mail service have arrived. Unfortunately, there is a problem with your library account. Please check your account online or call the library.	Borrow by Mail - error notice
PN_CANCELS_CONCLUSION	If you would still like these items, please place a new hold request.	Canceled hold request notice: message end
PN_CANCELS_COUNTA	records indicate that you have	Used when the patron is being notified of more than one canceled hold request. Example: PN_CANCELS_COUNTA [computer generated number] PN_CANCELS_COUNTBPLURAL
PN_CANCELS_COUNTBPLURAL	hold requests that are now cancelled.	Used when the patron is being notified of

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		more than one canceled hold request. Example: PN_CANCELS_COUNTA [computer generated number] PN_CANCELS_COUNTBPLURAL
PN_CANCELS_COUNTBSINGULAR	hold request that has been cancelled.	Not used at this time.
PN_CANCELS_COUNTSINGULAR	Our records indicate that you have a hold request that is now cancelled.	Used when the patron is being notified of a single canceled hold request.
PN_CANCELS_INTRO	Our records indicate that you have hold requests that have been cancelled.	Canceled hold request notice: message start
PN_CENT	Cent.	Used when notifying the patron of overdue fees. Example: 1 cent
PN_CENTS	Cents.	Used when notifying the patron of overdue fees. Example: 2 cents
PN_CLAIMS_CONCLUSION	Please return the missing parts as soon as possible.	Missing parts notice - end of message
PN_CLAIMS_COUNTA	Our records indicate that you returned	Missing parts notice - before count (multiple items)
PN_CLAIMS_COUNTBPLURAL	items with parts missing.	Missing parts notice - after count (multiple items)
PN_CLAIMS_COUNTSINGULAR	Our records indicate that you returned an item with parts missing.	Missing parts notice - single item

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PN_CLAIMS_INTRO	Our records indicate that you returned items with parts missing.	Missing parts notice - introduction
PN_DOLLAR	Dollar	Used when notifying the patron of overdue fees. Example: 1 dollar
PN_DOLLARS	Dollars	Used when notifying the patron of overdue fees. Example: 2 dollars
PN_GENERIC_ALSO	also,	Used when the patron is called for more than one type of notice. It concatenates phrases. Example: also, our records indicate...
PN_GENERIC_AND	and,	Used when notifying the patron of overdue fees and pickup libraries. Example: 2 dollars and 50 cents
PN_GENERIC_NOTAVAILABLE	I'm sorry. This function is not available at this time. Please try again later.	Not used at this time.
PN_HOLDS_CONCLUSION	Please pick up these items as soon as possible.	Hold request notice: final
PN_HOLDS_COUNTA	Our records indicate that you have	Used when the patron is being notified of more than one held item. Example: PN_HOLDSCOUNTA [computer generated number] PN_HOLDSCOUNTBPLURAL

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PN_HOLDS_COUNTBPLURAL	items being held for you.	Used when the patron is being notified of more than one held item. Example: PN_ HOLDS_ COUNTA [computer generated number] PN_ HOLDS_ COUNTBPLURAL
PN_HOLDS_COUNTBSINGULAR	item being held for you.	Not used at this time.
PN_HOLDS_COUNTSINGULAR	Our records indicate that you have an item being held for you.	Used when the patron is being notified of a single held item
PN_HOLDS_INTRO	Our records indicate that you have items being held for you.	Hold request notice: message start
PN_HOLDS_PICKUPLIBRARY	These items can be picked up at the following locations.	Hold request notice: pickup locations (system supplies branch names)
PN_MAIN_CONCLUSION	Thank you.	Final message of the notification
PN_MAIN_INTRO	Hello. This is your local library calling.	Main opening message, part 1
PN_MAIN_INTRO_NAME_FOR	for	Main opening message, part 2 (system supplies patron name)
PN_MENU_BBM_DETAILS	Press 5 for more details on your books by mail request	Borrow by mail request details option
PN_MENU_CANCELDETAILS	Press 4 for more details on your cancels.	Canceled hold request notice: menu option for details
PN_MENU_CLAIMDETAILS	Press 6 for more details on your claims.	Claim details option

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
PN_MENU_ENDCALL	Or press 9 to end this call.	End call option.
PN_MENU_HOLDDETAILS	Press 3 for more details on your holds.	Hold request notice: menu option for details
PN_MENU_INVALIDRESPONSE	That is not a valid response.	Error - invalid key-press
PN_MENU_NORESPONSE	No response received, terminating call.	Error - no patron input
PN_MENU_OVERDUEDetails	Press 2 for more details on your overdues.	Overdue notice: menu option for details
PN_MENU_RECALLDETAILS	Press 5 for more details on your recalls.	Not used.
PN_MENU_REPLAY	Press 1 to replay this message.	Replay message option
PN_NO_DETAILS	No Detail Information is available.	Used when overdue, held item or canceled request details are requested that do not exist
PN_OVERDUES_CONCLUSION	Please return these items as soon as possible.	Overdue notice: message end
PN_OVERDUES_CONCLUSTION	Please return these items as soon as possible.	Not used.
PN_OVERDUES_COUNTA	Our records indicate that you have	Used when the patron is being notified of more than one overdue item. Example: PN_OVERDUES_COUNTA [computer generated number]
PN_OVERDUES_COUNTBPLURAL	overdue items.	Used when the patron is being notified of more than one overdue

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		item. Example: PN_ OVERDUES_COUNTA [computer generated number]
PN_OVERDUES_ COUNTBSINGULAR	overdue item.	Not used.
PN_OVERDUES_ COUNTSINGULAR	Our records indicate that you have an overdue item.	Used when the patron is being notified of a single overdue item
PN_OVERDUES_FEES	You have accrued fines in the amount of	Used when notifying the patron of overdue fees. Example: You have accrued fines in the amount of [computer generated dollar amount]...
PN_OVERDUES_INTRO	Our records indicate that you have overdue items.	Overdue notice: mes- sage start
PN_RECALLS_CONCLUSION	Please return these items as soon as possible.	Not used.
PN_RECALLS_COUNTA	Our records indicate that you have	Not used.
PN_RECALLS_COUNTBPLURAL	items that are now being recalled.	Not used.
PN_RECALLS_ COUNTBSINGULAR	item that is now being recalled.	Not used.
PN_RECALLS_INTRO	Our records indicate that you have items that are now being recalled.	Not used.
PN_ROUTING_MULTIPLE	Several serial publications have been routed to you. For more information	Routing notice (mul- tiple items)

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
	please contact the library.	
PN_ROUTING_SINGLE	A serial Publication has been routed to you. For more information please contact the library.	Routing notice (1 item)
PN_TEXT_HELD_BRANCH	Can be picked up at %s	Hold request notice - pickup library. System supplies name of library %s - do not edit these characters.
PN_TEXT_PATREC_AUTHORTHOTAVAILABLE	Author not available.	Used when building details for an overdue item or canceled hold request message and the author field is empty
PN_TEXT_PATREC_BRANCH	Belongs to %s.	Used when building details for an overdue item message. System supplies organization name %s - do not edit these characters. Example: Belongs to Main Library
PN_TEXT_PATREC_BY	by %s.	Used when building author details for an overdue item, canceled hold request or held item message. System supplies author name %s - do not edit these characters. Example: The Firm by Grisham, John
PN_TEXT_PATREC_CLAIMDATE	Claimed on %s.	System supplies date

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		%s - do not edit these characters.
PN_TEXT_PATREC_CLAIMTYPE	Claim type is %s.	System supplies claim type %s - do not edit these characters.
PN_TEXT_PATREC_DUEDATE	Due on %s.	Used when building due date details for an overdue item message. System supplies date %s - do not edit these characters. Example: Due on Tuesday, January 5th, 2016
PN_TEXT_PATREC_HOLDUNTILDATE	until %s.	Hold request notice - held until date. System supplies date %s - do not edit these characters.
PN_TEXT_PATREC_MATERIALTYPE	Format is %s.	Used when building material type details for an overdue item, canceled hold request, or held item message. System supplies format %s - do not edit these characters.
PN_TEXT_PATREC_MATERIALTYPENOTAVAILABLE	Format not available.	Used when building material type details for a held item message and the material type field is empty.
PN_TEXT_PATREC_TITLENOTAVAILABLE	Title not available.	Used when building details for an overdue item or canceled hold request message and

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
		the title field is empty.
PN_TEXT_QUIT	Thank you. Good Bye.	Used when the user quits by pressing '9' or if too many invalid menu options were supplied.
PN_TEXT_UNKNOWN	Unknown	Not used at this time.

See also

- [Comparing and Editing Language Strings](#)

Polaris Receipt Strings Reference

The following table lists English language strings for Polaris eReceipts (email and text message receipts). You can use this information to find and customize specific language strings.

Note: For more information about setting up eReceipts, see Polaris staff client online Help.

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
RECEIPT_CHECKOUT_EMAIL_SUBJECT	Checked-out from your library	Email check-out receipts: subject
RECEIPT_CHECKOUT_EMAIL_INTRO	The following items were checked out by you on [DATE] from [BRANCH]	Email check-out receipts: introduction. System supplies [DATE] and [BRANCH] - do not edit these characters.
RECEIPT_EMAIL_FOOTER	Please do not reply to this message.	Email check-out receipts: footer
RECEIPT_RENEWAL_EMAIL_SUBJECT	You renewed library items	Email renewal receipts: subject
RECEIPT_RENEWAL_EMAIL_INTRO	Items renewed on [DATE].	Email renewal receipts: introduction. System supplies [DATE] - do not edit these characters.
RECEIPT_CHECKOUT_TXT_	Checked-out from your library	Text message check-out receipts: subject

STRING IDENTIFIERS	DEFAULT MESSAGE	CONTEXT
SUBJECT		
RECEIPT_ TXT_ FOOTER	Access your library account for additional information.	Text message check-out receipts: footer
RECEIPT_ RENEWAL_ TXT_ SUBJECT	You renewed library items	Text message renewal receipts: subject
RECEIPT_ INNREACH_ PICKUP	This item is available for pickup at the designated location.	Pickup notice for item requested through INN-Reach
RECEIPT_ YOUSAVED	You just saved [Value] by using your library. You have saved [YTDValue] this past year and [LifetimeValue] since you began using the library!	Optional "You Saved" eReceipt message appended to checkout and (optionally) renewal receipts. Do not edit text in brackets.

See also

- [Comparing and Editing Language Strings.](#)

Polaris ContentXChange Strings Reference

Polaris Community Profiles and ContentXChange are related but separately licensed products. Community profile information for participating organizations appears in Polaris PowerPAC. You can see these strings in context using the Web Admin Tool's PAC Tools.

ContentXChange widgets are displayed on the participating organizations' web sites. The following table lists English language strings for ContentXChange. You can use this information to find and customize specific language strings.

Note: For more information about setting up Community Profiles and ContentXChange, see Polaris staff client online Help.

MNEMONIC	DEFAULT MESSAGE	CONTEXT
CXC_ASKALIBRARIAN	Ask a librarian	Ask a Librarian widget
CXC_BLOG	Check out our Blog	Content drawer widget
CXC_CAL_ADDRESS	Address:	Calendar of Events widget
CXC_CAL_EMAIL	Email:	Calendar of Events widget
CXC_CAL_HDRTXT	Calendar of events	Calendar of Events widget
CXC_CAL_HOSTED	Hosted by:	Calendar of Events widget
CXC_CAL_HOURS	Hours:	Calendar of Events widget
CXC_CAL_PHONE	Phone:	Calendar of Events widget
CXC_CAL_SUMMARY	Summary:	Calendar of Events widget

MNEMONIC	DEFAULT MESSAGE	CONTEXT
CXC_CAL_URL	URL:	Calendar of Events widget
CXC_COPYRIGHT	Software Copyright © 2014 – Innovative Interfaces, Inc.	All widgets
CXC_DRAWER	Connect with us	Content drawer widget
CXC_EVTPRG	Events and programs	Personalized page - Calendar feature
CXC_FACEBOOKTXT	Find us on Facebook	Content drawer widget
CXC_GOOGLEPLUS	Add us to your circles on Google+	Content drawer widget
CXC_LIBCONN	Connect with the library	Personalized Page
CXC_LIBRARY	Connect with the library	Library catalog search widget
CXC_LINKEDIN	Connect with us on Linked in	Content drawer widget
CXC_MAPITDIRECTIONS	Print directions	Personalized Page - Map It feature
CXC_MAPITFROM	From:	Personalized Page - Map It feature
CXC_MAPITFULLMAP	Return to Full Map	Personalized Page - Map It feature
CXC_MAPITGO	Go!	Personalized Page - Map It feature
CXC_MAPITSTR	Map it	Personalized Page - Map It feature
CXC_MAPITTO	To:	Personalized Page - Map It feature
CXC_MYSFACE	Find us on MySpace	Content drawer widget
CXC_POWEREDBY	Powered by:	All widgets
CXC_PRODUCT	Polaris ContentXChange	Not used.
CXC_SEARCH	Search the Library	Library catalog search box widget

MNEMONIC	DEFAULT MESSAGE	CONTEXT
CXC_SEARCHBY	Search by:	Library catalog search box widget
CXC_SEARCHFOR	Search for:	Library catalog search box widget
CXC_TWITTERTXT	Follow us on Twitter	Content drawer widget

See also

- [Identifying Polaris PowerPAC Language Strings by ID](#)
- [Comparing and Editing Language Strings](#)

Leap (Staff Web Client) Strings

You can modify or translate language strings in Leap, including: messages, field and button labels, workform header information, navigation option labels, menus, and other UI elements. We renamed "Mnemonics" to "String Identifiers" so you can better match terms between documentation and the interface.

STRING IDENTIFIERS	DEFAULT MESSAGE
ERMS_TKABORTLIMITREACHED	Execution stopped because a resource limit was reached. No results were returned.
ERMS_TK_ACCESS_DENIED	Access Denied
ERMS_TK_ADD_COND	Add Condition
ERMS_TK_APPLY_UPPER	APPLY
ERMS_TK_BIB_SUGGEST	Bibliographic Suggestions
ERMS_TK_BROWSING	Browsing...
ERMS_TK_CANCEL	Cancel
ERMS_TK_CANCELED	Canceled
ERMS_TK_CANCELING	Canceling...
ERMS_TK_CHANGE_DEF_DB	Change the default search database to
ERMS_TK_CLEAR_TEXT	Clear Text
ERMS_TK_CLOSE	Close
ERMS_TK_COL_DISP_POS	Column - Display Position
ERMS_TK_COL_FOLDED	Column - Folded
ERMS_TK_COL_PINNED	Column - Pinned
ERMS_TK_COL_SETTINGS	Column Settings

STRING IDENTIFIERS	DEFAULT MESSAGE
ERMS_TK_COL_VISIBLE	Column - Visible
ERMS_TK_COL_WIDTH	Column - Width
ERMS_TK_CONTEXT_EXPIRED	The underlying session token has expired.
ERMS_TK_COUNT	Count
ERMS_TK_DELETE	Delete
ERMS_TK_DELETE_SAVED_SRCH	Are you sure you want to delete this saved search?
ERMS_TK_DISPLAY_POS	Display Position
ERMS_TK_DISPLAY_POS_DESCR	The order of the column in the display.
ERMS_TK_DUPE_SAVED_SRCH	There's already a saved search with that name. Please enter a different name.
ERMS_TK_ENTER_NEW_SEARCH	Enter name of new saved search.
ERMS_TK_ERRORS	Error(s)
ERMS_TK_EXACT	Exact
ERMS_TK_FILTERED_TO	Filtered to
ERMS_TK_FOLDED	Folded
ERMS_TK_FOLDED_DESCR	Indicates whether a column will be folded into a secondary text line and displayed under each row's (standard) tabular data.
ERMS_TK_FROM	From
ERMS_TK_HEADING	Heading
ERMS_TK_INDEXOUTOFRANGE	Index was outside the bounds of the array.

STRING IDENTIFIERS	DEFAULT MESSAGE
ERMS_TK_INITIALIZING	Initializing...
ERMS_TK_INVALIDARG	One or more arguments are invalid.
ERMS_TK_INVALIDCAST	Cannot cast from source type to destination type.
ERMS_TK_INVALIDOPERATION	The requested operation cannot be performed.
ERMS_TK_INVALIDVALUE	is not a valid value for
ERMS_TK_ITEM_BARCODE	Item Barcode
ERMS_TK_ITEM_SUGGEST	Item Suggestions
ERMS_TK_KWD_ALL	Keyword (All)
ERMS_TK_KWD_ANY	Keyword (Any)
ERMS_TK_LOADING	Loading...
ERMS_TK_METHOD_PRE	Method
ERMS_TK_METHOD_SUFEX	does not exist on
ERMS_TK_MODE	Mode
ERMS_TK_MOVE_DOWN	Move Down
ERMS_TK_MOVE_UP	Move Up
ERMS_TK_NAME	Name
ERMS_TK_NAME_DESCR	The column header or label text.
ERMS_TK_NARROW	Please choose one of the following to narrow your search for
ERMS_TK_NEW_SAVED_SEARCH	New Saved Search
ERMS_TK_NO_RESULTS	0 result(s)
ERMS_TK_OF	of
ERMS_TK_OPTIONS	Options
ERMS_TK_PATRON_BARCODE	Patron Barcode
ERMS_TK_PATRON_SUGGEST	Patron Suggestions

STRING IDENTIFIERS	DEFAULT MESSAGE
ERMS_TK_PHRASE	Phrase
ERMS_TK_PINNED	Pinned
ERMS_TK_PINNED_DESCR	Indicates whether a column will move when a user scrolls the result list horizontally.
ERMS_TK_PREVIEW_QUERY	Preview Query
ERMS_TK_PROPERTY	Property
ERMS_TK_PROPERTY_DESCR	A brief description of the property.
ERMS_TK_QUALIFIER	Qualifier
ERMS_TK_QUALIFIER_BR_NBN	NBN
ERMS_TK_QUALIFIER_NAME	Qualifier Name
ERMS_TK_READY	Ready
ERMS_TK_RELATION	Relation
ERMS_TK_RELATIONAL_OP	Relational Operator
ERMS_TK_REMOVE_ALL_COND	Remove All Conditions
ERMS_TK_REMOVE_COND	Remove Condition
ERMS_TK_RENAME_SEARCH	Rename existing saved search.
ERMS_TK_RESET	Reset
ERMS_TK_RESTORE	Restore
ERMS_TK_RESTORE_RESET	Restore or reset the search.
ERMS_TK_RESULTS	result(s)
ERMS_TK_REVERT	Revert to system default column settings.
ERMS_TK_REVERT_SETTINGS	Revert to system default search and column settings.

STRING IDENTIFIERS	DEFAULT MESSAGE
ERMS_TK_SAVE	Save
ERMS_TK_SAVE_DEF_SETTINGS	Save Default Search Settings
ERMS_TK_SAVE_SEARCH	Save Search
ERMS_TK_SAVE_SEARCH_DB	Save as Default Search Database
ERMS_TK_SAVE_SETTINGS	Save the current search and column settings as the user's default.
ERMS_TK_SAVE_UPPER	SAVE
ERMS_TK_SAVED_SEARCH	Saved Search
ERMS_TK_SAVED_VALUE	Saved value
ERMS_TK_SEARCH	Search
ERMS_TK_SEARCH_DB	Search Database
ERMS_TK_SEARCH_FILTER	Search Filter
ERMS_TK_SEARCH_MODE	Search Mode
ERMS_TK_SEARCHING	Searching...
ERMS_TK_SEARCHING_FOR	Searching for
ERMS_TK_SHOW_PENDING	Show pending changes
ERMS_TK_SORTING	Sorting...
ERMS_TK_TO	To
ERMS_TK_UNEXPECTED	Unexpected ERMS Toolkit error.
ERMS_TK_UNSAVED	unsaved
ERMS_TK_UPDATE_EXISTING	Update existing saved search, or enter another name to create a new saved search.
ERMS_TK_VISIBLE	Visible
ERMS_TK_VISIBLE_DESCR	Indicates whether the column is visible.

STRING IDENTIFIERS	DEFAULT MESSAGE
ERMS_TK_WIDTH	Width
ERMS_TK_WIDTH_DESCR	A numeric value that specifies the width in characters. The minimum width is 2 characters, and the maximum width is 255 characters. Valid values may include up to 3 digits after the decimal point.
ERMS_TK_XFER_DATA	Transferring data...
SW_CI_1STOVERDUE	1st overdue
SW_CI_2NDOVERDUE	2nd overdue
SW_CI_3RDOVERDUE	3rd overdue
SW_CI_ABOUT	About
SW_CI_ABOUT_CLS	Close
SW_CI_ABOUT_DLG_APP_SETTINGS	Application Settings
SW_CI_ABOUT_DLG_HEADER	About Leap
SW_CI_ABOUT_DLG_LBL_COMPUTER_NAME	Computer name
SW_CI_ABOUT_DLG_LBL_ERMS_NETWORK_ADDRESS	ERMSNetworkAddress
SW_CI_ABOUT_DLG_LBL_LANGUAGE	language
SW_CI_ABOUT_DLG_LBL_LOCALE_NAME	localeName
SW_CI_ABOUT_DLG_LBL_ORG_ID	organizationId
SW_CI_ABOUT_DLG_LBL_POLARIS_ORG	Polaris branch
SW_CI_ABOUT_DLG_LBL_POLARIS_WKS	Polaris workstation
SW_CI_ABOUT_DLG_LBL_URL_ROOT	urlRoot
SW_CI_ABOUT_DLG_LBL_USER_DOMAIN	User domain
SW_CI_ABOUT_DLG_LBL_USER_ID	User ID
SW_CI_ABOUT_DLG_LBL_USER_IDENTITY	User Identity
SW_CI_ABOUT_DLG_LBL_USER_NAME	User name

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ABOUT_DLG_LBL_VERSION	version
SW_CI_ABOUT_DLG_LBL_WKS_ID	workstationId
SW_CI_ABOUT_DLG_VERSION	Polaris Leap Web Application v
SW_CI_ACCNT_SUMMARY_CHARGES	Account Summary
SW_CI_ACCNT_SUMMARY_COLLECTIONAGENCY	Collection Agency
SW_CI_ACCNT_SUMMARY_TRANSACTION	Transaction Summary
SW_CI_ACCOUNT_SUMMARY_VIEW_LBL	View
SW_CI_ACCRUED_BTN_CLOSE	Close
SW_CI_ACCRUED_FINE_TEXT	Estimated Fines
SW_CI_ACTION_UNAVAILABLE	That action is currently unavailable.
SW_CI_ADD_BLOCKS_TXT	Add Block
SW_CI_ADJ	ADJ (Find Tool filter)
SW_CI_ALL	ALL (Find Tool filter)
SW_CI_ALERT_BTN_OK	OK
SW_CI_AMT_CREDIT	Amount to credit
SW_CI_AMT_REFUND	Amount to refund
SW_CI_AMT_WAIVE	Amount to waive
SW_CI_AND	AND (Find Tool filter)
SW_CI_ANY	ANY (Find Tool filter)
SW_CI_ASSOC_ADD_ALLOWME	Allow me to pick up holds for these patrons.
SW_CI_ASSOC_ADD_ALREADYEXISTS	An association already exists between these two patrons.
SW_CI_ASSOC_ADD_BLOCKME	Block me if these patron records are blocked.
SW_CI_ASSOC_ADD_BTN	New Association
SW_CI_ASSOC_ADD_CANCEL	CANCEL

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ASSOC_ADD_NOTE	Note
SW_CI_ASSOC_ADD_NOTFOUND	Barcode not found:
SW_CI_ASSOC_ADD_NOTTHEMSELVES	Patrons cannot be associated with themselves
SW_CI_ASSOC_ADD_SAVE	ADD
SW_CI_ASSOC_ADD_SAVEERROR	Error saving new patron associations
SW_CI_ASSOC_ADD_SCANHINT	Scan or enter patron barcode
SW_CI_ASSOC_ADD_SEARCHHINT	Scan or enter patron barcode
SW_CI_ASSOC_ADD_SELECTEDALREADY	Patron with barcode {0} has already been selected
SW_CI_ASSOC_ADD_SELECTEDLIST	Associated Patron(s)
SW_CI_ASSOC_ALLOW_BTN	Allow
SW_CI_ASSOC_BIB_DELETED	The associated bibliographic record has been deleted.
SW_CI_ASSOC_BLOCK_BTN	Block
SW_CI_ASSOC_DEL_BTNHELP	Delete
SW_CI_ASSOC_DEL_CONFIRM	Delete {0} patron associations?
SW_CI_ASSOC_DEL_NO	Cancel
SW_CI_ASSOC_DEL_YES	Continue
SW_CI_ASSOC_DISALLOW_BTN	Disallow
SW_CI_ASSOC_EXISTS	An association already exists with patron barcode(s)
SW_CI_ASSOC_MOD_ALLOWME	Allow me to pick up holds for these patrons.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ASSOC_MOD_BLOCKME	Block me if this patron record is blocked.
SW_CI_ASSOC_MOD_BTNHELP	Edit
SW_CI_ASSOC_MOD_CANCEL	CANCEL
SW_CI_ASSOC_MOD_NOTE	Note
SW_CI_ASSOC_MOD_SAVE	SAVE
SW_CI_ASSOC_MOD_SAVEERROR	Error saving modifications
SW_CI_ASSOC_MOD_SELECTED	Associated Patron
SW_CI_ASSOC_MOD_SELECTONE	Please select only one patron to modify
SW_CI_ASSOC_REMOVE	The patron's association to the selected patron(s) will be removed.
SW_CI_ASSOC_REMOVE_TTL	Remove association
SW_CI_ASSOC_UNBLOCK_BTN	Unblock
SW_CI_ASSOCIND_ALLOWME	ALLOW ME
SW_CI_ASSOCIND_ALLOWME_YES	Yes
SW_CI_ASSOCIND_BARCODE	PATRON BARCODE
SW_CI_ASSOCIND_BLOCKME	BLOCK ME
SW_CI_ASSOCIND_BLOCKME_YES	Yes
SW_CI_ASSOCIND_BRANCH	BRANCH
SW_CI_ASSOCIND_FILTER	Filter Associations
SW_CI_ASSOCIND_NAME	PATRON NAME
SW_CI_ASSOCIND_NOTE	NOTE
SW_CI_AUTH_BIB_FILTER	Filter bibs
SW_CI_AUTH_DELETE_AUTHS	There are [0] authority records linked to this authority record. would you like to:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_AUTH_DELETE_LINKED_BIBS	There are [0] bibliographic records linked to this authority record. would you like to:
SW_CI_AUTH_DELETE_OPTIONS_DELETE	Delete linked headings
SW_CI_AUTH_DELETE_OPTIONS_FLIP	Flip linked headings
SW_CI_AUTH_DELETE_OPTIONS_UNLINK	Unlink headings
SW_CI_AUTH_HDR_CATRULES	Descriptive cataloging rules
SW_CI_AUTH_HDR_CONTROL_NO	Control number
SW_CI_AUTH_HDR_KINDOFRECORD	Kind of record
SW_CI_AUTH_HDR_LINKBIBCOUNT	Linked bib count
SW_CI_AUTH_HDR_MAINADDED_ENTRY	Main or added entry use
SW_CI_AUTH_HDR_REC_STATUS	Record status
SW_CI_AUTH_HDR_SERIES_USE	Series use
SW_CI_AUTH_HDR_SUBJ_HEADING	Subject heading system
SW_CI_AUTH_HDR_SUBJ_USE	Subject use
SW_CI_AUTH_HDR_WRKFM_TITLE	Authority Record
SW_CI_AUTH_NAV_MARC	MARC
SW_CI_AUTHORITY_LOCKED	Authority record is locked by
SW_CI_AUTHOVRVW_CREATOR	CREATOR
SW_CI_AUTHOVRVW_CREATORDATE	CREATION DATE
SW_CI_AUTHOVRVW_FIRST_USE_DATE	FIRST USE DATE
SW_CI_AUTHOVRVW_IMPDATE	IMPORT DATE
SW_CI_AUTHOVRVW_IMPFILE	IMPORT FILE
SW_CI_AUTHOVRVW_INFO	Authority Record Properties
SW_CI_AUTHOVRVW_MODIFIER	MODIFIER
SW_CI_AUTHOVRVW_MODIFIERDATE	MODIFICATION DATE

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_AUTHOVRVW_RECORDID	AUTHORITY RECORD ID
SW_CI_AUTHOVRVW_RECORDSTATUS	RECORD STATUS
SW_CI_AUTOWAIVE_PROPERTIES	Auto-waive Properties
SW_CI_BARCODE	Barcode
SW_CI_BIB_CONFIRM_CANCEL	Cancel
SW_CI_BIB_CONFIRM_MSG	You have made changes to this Bibliographic Record. Are you sure you want to close without saving?
SW_CI_BIB_CONFIRM_RFSH_MS	You have made changes to this Bibliographic Record. Are you sure you want to refresh without saving?
SW_CI_BIB_CONFIRM_YES	Discard Changes
SW_CI_BIB_CONFIRM_TITLE	Bibliographic Record Changed
SW_CI_BIB_CONSTITUENT_NO_ITEMS	Constituent bibliographic records cannot have item records linked to them.
SW_CI_BIB_HDR_BY	By
SW_CI_BIB_HDR_CONTROL_NO	Control number:
SW_CI_BIB_HDR_DISPLAY_PAC	Display in PAC
SW_CI_BIB_HDR_IS_CONSTITUENT	Constituent
SW_CI_BIB_HDR_IS_HOST	Host
SW_CI_BIB_HDR_IS_ILL	ILL
SW_CI_BIB_HDR_LINKS_PAC	PAC
SW_CI_BIB_HDR_NO_OVERLAY	Do not overlay
SW_CI_BIB_HDR_OWNER	Owner:
SW_CI_BIB_HDR_REC_STATUS	Record status:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_BIB_HDR_SAVE	Save button
SW_CI_BIB_HDR_WRKFM_TITLE	Bibliographic Record
SW_CI_BIB_HEADINGS_BIBCOUNT	Bib Count
SW_CI_BIB_HEADINGS_CTRLNUM	Control Number
SW_CI_BIB_HEADINGS_HEADING	Heading
SW_CI_BIB_HEADINGS_NAME	Name
SW_CI_BIB_HEADINGS_RECSTATUS	Record Status
SW_CI_BIB_HEADINGS_SEEALSOCOUNT	See Also Count
SW_CI_BIB_HEADINGS_SERIES	Series
SW_CI_BIB_HEADINGS_SUBJ	Subject
SW_CI_BIB_ITEM_ASSNGDBRNCH	Assigned Branch
SW_CI_BIB_ITEM_BARCODE	Barcode
SW_CI_BIB_ITEM_CALLNUM	Call Number
SW_CI_BIB_ITEM_COLLCTN	Collection
SW_CI_BIB_ITEM_CTRLNUM	Control Number
SW_CI_BIB_ITEM_FILTER	Filter items
SW_CI_BIB_ITEM_LASTACTIVITY	Last Activity
SW_CI_BIB_ITEM_MATTYPE	Material Type
SW_CI_BIB_ITEM_RCDSTATUS	Record Status
SW_CI_BIB_ITEM_SHELFLOC	Shelf Location
SW_CI_BIB_ITEM_STATUS	Status
SW_CI_BIB_ITEM_VOLUME	Volume
SW_CI_BIB_LOCKED	Bibliographic record is locked by
SW_CI_BIB_NAV_ITEMS	Items
SW_CI_BIB_NAV_MARC	MARC
SW_CI_BIB_NAV_PREVIEW	Preview
SW_CI_BIB_NAV_RSRCS	Resources
SW_CI_BIB_NAV_STATS	Statistics

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_BIB_NEWITEM	New Item
SW_CI_BIB_NO_HEADINGS	No authority headings exist for this record.
SW_CI_BIB_NO_RESOURCES	No resources currently exist for this record.
SW_CI_BIB_PAC_AVAIL	Availability
SW_CI_BIB_PAC_BRIEF	Brief
SW_CI_BIB_PAC_FULL	Full
SW_CI_BIB_PAC_LOADING	Loading...
SW_CI_BIB_PAC_SSL_NOTAVAIL	The PAC view is not currently available because SSL is not enabled in PowerPAC.
SW_CI_BIB_RES_ACCT_NAME	Account Name:
SW_CI_BIB_RES_ACTIVE	Active:
SW_CI_BIB_RES_ACTIVE_NO	No
SW_CI_BIB_RES_ACTIVE_YES	Yes
SW_CI_BIB_RES_COVER_IMG	Cover Image URL:
SW_CI_BIB_RES_CREATE_DATE	Creation Date:
SW_CI_BIB_RES_CREATOR	Creator:
SW_CI_BIB_RES_LINK_TXT	Link Text:
SW_CI_BIB_RES_MARC_DATA	Imported MARC Data:
SW_CI_BIB_RES_MODIFIER	Modifier:
SW_CI_BIB_RES_MODIFY_DATE	Modification Date:
SW_CI_BIB_RES_NON_PUBLIC_NOTE	Non-Public Note:
SW_CI_BIB_RES_NOT_ACTIVE	Not active
SW_CI_BIB_RES_OBJECT_IDENTIFIER	Object Identifier:
SW_CI_BIB_RES_PUBLIC_NOTE	Public Note:
SW_CI_BIB_RES_RESOURCE_GRP	Resource Group:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_BIB_RES_URL	URL:
SW_CI_BIB_STATS_AVAILABLE_DATE	First available date:
SW_CI_BIB_STATS_HOLDS_NO	Number of holds:
SW_CI_BIB_STATS_IN_HOUSE_USE	Year-to-date in-house use:
SW_CI_BIB_STATS_ITEMS_NO	Number of items:
SW_CI_BIB_STATS_LIFE_CIRC	Lifetime circulation:
SW_CI_BIB_STATS_LIFETIME_IN_HOUSE_USE	Lifetime in-house use:
SW_CI_BIB_STATS_PREV_IN_HOUSE_USE	Previous year-to-date in-house use:
SW_CI_BIB_STATS_PREV_YEAR_TO_DATE_CIRC	Previous year-to-date circulation:
SW_CI_BIB_STATS_YEAR_TO_DATE_CIRC	Year-to-date circulation:
SW_CI_BILL	Bill
SW_CI_BILLSTATUS_PENDING	Pending
SW_CI_BILLSTATUS_YES	Yes
SW_CI_BLOCK_ASSOC	Associated patron blocks
SW_CI_BLOCKING_NTS_TEXT	Blocking Notes
SW_CI_BLOCKS_CREATIONDATE	Creation Date
SW_CI_BLOCKS_DESC	Block Description
SW_CI_BOGUS	Bogus Entry
SW_CI_BRNCH_WRKSTN_REQUIRED	Branch and Workstation selection is required.
SW_CI_BRIEF_ITEM_ENTRY_AUTHOR	Author
SW_CI_BRIEF_ITEM_ENTRY_BARCODE	Barcode
SW_CI_BRIEF_ITEM_ENTRY_CALLNUMBER	Call Number
SW_CI_BRIEF_ITEM_ENTRY_FINECODE	Fine Code
SW_CI_BRIEF_ITEM_ENTRY_FREETEXTBLOCK	Free Text Block
SW_CI_BRIEF_ITEM_ENTRY_LOANPERIOD	Loan Period

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_BRIEF_ITEM_ENTRY_MATERIALTYPE	Material Type
SW_CI_BRIEF_ITEM_ENTRY_OTFBLOCK	Set OTF Block
SW_CI_BRIEF_ITEM_ENTRY_TITLE	Title
SW_CI_BRIEFITM_TITLE_REQUIRED	Title information is required. Please enter a title in the Title field.
SW_CI_BTN_CANCEL	Cancel
SW_CI_BTN_CLOSE	Close
SW_CI_BTN_CONTINUE	Continue
SW_CI_BTN_MORE	More
SW_CI_BTN_NO	No
SW_CI_BTN_OK	OK
SW_CI_BTN_PAY	Pay
SW_CI_BTN_SKIP	Skip
SW_CI_BTN_YES	Yes
SW_CI_BUTTON_CANCEL	Cancel
SW_CI_BUTTON_MERGE	Merge
SW_CI_CAMERA_CAPTURE	Capture
SW_CI_CAMERA_FILE_NOT_VALID	The selected file is not a valid image file.
SW_CI_CAMERA_RETAKE	Retake
SW_CI_CANNOT_MERGESELF	A patron record cannot be merged with itself.
SW_CI_CHARGE_ADDED	Charge added successfully.
SW_CI_CHARGE_PAID	Charge paid successfully.
SW_CI_CHARGE_PROPERTIES	Charge Properties
SW_CI_CHCKIN_FREEDAY_WARNING	Please select a date in the past.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CHKIN_MANAGE_DLG_MATERIALTYPE	Material type
SW_CI_CHKINHDR_ASSIGNEDBRANCH	Assigned Branch
SW_CI_CHKINHDR_BARCODE	Barcode
SW_CI_CHKINHDR_CALLNUM	Call Number
SW_CI_CHKINHDR_COLLECTION	Collection
SW_CI_CHKINHDR_COMMENT	Comment
SW_CI_CHKINHDR_DUEDATE	Due Date
SW_CI_CHKINHDR_FINE	Fine Charged
SW_CI_CHKINHDR_MATERIALTYPE	Material Type
SW_CI_CHKINHDR_PATRONNAME	Patron Name
SW_CI_CHKINHDR_SHELFLOC	Shelf Location
SW_CI_CHKINHDR_STATUS	Status
SW_CI_CHKINHDR_TITLE	Title
SW_CI_CHKOUT_OVDFINE_CHRG	Charge
SW_CI_CHKOUT_OVDFINE_DUE_DATE	Due date
SW_CI_CHKOUT_OVDFINE_FINE	Fine
SW_CI_CHKOUT_OVDFINE_ITEM_BARCODE	Item barcode
SW_CI_CHKOUT_OVDFINE_PATRON_BARCODE	Patron barcode
SW_CI_CHKOUT_OVDFINE_PATRON_NAME	Name
SW_CI_CHKOUT_OVDFINE_TITLE	Title
SW_CI_CHKOUTIND_ACTN	Action
SW_CI_CHKOUTIND_BRCD	Barcode
SW_CI_CHKOUTIND_BRNCH	Assigned Branch
SW_CI_CHKOUTIND_CHKOUT	Check Out
SW_CI_CHKOUTIND_CHKOUTITM	Check out an item:
SW_CI_CHKOUTIND_CLLNO	Call Number
SW_CI_CHKOUTIND_CLR	Clear
SW_CI_CHKOUTIND_DUEON	Due Date

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CHCKOUTIND_FIND	Find Tool
SW_CI_CHCKOUTIND_LOANPERIOD	Loan period:
SW_CI_CHCKOUTIND_MTRL	Material Type
SW_CI_CHCKOUTIND_RESET	Reset
SW_CI_CHCKOUTIND_SETSPL	Set special loan
SW_CI_CHCKOUTIND_SHLFLOC	Shelf Location
SW_CI_CHCKOUTIND_SPECIAL	Special...
SW_CI_CHCKOUTIND_SPLAPPLYITEM	Apply to next item only
SW_CI_CHCKOUTIND_SPLAPPLYPATRON	Apply to all items for this patron
SW_CI_CHCKOUTIND_SPLAPPLYSESSION	Apply to all check-outs
SW_CI_CHCKOUTIND_TTL	Title
SW_CI_CHECK_IN	Check in
SW_CI_CHECK_OUT	Check out
SW_CI_CHECKIN_ERR	Error checking in item.
SW_CI_CHK_RENEW_OVERDUE_AMT_EXCEEDED	Changed amount should not be larger than the outstanding.
SW_CI_CHK_RENEW_OVERDUE_LBL_ACTIONS	Actions
SW_CI_CHK_RENEW_OVERDUE_LBL_AMT	Amount
SW_CI_CHK_RENEW_OVERDUE_LBL_CHARGE	Charge
SW_CI_CHK_RENEW_OVERDUE_LBL_CHECKOUT	Checkout
SW_CI_CHK_RENEW_OVERDUE_LBL_OVERDUEFINE	Overdue Fine
SW_CI_CHK_RENEW_OVERDUE_LBL_PAYMENT_AMT	Payment amount
SW_CI_CHK_RENEW_OVERDUE_LBL_PAYMENT_METHODS	Payment method
SW_CI_CHK_RENEW_OVERDUE_LBL_TOTALFINE	Total Fine
SW_CI_CHK_RENEW_OVERDUE_NO_ACTION	Please select an action for each charge.
SW_CI_CHKIN_ACTIONS	Actions

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CHKIN_BULK	Bulk
SW_CI_CHKIN_CLEAR_CANCEL	Cancel
SW_CI_CHKIN_CLEAR_CLEAR	Clear List
SW_CI_CHKIN_CLEAR_MESSAGE	Are you sure you want to clear the list of checked in items? This action cannot be undone.
SW_CI_CHKIN_CLEAR_SHOWAGAIN	Do not ask me again
SW_CI_CHKIN_CLEAR_TITLE	Clear checked in items
SW_CI_CHKIN_INHOUSE	In House
SW_CI_CHKIN_INVENTORY	Inventory
SW_CI_CHKIN_MANAGE_DLG_CIRC_STATUS	Circulation Status
SW_CI_CHKIN_MANAGE_DLG_COLLECTION	Collection
SW_CI_CHKIN_MANAGE_DLG_FREETEXTBLOCK	Free Text Block
SW_CI_CHKIN_MANAGE_DLG_HEADER	Manage Item Records
SW_CI_CHKIN_MANAGE_DLG_MANUALBLOCK	Library Assigned Block
SW_CI_CHKIN_MANAGE_DLG_MATERIALTYPE	Material Type
SW_CI_CHKIN_MANAGE_DLG_SHELFLOCATION	Shelf Location
SW_CI_CHKIN_MANAGE_ITEM_OBJECT_LOCK	Locked item {0} cannot be modified from check-in.
SW_CI_CHKIN_MANAGE_ITEM_SELECT	At least one option must be selected.
SW_CI_CHKIN_MANAGE_ITEM_SUCCESS	Item record(s) updated successfully.
SW_CI_CHKIN_MANAGE_NONPUBLICNOTE	Non-Public Note
SW_CI_CHKIN_MANAGEITEMREC	Manage Item Record
SW_CI_CHKIN_NAV_BULK	Bulk
SW_CI_CHKIN_NAV_INHSE	In House
SW_CI_CHKIN_NAV_INV	Inventory

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CHKIN_NAV_NRML	Normal
SW_CI_CHKIN_NO_BARCODE	Item cannot be checked in without a barcode.
SW_CI_CHKIN_NOMODIFY_ECONTENT	EContent item {0} cannot be modified from check-in.
SW_CI_CHKIN_NOMODIFY_ILL	ILL item {0} cannot be modified from check-in.
SW_CI_CHKIN_NOMODIFY_QUICKCIRC	Quick-circ item {0} cannot be modified from check-in.
SW_CI_CHKIN_NORMAL	Normal
SW_CI_CHKIN_REPLACE_BARCODE	Replace barcode
SW_CI_CHKIN_REPLACEBARCODE	Replace Barcode
SW_CI_CHKIN_RSLVCHRG	Resolve charges
SW_CI_CHKIN_SCAN	Scan or enter item barcode
SW_CI_CHKIN_TITLE	Check In
SW_CI_CHKIN_UNRSLVD_FINES	Cannot close Check In while unresolved fines exist.
SW_CI_CHKOUT_NO_BARCODE_ERR	Item cannot be checked out without a barcode.
SW_CI_CIIND_AMTNEW	New Fines
SW_CI_CIIND_AMTOLD	Old Fines
SW_CI_CIIND_AUTH	AUTHOR
SW_CI_CIIND_AUTORFID	Auto-RFID
SW_CI_CIIND_BRCD	Barcode
SW_CI_CIIND_BRNCH	BRANCH
SW_CI_CIIND_BTN_SAVE	Save
SW_CI_CIIND_CHCKIN	Check In

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CIIND_CHCKINITM	Check in an item:
SW_CI_CIIND_CLLNO	CALL NO.
SW_CI_CIIND_DUEON	DUE ON
SW_CI_CIIND_FIND	Find Tool
SW_CI_CIIND_FRDYS	Free Days
SW_CI_CIIND_HIDE	Hide
SW_CI_CIIND_ITMCHCKIN	Check In
SW_CI_CIIND_PTASSFN	Pending patron account transactions
SW_CI_CIIND_PTNM	PATRON NAME
SW_CI_CIIND_PTPRST	Patron Present?
SW_CI_CIIND_PTPRSTN	No
SW_CI_CIIND_PTPRSTY	Yes
SW_CI_CIIND_RNWD	RENEWED
SW_CI_CIIND_RPLBC_ENTERNEW	Enter a new barcode for this item:
SW_CI_CIIND_RPLBC_INVALIDFORMAT	Invalid barcode format
SW_CI_CIIND_RPLBC_VALIDFORMAT	A valid item barcode must be supplied.
SW_CI_CIIND_SBMT	Submit
SW_CI_CIIND_TTL	TITLE
SW_CI_CIIND_TXNID	Txn ID
SW_CI_CIITMSRCH_AUTH	AUTHOR
SW_CI_CIITMSRCH_BRCD	BARCODE
SW_CI_CIITMSRCH_BRNCH	BRANCH
SW_CI_CIITMSRCH_NMBR	NUMBER
SW_CI_CIITMSRCH_RNWLS	RENEWALS
SW_CI_CIITMSRCH_TTL	TITLE
SW_CI_CIRHD_CHCKN	Check In

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CIRHD_CRCLTN	Circulation
SW_CI_CIRHD_ENT	Enter
SW_CI_CIRHD_NEWPAT	New Patron
SW_CI_CIRHD_PRINT	Print
SW_CI_CITYSTATE_CITY	City
SW_CI_CITYSTATE_COUNTY	County
SW_CI_CITYSTATE_POSTAL	Postal Code
SW_CI_CITYSTATE_STATE	State
SW_CI_CLAIM_COUNT_RESET	The total claim count was reset to 0.
SW_CI_CLAIM_COUNT_RESET_ERR	There was an error resetting the claims count.
SW_CI_CLAIM_ERR	Error processing claim.
SW_CI_CLEAR_ALL	Clear All
SW_CI_CLEARCACHE	Clear Cache
SW_CI_CLEAR_OVERRIDES	Clear Overrides
SW_CI_CLMIND_BRCD	BARCODE
SW_CI_CLMIND_CHCKIN	Check In
SW_CI_CLMIND_CLMDT	CLAIM DATE
SW_CI_CLMIND_DESCRIPT	DESCRIPTION
SW_CI_CLMIND_DUEDT	DUE DATE
SW_CI_CLMIND_FLTRCLM	Filter Claims
SW_CI_CLMIND_SUMMARY_CURRENTCT	Current Claims:
SW_CI_CLMIND_SUMMARY_LOSTCT	Lost:
SW_CI_CLMIND_SUMMARY_TOTALCT	Total Claims:
SW_CI_CLMIND_TTL	TITLE
SW_CI_CLNT_SRVR_TIME_DSCRPNY	Client/Server Time Discrepancy
SW_CI_CLOSE_BROWSER	By closing the browser

STRING IDENTIFIERS	DEFAULT MESSAGE
	you will lose any unsaved work, and any open records will remain locked. Are you sure you want to close Polaris Leap?
SW_CI_CLOSE_WORFORM_AND_RETURN_TO_SEARCH_RESULTS	Close Workform and Return to Search Results
SW_CI_COLLAGENCY_BTN_REMOVE	Remove
SW_CI_COLLAGENCY_SUMMARY_AMOUNTDUE	Amount Due
SW_CI_COLLAGENCY_SUMMARY_BALANCE	Balance
SW_CI_COLLAGENCY_SUMMARY_COLDATE	Collection Date
SW_CI_COLLAGENCY_SUMMARY_ORG	Organization
SW_CI_COLLAGENCY_SUMMARY_STATUS	Status
SW_CI_COLLAGENCY_TRANSHISTORY_AMOUNT	Amount
SW_CI_COLLAGENCY_TRANSHISTORY_BARCODE	Barcode
SW_CI_COLLAGENCY_TRANSHISTORY_BTN_CLOSE	Close
SW_CI_COLLAGENCY_TRANSHISTORY_DATE	Date
SW_CI_COLLAGENCY_TRANSHISTORY_LOCATION	Location
SW_CI_COLLAGENCY_TRANSHISTORY_REASON	Reason
SW_CI_COLLAGENCY_TRANSHISTORY_TITLE	Title
SW_CI_COLLAGENCY_TRANSHISTORY_TXNAMOUNT	Txn Amount
SW_CI_COLLAGENCY_TRANSHISTORY_TYPE	Type
SW_CI_COLLAGENCY_PAT_REMOVED	Patron is removed from collection agency report.
SW_CI_COLLAGENCY_PAT_REMOVED_ERR	Failed to remove patron from collection.
SW_CI_COLLAGENCY_REMOVE_PROMPT	Patron will no longer be reported in the collection reports and your collection agency will have

STRING IDENTIFIERS	DEFAULT MESSAGE
	to be informed that this patron is out of collection. Do you wish to continue?
SW_CI_COLLAGENCY_REMOVE_TTL	Remove from collection
SW_CI_COLLECTIONAGENCY_BTN_REMOVE	Remove
SW_CI_CONFIRM_CHANGE_TTL	Patron Record Changed
SW_CI_CONFIRM_TEXT	You have made changes to this record. Do you want to save the changes?
SW_CI_CONTCNCL_SELECT_OPTION	Please select an option.
SW_CI_CONTINUE_PROMPT_BARCODE	Barcode
SW_CI_CONTINUE_PROMPT_BRNCH	Branch
SW_CI_CONTINUE_PROMPT_DUPTTL	Duplicate Patrons
SW_CI_CONTINUE_PROMPT_NAME	Name
SW_CI_CONVW_ADDRCHKPSD	Address check date has passed
SW_CI_CONVW_BOUNDWITHTITLE	Bound-With Title
SW_CI_CONVW_CHNGPICKUP	Change Pickup Branch
SW_CI_CONVW_CLMSLMT	Claims limit reached
SW_CI_CONVW_CLOSEDDAY	Closed day
SW_CI_CONVW_DUPEHOLD	Duplicate hold requests exist
SW_CI_CONVW_DUPEPATRCD	Duplicate Patron Records
SW_CI_CONVW_EXCDMATLIM	Exceeded material type request limit
SW_CI_CONVW_EXCDTTLREQ	Exceeded total request limit
SW_CI_CONVW_INVLDDT	Invalid Date
SW_CI_CONVW_INVLDPHONE	Invalid phone number

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_CONVW_INVLDPICKUP	Invalid Pickup Branch
SW_CI_CONVW_INVLDPOSTAL	Invalid postal code
SW_CI_CONVW_ITMBLKD	Item is blocked
SW_CI_CONVW_MISSINGCONTACT	Missing contact information
SW_CI_CONVW_NOADDR	No address entered
SW_CI_CONVW_NOCARRIER	No carrier selected
SW_CI_CONVW_PATBLKD	Patron is blocked
SW_CI_CONVW_PATREGCHRG	Patron registration charge
SW_CI_CONVW_REGEXP	Registration is expired
SW_CI_CONVW_REQNOFIL	Request cannot be filled
SW_CI_CONVW_TTLBLCKD	Title is blocked
SW_CI_CONVW_VERIFYBLKS	Verify blocks
SW_CI_CONVW_XFREITM	Transfer item
SW_CI_CREATE_UNLNKD_AUTHRECSET	Create Unlinked Authority Record Set
SW_CI_CREATE_UNLNKD_BIBRECSET	Create Unlinked Bibliographic Record Set
SW_CI_CREDENTIALS_EXPIRED	Your credentials have expired. Please sign in.
SW_CI_CREDENTIALS_NOTVALID	The user credentials are not valid.
SW_CI_CREDENTIALS_TITLE	Sign In
SW_CI_CREDENTIALS_VALID	The user credentials are valid.
SW_CI_CREDIT_AMT	Credit amount
SW_CI_CREDIT_PROPERTIES	Credit Properties
SW_CI_CTYST_SELECT_CITY	Please select a city.
SW_CI_DECLARE_LOST	Declare Lost

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_DECLARE_LOST_TTL	Declare lost item
SW_CI_DELETE_ALL_SUCCESS	Block(s) have been removed successfully
SW_CI_DELETE_FAILURE	No Blocks were removed
SW_CI_DELETE_PATRON_ERR	Error deleting patron.
SW_CI_DELETE_REQUESTS_ERR	Error deleting request(s).
SW_CI_DELETE_SOME_SUCCESS	Some Blocks were not removed
SW_CI_DELETE_TXT	Delete
SW_CI_DENY_ITEM_TTL	Deny Item for Hold Request
SW_CI_DEPOSIT_PROPERTIES	Deposit Properties
SW_CI_DMN	Domain
SW_CI_DMNUSR	Domain\Username
SW_CI_DUEDATE_PAST	This due date is in the past!
SW_CI_ECONFIG_PROMPT_TXTMSGPH	Text Messaging Phone
SW_CI_ERMS_CONNECT_ERR	Unable to connect to ERMS. Contact your system administrator for assistance.
SW_CI_ESTIMATE_FINES	Estimate Fines
SW_CI_ESTIMATED_FINES_TTL	Estimated Fines
SW_CI_FAILED_ATTEMPTS	Three failed override attempts. Please try again.
SW_CI_FEE_CHRG_WAIVED	Charge waived successfully.
SW_CI_FEE_CREDIT_ADDED	Credit added successfully.
SW_CI_FEE_CREDIT_REFUNDED	Credit refunded suc-

STRING IDENTIFIERS	DEFAULT MESSAGE
	cessfully.
SW_CI_FEE_ERR_ADD_CHRG	Error adding charge.
SW_CI_FEE_SELECT_CREDIT	Please select at least one credit transaction to refund.
SW_CI_FEE_SUMMARY_CHARGE	Charges:
SW_CI_FEE_SUMMARY_CREDIT	Credits:
SW_CI_FEE_SUMMARY_DEPOSIT	Deposits:
SW_CI_FEEIND_ADD	ADD
SW_CI_FEEIND_ADDCHARGE_FIND	Find Tool
SW_CI_FEEIND_ADDCHRG	Add charge
SW_CI_FEEIND_AMT	Amount:
SW_CI_FEEIND_AMT_GT_BLNC	Changed amount should not be larger than the balance.
SW_CI_FEEIND_AMT_GT_ZERO	Amount to pay should be larger than 0.
SW_CI_FEEIND_AMT2REFUND	Amount to refund:
SW_CI_FEEIND_AMT2WAIVE	Amount to waive:
SW_CI_FEEIND_AMTCAPS	AMOUNT
SW_CI_FEEIND_BAL	Balance:
SW_CI_FEEIND_BALCAPS	BALANCE
SW_CI_FEEIND_BILLED	BILLED
SW_CI_FEEIND_BRCD	BARCODE
SW_CI_FEEIND_CHARGENEW	Charge New
SW_CI_FEEIND_CHRGAMT	Charge Amount
SW_CI_FEEIND_CRD	Card
SW_CI_FEEIND_CREATECRDT	Create credit
SW_CI_FEEIND_CREDIT2ADD	Credit to add:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_FEEIND_CSH	Cash
SW_CI_FEEIND_DISTRIBUTED_WAIVE	Distributed waive
SW_CI_FEEIND_DT	DATE
SW_CI_FEEIND_FEE_REASON	Fee Reason
SW_CI_FEEIND_FLTRCOLLECTIONS	Filter Collections
SW_CI_FEEIND_FLTRFEES	Filter Charges
SW_CI_FEEIND_FLTRTRANS	Filter Transactions
SW_CI_FEEIND_HISTORY	History
SW_CI_FEEIND_INSUF_CREDIT	Insufficient credit
SW_CI_FEEIND_INSUF_PARTIAL_PAY	Patron has insufficient credit. Do you want to continue to do a partial payment?
SW_CI_FEEIND_INVALID_AMT	Please enter an amount between 0.01 and 2,000,000.00.
SW_CI_FEEIND_INVALID_NUMBER	Amount to pay is not a valid value.
SW_CI_FEEIND_ITEM_BARCODE	Item Barcode
SW_CI_FEEIND_ITEM_SEARCH	Item Search
SW_CI_FEEIND_ITMBRCD	Item Barcode
SW_CI_FEEIND_MANAGEALL	Manage All Fines
SW_CI_FEEIND_MTHD	Method:
SW_CI_FEEIND_NO_OVERPAYMENT	Overpayment not allowed when paying by credit card.
SW_CI_FEEIND_NOTIFY_HISTORY	There is no transaction history for this charge/credit.
SW_CI_FEEIND_NT	Note:
SW_CI_FEEIND_ORG	ORGANIZATION

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_FEEIND_PAY_FROM_CREDIT	Pay from Credit
SW_CI_FEEIND_PAYFEE	Pay
SW_CI_FEEIND_PAYNEW	Pay New
SW_CI_FEEIND_PROPS	Properties
SW_CI_FEEIND_REFUND	REFUND
SW_CI_FEEIND_REFUNDCRDT	Refund credit
SW_CI_FEEIND_RSN	REASON
SW_CI_FEEIND_SCAN	Scan or enter item bar-code
SW_CI_FEEIND_SELECT_ONE	Select one
SW_CI_FEEIND_SELECT_REASON	Please select a reason for a charge.
SW_CI_FEEIND_SUMMARY_BAL	Balance:
SW_CI_FEEIND_TRANS_HISTORY	Transaction History
SW_CI_FEEIND_TRANS_MENU_HISTORY	History
SW_CI_FEEIND_TRANS_PROPERTIES	Properties
SW_CI_FEEIND_TTL	TITLE
SW_CI_FEEIND_TYP	TYPE
SW_CI_FEEIND_WAIVE	waive
SW_CI_FEEIND_WAIVECHRG	Waive charge
SW_CI_FEEIND_WAIVENEW	Waive New
SW_CI_FEEIND_ZERO_AMOUNT	Please enter a valid amount.
SW_CI_FEEINFOVW_AMTDUE	Amount Due:
SW_CI_FEEINFOVW_BRCD	Barcode:
SW_CI_FEEINFOVW_CLLNMBR	Call Number:
SW_CI_FEEINFOVW_DESCRIPT	Description:
SW_CI_FEEINFOVW_DUEON	Due On:
SW_CI_FEEINFOVW_FEETYP	Fee Type:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_FEEINFOVW_MATTYP	Material Type:
SW_CI_FEEINFOVW_NT	Note:
SW_CI_FEEINFOVW_OUTSTNDNG	Outstanding:
SW_CI_FEEINFOVW_PAYFEE	pay
SW_CI_FEEINFOVW_VWBIBREC	View Bibliographic Record
SW_CI_FEEINFOVW_VWHLDINFO	View Hold Information
SW_CI_FEEINFOVW_VWITMREC	View Item Record
SW_CI_FILTER_HEADINGS	Filter Headings
SW_CI_FILTERED	Filtered
SW_CI_FIND	FIND
SW_CI_FINDTOOL_TITLE	Find Tool
SW_CI_FINES_PREVENT_CLOSE	Unresolved fines prevent Check In from being closed.
SW_CI_FORFEIT_PROPERTIES	Forfeit Properties
SW_CI_FREE_TXT_BLOCKS_TXT	Free Text
SW_CI_GET_ORGS_FAILED	We're sorry. We were unable to retrieve the list of organizations.
SW_CI_GET_WRKSTNS_FAILED	We're sorry. We were unable to retrieve the list of workstations.
SW_CI_HDR_OVERNIGHT_LOAN	Overnight Loan
SW_CI_HELP	Help
SW_CI_HLDIND_ACTFRM	Activation
SW_CI_HLDIND_ACTTO	Expiration
SW_CI_HLDIND_ADDTOGRP	Add to group
SW_CI_HLDIND_ASKLATER	Ask me later
SW_CI_HLDIND_AUTH	Author

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_HLDIND_BIB_CN_NO	Bib Control Number
SW_CI_HLDIND_BRCD	Barcode
SW_CI_HLDIND_BRRWBYML	Borrow By Mail
SW_CI_HLDIND_CANCEL_ERR	Unable to cancel hold request.
SW_CI_HLDIND_CANCELED	Hold request cancelled successfully.
SW_CI_HLDIND_CLLNO	Call NO
SW_CI_HLDIND_CLS	Close
SW_CI_HLDIND_CNCL	Cancel
SW_CI_HLDIND_CNCLHLD	Cancel
SW_CI_HLDIND_CNSTTTLAUTH	Constituent Title/Author
SW_CI_HLDIND_CONAUTH	Constituent Author
SW_CI_HLDIND_CONFIRM_ACTION_DEL_MSG	The hold request will be permanently deleted. Do you want to continue?
SW_CI_HLDIND_CONFIRM_ACTION_DELS_MSG	The selected hold request(s) will be permanently deleted. Do you want to continue?
SW_CI_HLDIND_CONFIRM_ACTION_MSG	You have made changes to this Hold Request. Are you sure you want to continue without saving?
SW_CI_HLDIND_CONFIRM_CANCEL	Cancel
SW_CI_HLDIND_CONFIRM_DEL_TITLE	Delete hold request
SW_CI_HLDIND_CONFIRM_DEL_YES	Continue
SW_CI_HLDIND_CONFIRM_DELS_TITLE	Delete hold request(s)
SW_CI_HLDIND_CONFIRM_MSG	You have made changes to this Hold Request. Are you sure you want to close without saving?

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_HLDIND_CONFIRM_RFSH_MSG	You have made changes to this Hold Request. Are you sure you want to refresh without saving?
SW_CI_HLDIND_CONFIRM_TITLE	Hold Request Changed
SW_CI_HLDIND_CONFIRM_YES	Discard Changes
SW_CI_HLDIND_CONTTL	Constituent Title
SW_CI_HLDIND_DELETE_ERR	Error deleting request.
SW_CI_HLDIND_DESCRIP	Description
SW_CI_HLDIND_DETAILS_REROUTE	Rerouted to
SW_CI_HLDIND_DLTHLD	Delete
SW_CI_HLDIND_DNYHLD	Deny
SW_CI_HLDIND_DT	Date
SW_CI_HLDIND_EDTN	Edition
SW_CI_HLDIND_FILLNOW	Fill Now
SW_CI_HLDIND_FILLNOW_ERR	Error processing request.
SW_CI_HLDIND_FILLNOW_SCAN	Scan/enter item barcode to fill now
SW_CI_HLDIND_FILLNOW_SCANERR	Please enter a barcode.
SW_CI_HLDIND_FLTRHLD	Filter Holds
SW_CI_HLDIND_FRMT	Format
SW_CI_HLDIND_GRP	GROUP
SW_CI_HLDIND_HDR_TITLE	Hold Request
SW_CI_HLDIND_HISTORY	Request History
SW_CI_HLDIND_HLDUNTD	HOLD UNTIL
SW_CI_HLDIND_ID	Request ID
SW_CI_HLDIND_ISBNISSN	ISBN/ISSN
SW_CI_HLDIND_ISSUE	Issue
SW_CI_HLDIND_ITEMONLY	This item only

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_HLDIND_LCCN	LCCN
SW_CI_HLDIND_LOCKED	This record is being modified by [username].
SW_CI_HLDIND_MULTHLDS	Multiple holds
SW_CI_HLDIND_NA	N/A
SW_CI_HLDIND_NAV_DETAILS	Details
SW_CI_HLDIND_NAV_HIS	History
SW_CI_HLDIND_NAV_NOTES	Notes
SW_CI_HLDIND_NAV_SATBY	Satisfied By
SW_CI_HLDIND_NONPBLCNTS	Non-public Notes
SW_CI_HLDIND_NOTES	Notes
SW_CI_HLDIND_NWHLDS	New Hold
SW_CI_HLDIND_ORIGIN	Origin
SW_CI_HLDIND_PACNTS	PAC Display Notes
SW_CI_HLDIND_PATBARCODE	Patron barcode
SW_CI_HLDIND_PATNAME	Patron name
SW_CI_HLDIND_PATNOTIFOPTN	Notification Option
SW_CI_HLDIND_PATNTS	Patron Notes
SW_CI_HLDIND_PATREGBRANCH	Registered at
SW_CI_HLDIND_PBLSHR	Publisher
SW_CI_HLDIND_PCKUPBRNCH	Pickup Branch
SW_CI_HLDIND_PCKUPFRM	Pickup
SW_CI_HLDIND_PGS	Pages
SW_CI_HLDIND_PLCHLD	Place Hold
SW_CI_HLDIND_QUEUE	QUEUE
SW_CI_HLDIND_REACTIVATE_ERR	Error reactivating request.
SW_CI_HLDIND_REACTVTHLD	Reactivate
SW_CI_HLDIND_REMOVE	Remove (Patron Holds,

STRING IDENTIFIERS	DEFAULT MESSAGE
	button hover text)
SW_CI_HLDIND_REQUESTDT	Request Date
SW_CI_HLDIND_REROUTETO	Rerouted to
SW_CI_HLDIND_RETURN	Return
SW_CI_HLDIND_RMVFRMGRP	Remove from group
SW_CI_HLDIND_SATISFIEDBY	Request Satisfied By
SW_CI_HLDIND_SERIES	Series
SW_CI_HLDIND_SRLCPY	Serial Copy
SW_CI_HLDIND_STATUSDT	Status Date
SW_CI_HLDIND_STFFDSPLYNTS	Staff Display Notes
SW_CI_HLDIND_SVCHNGS	Save
SW_CI_HLDIND_TBACTDATE	ACTIVATION DATE
SW_CI_HLDIND_TBACTION	ACTION
SW_CI_HLDIND_TBASSGNBRNCH	Assigned Branch
SW_CI_HLDIND_TBAUTH	AUTHOR
SW_CI_HLDIND_TBCLLNMBR	CALL NUMBER
SW_CI_HLDIND_TBFMT	FORMAT
SW_CI_HLDIND_TBITEMBARCODE	ITEM BARCODE
SW_CI_HLDIND_TBITMBRCD	Item Barcode
SW_CI_HLDIND_TBPCKUPBRNCH	PICKUP BRANCH
SW_CI_HLDIND_TBREASON	NOT SUPPLIED REASON
SW_CI_HLDIND_TBSTTS	STATUS
SW_CI_HLDIND_TBTTL	TITLE
SW_CI_HLDIND_TBUSER	USER
SW_CI_HLDIND_TRCKNGNMBR	Tracking Number
SW_CI_HLDIND_TTL	Title
SW_CI_HLDIND_UNCLAIMED_DT_ERR	Unclaimed date cannot be in the past.
SW_CI_HLDIND_UNCLAIMEDDT	Unclaimed

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_HLDIND_UNLCKRQST	Unlock Request
SW_CI_HLDIND_UPDATE_ERR	Error updating request.
SW_CI_HLDIND_UPDATED	The hold request has been updated.
SW_CI_HLDIND_VOLUME	Volume
SW_CI_HLDSEL_PROMPT_PATRON	Patron
SW_CI_HOLD	Hold
SW_CI_HOLD_ADDED_TO_GROUP	Added to group successfully.
SW_CI_HOLD_CREATED	The hold request has been created.
SW_CI_HOLD_ITEM_NOT_FOUND	No matching item record was found.
SW_CI_HOLD_NOT_SAVED	Hold Not Saved
SW_CI_HOLD_NOT_SELECTED	Eligible hold request not selected.
SW_CI_HOLD_REMOVED_FROM_GROUP	Removed from group(s) successfully.
SW_CI_HOLD_REQUESTS	Hold requests
SW_CI_HOLD_REQUESTS_TTL	Hold Requests
SW_CI_HOLD_SELECT_PATRON	Please select a patron.
SW_CI_HOLD_UPDATED	The hold request has been updated.
SW_CI_HOLDDENY_ALL	Deny all available items at this branch
SW_CI_HOLDDENY_BTNCANCEL	Cancel
SW_CI_HOLDDENY_BTNDENY	Deny Hold
SW_CI_HOLDDENY_DESCRIPTION	Denying an item for a hold request will prevent the pending item from ever satisfying the hold

STRING IDENTIFIERS	DEFAULT MESSAGE
	request. Do you want to continue?
SW_CI_HOLDDENY_LABEL	Deny reason:
SW_CI_HOLDDENY_NONSELECTED	No 'Pending' requests selected
SW_CI_HOLDIND_LOCKED	The record is being modified by [username].
SW_CI_HOLDNEW_ADD_TITLES	Add Titles
SW_CI_HOLDNEW_ORSPATRON	Outreach Services Patron
SW_CI_HOLDNEW_PROMPTSELECTDESIGNATION	Select a designation ...
SW_CI_HOLDNEW_PROMPTSELECTVOLUME	Select a volume ...
SW_CI_HOLDNEW_WARNPROMOTEITEMANY	First available copy
SW_CI_HOLDNEW_WARNPROMOTEITEMITEM	This item only
SW_CI_HOLDNEW_WARNPROMOTEITEMMSG	Other copies of this item may be available. Do you want this specific item or the first available copy?
SW_CI_HOLDNEW_WARNPROMOTEITEMTTL	Serial/Multi Volume Holds
SW_CI_HOLDNEW_WARNSELECTDESIGNATION	Please select a designation from the list below.
SW_CI_HOLDNEW_WARNSELECTVOLUME	Please select a volume from the list below.
SW_CI_HOLDNEW_WARNSERIALTITLEANY	Request any available item
SW_CI_HOLDNEW_WARNSERIALTITLEITEM	Request a specific item
SW_CI_HOLDNEW_WARNSERIALTITLEMSG	You have selected a serial title. A request placed on the title will trap any available item. Select one of the fol-

STRING IDENTIFIERS	DEFAULT MESSAGE
	lowing:
SW_CI_HOLDNEW_WARNSERIALTITL	Serial Holds
SW_CI_HOLDNEW_WARNSERMPTITLEANY	Request any item (bib-level request)
SW_CI_HOLDNEW_WARNSERMPTITLEITEM	Request the first available copy of one of the listed items
SW_CI_HOLDNEW_WARNSERMPTITLEMSG	You have selected a serial or multi-part title. A request placed on the title will trap any available item. Would you like to:
SW_CI_HOLDNEW_WARNSERMPTITL	Serial/Multi Volume Holds
SW_CI_HOLDQUEUE_BTM	Bottom
SW_CI_HOLDQUEUE_BY	By
SW_CI_HOLDQUEUE_CLOSE	Close
SW_CI_HOLDQUEUE_COLUMNFLTR_DEFAULT	Filter by Column
SW_CI_HOLDQUEUE_CONFIRM_CANCEL	Cancel
SW_CI_HOLDQUEUE_CONFIRM_CLOSE_MESSAGE	You have made changes to this hold queue. Are you sure you want to close without saving?
SW_CI_HOLDQUEUE_CONFIRM_DISCARD_CHANGES	Discard Changes
SW_CI_HOLDQUEUE_CONFIRM_REFRESH_MESSAGE	You have made changes to this hold queue. Are you sure you want to refresh without saving?
SW_CI_HOLDQUEUE_CONFIRM_TITLE	Hold Queue Changed
SW_CI_HOLDQUEUE_DWN	Down
SW_CI_HOLDQUEUE_EXPDT	Expiration Date

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_HOLDQUEUE_HEADER_CONSTITUENTAUTHOR	Constituent author:
SW_CI_HOLDQUEUE_HEADER_CONSTITUENTTITLE	Constituent title:
SW_CI_HOLDQUEUE_HEADER_CONTROLNUMBER	Control number:
SW_CI_HOLDQUEUE_ISS	Issue
SW_CI_HOLDQUEUE_ISSFLTR	Issue Filter
SW_CI_HOLDQUEUE_ISSFLTR_DEFAULT	All Issues
SW_CI_HOLDQUEUE_PATBRNCH	Patron Branch
SW_CI_HOLDQUEUE_PATNM	Patron Name
SW_CI_HOLDQUEUE_PCKBRNCH	Pickup Branch
SW_CI_HOLDQUEUE_PLACEHOLD	Place Hold
SW_CI_HOLDQUEUE_POS	Position
SW_CI_HOLDQUEUE_RQSTDT	Request Date
SW_CI_HOLDQUEUE_SAVE	Save
SW_CI_HOLDQUEUE_STATUS	Status
SW_CI_HOLDQUEUE_TITLE	Holds Queue
SW_CI_HOLDQUEUE_TOP	Top
SW_CI_HOLDQUEUE_UP	Up
SW_CI_HOLDQUEUE_UPDATED	The hold queue has been updated.
SW_CI_HOLDQUEUE_VLMFLTR	Volume Filter
SW_CI_HOLDQUEUE_VLMFLTR_DEFAULT	All Volumes
SW_CI_HOLDQUEUE_VOL	Volume
SW_CI_HOLDSQUEUE	Holds Queue
SW_CI_HOLDS_CREATED	Hold request(s) have been created.
SW_CI_HSTIND_AMT	Amount:
SW_CI_HSTIND_AUTH	AUTHOR
SW_CI_HSTIND_BAL	Balance:
SW_CI_HSTIND_BRCD	BARCODE

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_HSTIND_CRD	Card
SW_CI_HSTIND_CSH	Cash
SW_CI_HSTIND_DT	Checkout Date
SW_CI_HSTIND_FLTRHST	Filter History
SW_CI_HSTIND_LIB	LIBRARY
SW_CI_HSTIND_MKECLAIM	CLAIM
SW_CI_HSTIND_MTHD	Method:
SW_CI_HSTIND_PAYFEE	pay
SW_CI_HSTIND_REMOVE	Remove
SW_CI_HSTIND_TTL	TITLE
SW_CI_HSTIND_TYP	FORMAT
SW_CI_ILL_ACTDT	Activation Date
SW_CI_ILL_AUTH	Author
SW_CI_ILL_FRMT	Format
SW_CI_ILL_ITEM	Item
SW_CI_ILL_PCKUPBRNCH	Pickup Branch
SW_CI_ILL_REQUEST	ILL requests
SW_CI_ILL_STATUS	Status
SW_CI_ILL_TITLE	Title
SW_CI_ILLREQ_EXPORT_SUCCESS	Exported successfully
SW_CI_ILLREQ_HOLDTILL_DATE	Hold until date
SW_CI_INFOMSG_PROMPT_NODISP	Don't display this message again (this check-in session only)
SW_CI_INVLD_OVRD_CREDS	The user credentials used to override the action are not valid.
SW_CI_ITEM_BIBFETCH_ERROR	The bibliographic record does not exist in the database.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITEM_BLOCKSANDNOTES	Blocks and Notes
SW_CI_ITEM_CIRC_BRWR	Borrower
SW_CI_ITEM_CIRC_CHKDT	Check-out date
SW_CI_ITEM_CIRC_CHKINAT	Check-in at
SW_CI_ITEM_CIRC_CHKINDT	Ck-in date
SW_CI_ITEM_CIRC_CRCDT	Circ date
SW_CI_ITEM_CIRC_CRNTBWR	Current borrower
SW_CI_ITEM_CIRC_DUEDT	Due date
SW_CI_ITEM_CIRC_FROM	From
SW_CI_ITEM_CIRC_HLDAT	Held at
SW_CI_ITEM_CIRC_HLDFOR	Held for
SW_CI_ITEM_CIRC_INTRNTSFRD	In-transit/Transferred
SW_CI_ITEM_CIRC_LNBRNCH	Loaning branch
SW_CI_ITEM_CIRC_LSTLOC	Last location
SW_CI_ITEM_CIRC_LSTUSE	Last use
SW_CI_ITEM_CIRC_ORIGDUEDT	Original due date
SW_CI_ITEM_CIRC_RCVD	Received
SW_CI_ITEM_CIRC_RNWLDT	Renewal date
SW_CI_ITEM_CIRC_RNWLLIM	Renewals limit
SW_CI_ITEM_CIRC_RNWTKN	Renewals taken
SW_CI_ITEM_CIRC_SENT	Sent
SW_CI_ITEM_CIRC_SNTFOR	Sent for
SW_CI_ITEM_CIRC_SNTTO	Sent to
SW_CI_ITEM_CIRC_TO	To
SW_CI_ITEM_CIRC_WKSUSR	Wkstn/user
SW_CI_ITEM_CONTROLS	Controls
SW_CI_ITEM_CTRLSCALL_NO_SCHEME	Call number scheme
SW_CI_ITEM_CTRLSCONTO	Classification

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITEM_CTRL_S_COPY	Copy
SW_CI_ITEM_CTRL_S_CUTTER	Cutter
SW_CI_ITEM_CTRL_S_DO_NOT_MAIL	Do not mail
SW_CI_ITEM_CTRL_S_FCODE	Fine code
SW_CI_ITEM_CTRL_S_HLDBLE	Holdable
SW_CI_ITEM_CTRL_S_HLDLIMTO	Hold limited to
SW_CI_ITEM_CTRL_S_HOMEBRNCH	Home branch
SW_CI_ITEM_CTRL_S_LNOUTSYS	Loanable outside system
SW_CI_ITEM_CTRL_S_LNPRD	Loan period
SW_CI_ITEM_CTRL_S_NAME_OF_PIECE	Name of Piece
SW_CI_ITEM_CTRL_S_NOFLOAT	Do not float
SW_CI_ITEM_CTRL_S_PATFRMBRNCH	Patrons from this branch only
SW_CI_ITEM_CTRL_S_PATFRMLIBBRNCH	Patrons from this library and branches
SW_CI_ITEM_CTRL_S_PCKUPAT	Pickup at
SW_CI_ITEM_CTRL_S_PRRFRDBRWR	Preferred borrowers
SW_CI_ITEM_CTRL_S_RENEWAL_LIMIT	Renewal limit
SW_CI_ITEM_CTRL_S_STATCODE	Statistical code
SW_CI_ITEM_CTRL_S_SUFFIX	Suffix
SW_CI_ITEM_CTRL_S_VOLUME	Volume
SW_CI_ITEM_DECLARED_LOST	Item declared lost successfully.
SW_CI_ITEM_DETAILS_ASSNBRANCH	Assigned Branch
SW_CI_ITEM_DETAILS_BARCODE	Barcode
SW_CI_ITEM_DETAILS_BIB_CONTROLNO	Bib Control Number
SW_CI_ITEM_DETAILS_CIRCSTATUS	Circulation Status
SW_CI_ITEM_DETAILS_COLLECTION	Collection
SW_CI_ITEM_DETAILS_DISPLAYINPAC	Display in PAC

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITEM_DETAILS_FIND	Find
SW_CI_ITEM_DETAILS_LINK	Details
SW_CI_ITEM_DETAILS_NONCIRC	Non-circulating
SW_CI_ITEM_DETAILS_OWNBRANCH	Owning Branch
SW_CI_ITEM_DETAILS_PARENTITEM	Parent Item
SW_CI_ITEM_DETAILS_PRICE	Price
SW_CI_ITEM_DETAILS_SHELFLOCATION	Shelf Location
SW_CI_ITEM_DETAILS_TEMPLOCATION	Temporary Location
SW_CI_ITEM_DUEDATE_PAST	Cannot set due date in the past.
SW_CI_ITEM_DUEDATE_RESET	Item due date reset successfully.
SW_CI_ITEM_HDR_ASSN_BRANCH	Assigned branch:
SW_CI_ITEM_HDR_BARCODE	Barcode:
SW_CI_ITEM_HDR_BIB_CTRL_NO	Bib control number:
SW_CI_ITEM_HDR_BY	By
SW_CI_ITEM_HDR_CALL_NO	Call number:
SW_CI_ITEM_HDR_CIRC_STATUS	Circulation status:
SW_CI_ITEM_HDR_COLLECTION	Collection:
SW_CI_ITEM_HDR_DISPLAY_IN_PAC	Display in PAC
SW_CI_ITEM_HDR_ECONTENT	eContent
SW_CI_ITEM_HDR_ILL	ILL
SW_CI_ITEM_HDR_ISSUE	Issue:
SW_CI_ITEM_HDR_MATERIAL	Material type:
SW_CI_ITEM_HDR_NON_CIRCULATING	Non-circulating
SW_CI_ITEM_HDR_PRICE	Price:
SW_CI_ITEM_HDR_SHELF_LOCATION	Shelf location:
SW_CI_ITEM_HDR_TEMP_LOCATIONS	Temp location:
SW_CI_ITEMIND_BIB_REQUIRED	Bib control number

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITEMIND_CONFIRM_CANCEL	Cancel
SW_CI_ITEMIND_CONFIRM_CHANGES	You have made changes to this item record. Do you want to continue saving with the changes?
SW_CI_ITEMIND_CONFIRM_MSG	You have made changes to this item record. Are you sure you want to close without saving?
SW_CI_ITEMIND_CONFIRM_RFSH_MSG	You have made changes to this item record. Are you sure you want to refresh without saving?
SW_CI_ITEMIND_CONFIRM_TITLE	Item Record Changed
SW_CI_ITEMIND_CONFIRM_YES	Discard Changes
SW_CI_ITEMIND_INCOMPLETE_UPD	An incomplete update process prevents this record from being closed.
SW_CI_ITEMIND_NOSAVE_FIELDS	The item record was not saved. Missing fields:
SW_CI_ITEMIND_NOTIFY_HISTORY_HEADING	Notification History
SW_CI_ITEMIND_PARENT_ITEM_NOEXIST	The parent item record {0} does not exist in the database.
SW_CI_ITEMIND_RENWAL_REQUIRED	Renewal limit
SW_CI_ITEM_HDR_TITLE	Item Record
SW_CI_ITEM_NOT_FOUND	Item Record Not Found
SW_CI_ITEMIND_NOTIFY_HISTORY_HEADING	Notification History
SW_CI_ITEM_NTSBLKS_FREEBLCK	Free Text Block
SW_CI_ITEM_NTSBLKS_LIBBLCK	Library Assigned Block
SW_CI_ITEM_NTSBLKS_NONPUBNOTE	Non-Public Note

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITEM_NTSBLKS_PHYCDTN	Physical Condition
SW_CI_ITEM_NTSBLKS_PUBNOTE	Public Note
SW_CI_ITEM_NTSBLKS_SYSBLCK	System Block
SW_CI_ITEM_RECORD	Item record
SW_CI_ITEM_SOURCES_DONOR_FIRSTNAME	Donor First Name
SW_CI_ITEM_SOURCES_DONOR_LASTNAME	Last Name
SW_CI_ITEM_SOURCES_DONOR_ORG	Donor Organization
SW_CI_ITEM_SOURCES_FIRST_AVAILABLE_DATE	First Available Date
SW_CI_ITEM_SOURCES_FUNDING_SOURCE	Funding Source
SW_CI_ITEM_SOURCES_IMPORT_BIB_CONTROLNO	Import Bib Control Number
SW_CI_ITEM_SOURCES_IMPORT_DATE	Import Date
SW_CI_ITEM_SOURCES_IMPORT_SOURCE	Import Source
SW_CI_ITEM_SOURCES_INVOICE	Invoice
SW_CI_ITEM_SOURCES_PO_RELEASE_DATE	PO Release Date
SW_CI_ITEM_SOURCES_PRICE	Price
SW_CI_ITEM_SOURCES_PURCHASE_ORDER	Purchase Order
SW_CI_ITEM_SOURCES_RESOURCE_GROUP	Resource Group
SW_CI_ITEM_SOURCES_VENDOR_ACCT	Vendor Account
SW_CI_ITEM_STATS_INVENTORY_DATE	Inventory date
SW_CI_ITEM_STATS_LIFETIME_CIRC	Lifetime circulation
SW_CI_ITEM_STATS_LIFETIME_IN_HOUSE_USE	Lifetime in-house use
SW_CI_ITEM_STATS_LIFETIME_PREV_YR_CIRC	Previous year-to-date circulation
SW_CI_ITEM_STATS_LINK	Statistics
SW_CI_ITEM_STATS_PREV_YR_TO_DATE_INHOUSE	Previous year-to-date in-house use
SW_CI_ITEM_STATS_YR_TO_DATE_CIRC	Year-to-date circulation
SW_CI_ITEM_STATS_YR_TO_DATE_INHOUSE	Year-to-date in-house use

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITEM_UPDATED	Item record has been updated.
SW_CI_ITEMIND_CHECKIN_MSG	This item will be checked in.
SW_CI_ITEMIND_CHECKIN_TTL	Check in item
SW_CI_ITEMIND_NO_NOTIFY_HISTORY	There is no notification history for this item/charge.
SW_CI_ITEMREC_SPECIALCHKIN	Special Item Check-In
SW_CI_ITEMS_LOWER	items
SW_CI_ITM_FILLSHOLD_YES	Yes
SW_CI_ITM_FILLSHOLD_NO	No
SW_CI_ITMINDX_AUTH	AUTHOR
SW_CI_ITMINDX_BRCD	BARCODE
SW_CI_ITMINDX_BRNCH	BRANCH
SW_CI_ITMINDX_CHCKN	Check In
SW_CI_ITMINDX_CHCKTANITM	Check out an item:
SW_CI_ITMINDX_CLLNO	CALL NO.
SW_CI_ITMINDX_DUEON	DUE ON
SW_CI_ITMINDX_FLTRFEES	Filter Items
SW_CI_ITMINDX_FLTRITMS	Filter Items
SW_CI_ITMINDX_NOTIFICATIONHISTORY	Notification History
SW_CI_ITMINDX_RNWD	RENEWALS LEFT
SW_CI_ITMINDX_SRCH	Search
SW_CI_ITMINDX_TTL	TITLE
SW_CI_ITMINDX_TYP	TYPE
SW_CI_ITMINFOVW_AUTHOR	Author:
SW_CI_ITMINFOVW_BRCD	Barcode:
SW_CI_ITMINFOVW_CHCKIN	Check In

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_ITMINFOVW_CLLNMBR	Call Number:
SW_CI_ITMINFOVW_DUEON	Due On:
SW_CI_ITMINFOVW_ITMRNWBL	Item Renewable:
SW_CI_ITMINFOVW_MTRLTYP	Material Type:
SW_CI_ITMINFOVW_NO	No
SW_CI_ITMINFOVW_RNWLS	Renewals:
SW_CI_ITMINFOVW_RNWLSLFT	Renewals Left:
SW_CI_ITMINFOVW_RNWLSLMT	Renewals Limit:
SW_CI_ITMINFOVW_TTLITMS	Total Items:
SW_CI_ITMINFOVW_VWBIBRCRD	View Bibliographic Record
SW_CI_ITMINFOVW_VWHLDDINFO	View Hold Information
SW_CI_ITMINFOVW_VWITMRCRD	View Item Record
SW_CI_ITMINFOVW_YS	Yes
SW_CI_ITMOUT_DAYS	Days
SW_CI_ITMOUT_HOURS	Hours
SW_CI_ITMOUT_MINUTES	Minutes
SW_CI_ITMREC_HISTORY_ACTION	Action
SW_CI_ITMREC_HISTORY_BRANCH	Assigned Branch
SW_CI_ITMREC_HISTORY_DATE	Date
SW_CI_ITMREC_HISTORY_LOCATION	Location
SW_CI_ITMREC_HISTORY_PATRONID	PatronID
SW_CI_ITMREC_HISTORY_STATUS	Status
SW_CI_ITMREC_HISTORY_USRWKS	User/WKS
SW_CI_ITMSOUT_CHKIN	Check in
SW_CI_KEYBOARD	Keyboard
SW_CI_KYBRD_CLS	Close
SW_CI_KYBRD_DLG_DESCRIPTION	To execute a keyboard shortcut, press ctrl+shift,

STRING IDENTIFIERS	DEFAULT MESSAGE
	followed by the appropriate key
SW_CI_KYBRD_DLG_HEADER	Keyboard Shortcuts
SW_CI_KYBRD_DLG_LBL_ACCOUNT	Account
SW_CI_KYBRD_DLG_LBL_ACTIONS	ACTIONS
SW_CI_KYBRD_DLG_LBL_ASSOCIATIONS	Associations
SW_CI_KYBRD_DLG_LBL_CHECKIN	Check In
SW_CI_KYBRD_DLG_LBL_CHECKOUT	Check Out
SW_CI_KYBRD_DLG_LBL_CLAIMS	Claims/Lost
SW_CI_KYBRD_DLG_LBL_FILTER	Filter
SW_CI_KYBRD_DLG_LBL_HISTORY	Reading History
SW_CI_KYBRD_DLG_LBL_HOLDS	Holds/Held
SW_CI_KYBRD_DLG_LBL_ITEMS	Out/Overdue
SW_CI_KYBRD_DLG_LBL_NEW_PATRON	New Patron
SW_CI_KYBRD_DLG_LBL_NOTES	Notes
SW_CI_KYBRD_DLG_LBL_NOTICES	Notices
SW_CI_KYBRD_DLG_LBL_PATRON_VIEWS	Patron Views
SW_CI_KYBRD_DLG_LBL_REGISTRATION	Registration
SW_CI_KYBRD_KEYBOARD	Keyboard
SW_CI_LEAP_TOPICS	Leap Topics
SW_CI_LIB_ASGND_BLOCKS_TXT	Library Assigned
SW_CI_LIBRARY_DOCUMENTATION	Library Documentation
SW_CI_LINKED_ITEM_DELETED	The item linked to this transaction has been deleted.
SW_CI_LINKTO_ITMRCD	Item Record
SW_CI_LOAD_ERR	Something went wrong starting Leap
SW_CI_LOAD_ERR_ADDRLBLS	Unable to retrieve list of address labels.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_LOAD_ERR_CONTACTSYSADM	Contact your system administrator for assistance.
SW_CI_LOAD_ERR_COUNTRIES	Unable to retrieve list of countries.
SW_CI_LOAD_ERR_DELOPTS	Unable to retrieve list of delivery options.
SW_CI_LOAD_ERR_DSPLYSTRINGS	Unable to retrieve custom display strings.
SW_CI_LOAD_ERR_ERMS	Unable to connect to ERMS.
SW_CI_LOAD_ERR_ERRCODES	Unable to retrieve error codes.
SW_CI_LOAD_ERR_FINECODES	Unable to retrieve list of fine codes.
SW_CI_LOAD_ERR_ITEMSTATUSES	Unable to retrieve list of item statuses.
SW_CI_LOAD_ERR_LANGS	Unable to retrieve list of languages.
SW_CI_LOAD_ERR_LOANPERCODES	Unable to retrieve list of loan period codes.
SW_CI_LOAD_ERR_MATTYPES	Unable to retrieve list of material types.
SW_CI_LOAD_ERR_NOTSUPPLIED	Unable to retrieve list of hold request not supplied reasons.
SW_CI_LOAD_ERR_ORGS	Unable to retrieve list of organizations.
SW_CI_LOAD_ERR_PATCODES	Unable to retrieve list of patron codes.
SW_CI_LOAD_ERR_PATMSGGS	Unable to retrieve list of patron messages.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_LOAD_ERR_PHCARRIERS	Unable to retrieve list of phone carriers.
SW_CI_LOAD_ERR_PRNTOPTS	Unable to retrieve list of print options.
SW_CI_LOAD_ERR_RESTART	Restart
SW_CI_LOAD_ERR_RFIDLIC	Unable to retrieve RFID license information.
SW_CI_LOAD_ERR_TOMS	Unable to retrieve list of MARC type of materials.
SW_CI_LOAD_ERR_WRKFLWCODES	Unable to retrieve work-flow codes.
SW_CI_LOADING	Loading...
SW_CI_LOADING_STILL	Still Loading...
SW_CI_LOADING_WAIT	Your request is taking longer than expected. Please wait.
SW_CI_LOCKINFO_DATE	Lock date
SW_CI_LOCKINFO_OBJID	Object ID
SW_CI_LOCKINFO_OBJTYPE	Object type
SW_CI_LOCKINFO_USER	User
SW_CI_LOCKINFO_WORKSTATION	Workstation
SW_CI_LOGIN_ALERT	Alert
SW_CI_LOGIN_ALERT_TITLE	Polaris Leap - Alert Message
SW_CI_LOGOFF_HDR	Log out user
SW_CI_LOGOFF_WARNING	This operation will close any open workforms and unsaved changes will be lost. Are you sure you wish to log off Polaris Leap?

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_LOGOUT	Logout
SW_CI_LOSTBILLED_ACTIONS	Actions
SW_CI_LOSTBILLED_AMT	Amount
SW_CI_LOSTBILLED_AMTDUE	Amount due
SW_CI_LOSTBILLED_BILLD	Billed
SW_CI_LOSTBILLED_BILLDDT	Billed Date
SW_CI_LOSTBILLED_CHRG	Charge
SW_CI_LOSTBILLED_DATE	Date
SW_CI_LOSTBILLED_DUE	Due
SW_CI_LOSTBILLED_ITMBCRD	Item Barcode
SW_CI_LOSTBILLED_LOST	Lost
SW_CI_LOSTBILLED_OVD	Overdue
SW_CI_LOSTBILLED_PAID	Paid
SW_CI_LOSTBILLED_PATBCRD	Patron Barcode
SW_CI_LOSTBILLED_PATNM	Patron Name
SW_CI_LOSTBILLED_PAYMTHD	Payment method
SW_CI_LOSTBILLED_PROC	Processing
SW_CI_LOSTBILLED_RPLMNT	Replacement
SW_CI_LOSTBILLED_SELECT_ACTION	Please select an action for each charge.
SW_CI_LOSTBILLED_TTL	Title
SW_CI_LOSTBILLED_TTLFINE	Total Fine
SW_CI_LOSTBILLED_WVD	Waived
SW_CI_MAKE_CLAIM	Make a Claim
SW_CI_MAKECLAIM_MTHD	Choose a claim status:
SW_CI_MANAGE_ITEMRCRD	Manage Item Record
SW_CI_MERGE_BLOCKS	Merge of this patron record is blocked for the following conditions:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_MERGE_BLOCKS_HEADER	Patron Merge Blocking Conditions
SW_CI_MERGE_CABLOCK	Patron has a collection agency block. Merging records will alter the balance reported for the patron. You cannot merge this patron record with another patron.
SW_CI_MERGE_CONFIRMATION	The primary record will be updated and saved. The secondary record will be deleted
SW_CI_MERGE_ERR	Unexpected error
SW_CI_MERGE_PATRONS	Merge Patron Records
SW_CI_MERGEPAT_OPENRCD	Open record
SW_CI_MERGEPAT_SELECTPAT	Select record to delete
SW_CI_MESSAGE_ADD_ERR	Error adding messages.
SW_CI_MESSAGE_ADDED	Message has been added successfully.
SW_CI_MESSAGE_DELETED	Message has been deleted successfully.
SW_CI_MESSAGE_DELETED_ERR	Error deleting messages.
SW_CI_MESSAGE_ERR	Message description is required for free text messages.
SW_CI_MESSAGE_EXISTS	Message already exists.
SW_CI_MESSAGE_LEN_ERR	Message description is too long(max length 255 chars).
SW_CI_MESSAGE_MODIFIED	Message has been modified successfully.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_MESSAGE_MODIFIED_ERR	Error modifying messages.
SW_CI_MESSAGE_PROPS_TTL	Message Properties
SW_CI_MESSAGE_SELECT	Please select a library assigned message from the list.
SW_CI_MESSAGE_SELECT_TYPE	Please select a Message Type.
SW_CI_MONEY_DUE_PATRON	is due to the patron.
SW_CI_MSG_ASK2CONTINUE	Do you want to continue with this operation?
SW_CI_MSG_CLOSEDDAY_MOVE2NEXTDAY	Due date is a closed date. It moved to the next open date.
SW_CI_MSG_INVALID_SPECIALLOAN	Invalid loan period
SW_CI_MSSGIND_ADD	Add
SW_CI_MSSGIND_ADDMSSG	New Message
SW_CI_MSSGIND_CREATED_BY	Created By
SW_CI_MSSGIND_DATE_CREATED	Date Created
SW_CI_MSSGIND_DATE_MODIFIED	Date Modified
SW_CI_MSSGIND_DELETE_ALL_SUCCESS	Message(s) have been removed successfully
SW_CI_MSSGIND_DELETE_FAILURE	No Messages were removed
SW_CI_MSSGIND_DELETE_SOME_SUCCESS	Some Messages were not removed
SW_CI_MSSGIND_DELMSSG	Delete
SW_CI_MSSGIND_FLTRITMS	Filter Messages
SW_CI_MSSGIND_FREETEXTMESSAGE	Enter your free text message here
SW_CI_MSSGIND_HSRDMSSG	Patron Has Read

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_MSSGIND_MESSAGE_PROPERTIES	Properties
SW_CI_MSSGIND_MODIFIED_BY	Modified By
SW_CI_MSSGIND_MSSG	Messages
SW_CI_MSSGIND_PATREAD_NO	No
SW_CI_MSSGIND_PATREAD_YES	Yes
SW_CI_MSSGIND_SAVE	Save
SW_CI_MSSGIND_SELECTMESSAGE	Select a message description
SW_CI_MSSGIND_SRCH	Filter Messages
SW_CI_MSSGIND_WORKSTATION	Workstation
SW_CI_NEWITEM_HDR_TITLE	New Item Record
SW_CI_NEWITEM_HOLDABLE	Holdable
SW_CI_NEWITEM_NONCIRC	Non-circulating
SW_CI_NEWITEM_SAVE	Create Item
SW_CI_NEWITEM_SELECT_BRANCH	Select a branch
SW_CI_NEWITEM_SELECT_COLL	Select a collection
SW_CI_NEWITEM_SELECT_FINECODE	Select a fine code
SW_CI_NEWITEM_SELECT_LOANPRD	Select a loan period
SW_CI_NEWITEM_SELECT_MATTTYPE	Select a material type
SW_CI_NEWITEM_SELECT_OWNBRNCH	Select an owning branch
SW_CI_NEWITEM_SELECT_SHLFLOC -	Select a shelf location
SW_CI_NEWITEM_SELECT_STATCODE	Select a stat code
SW_CI_NEWITEM_TEMPLATE	Item Template
SW_CI_NEWITEM_USE_TEMP_VALS	Use template values instead of these (if available)
SW_CI_NEWITEMREC_ABRANCH_MISSING	Assigned branch
SW_CI_NEWITEMREC_CLOSE_CONFIRM_MSG	Are you sure you want to cancel without saving?
SW_CI_NEWITEMREC_CONFIRM_MSG	You have made changes

STRING IDENTIFIERS	DEFAULT MESSAGE
	to this item record.
SW_CI_NEWITEMREC_CONFIRM_TITLE	New Item Record Changed
SW_CI_NEWITEMREC_FCODE_MISSING	Fine code
SW_CI_NEWITEMREC_LPCODE_MISSING	Loan period code
SW_CI_NEWITEMREC_MATTYPE_MISSING	Material type
SW_CI_NEWITEMREC_OBRANCH_MISSING	Owning branch
SW_CI_NEWITEMREC_RENLIM_MISSING	Renewal limit
SW_CI_NEW_OBJECT	New
SW_CI_NEW_PATRON	Patron Record
SW_CI_NEW_RECSET	Record Set
SW_CI_NO_CLOSE_UNSAVED_CHANGES	Unsaved changes prevent this workform from being closed.
SW_CI_NO_LINKED_ITEM	There is no item record linked for this transaction.
SW_CI_NO_PERMISSION	You do not have permission.
SW_CI_NO_PERMISSION_ACTION	You don't have permission to perform that action.
SW_CI_NON_BLOCKING_NTS_TEXT	Non Blocking Notes
SW_CI_NONE	None
SW_CI_NOT	NOT (Find Tool filter)
SW_CI_NOT_PERMITTED_TO	You are not permitted to perform the following:
SW_CI_NOT_VALID_VALUE	is not a valid value.
SW_CI_NOTICES_FILTER	Filter Notices
SW_CI_NOTIFICATION_CRNTURL	Current URL

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_NOTIFICATION_DTLS	Details
SW_CI_NOTIFICATION_ENV	Environment
SW_CI_NOTIFICATION_LINE	line
SW_CI_NOTIFICATION_PREVURL	Previous URL
SW_CI_NTCSIND_AMT	Amount
SW_CI_NTCSIND_CLOSE	Close
SW_CI_NTCSIND_DT	Date
SW_CI_NTCSIND_FROM	From
SW_CI_NTCSIND_ITMRCD	Item Record
SW_CI_NTCSIND_MATTYPE	Material Type
SW_CI_NTCSIND_MTHD	Method
SW_CI_NTCSIND_NOTICE	Notice
SW_CI_NTCSIND_STATUS	Status
SW_CI_NTCSIND_TTL	Title
SW_CI_NTCSIND_TYP	Type
SW_CI_OBJECT_LOCKED	Locked
SW_CI_OF	of
SW_CI_OR	OR (Find Tool filter)
SW_CI_ORG_NOT_LICENSED_FOR_LEAP	The organization associated with this workstation is not licensed for Leap circulation.
SW_CI_OVD_TOO_LARGE	Changed overdue amount should not be larger than the outstanding.
SW_CI_OVERPAYMENT	Overpayment
SW_CI_OVERRIDE_INVALID_USRPWD	Please enter both a username and password.
SW_CI_OVRRD	Override
SW_CI_PAT_ILLREQ_PROCERR_PREFIX	ILL request error(s) pro-

STRING IDENTIFIERS	DEFAULT MESSAGE
	cessing
SW_CI_PAT_ILLREQ_PROCERR_SUFFIX	action
SW_CI_PAT_ILLREQ_CANCEL	cancel
SW_CI_PAT_ILLREQ_EXPORT	export
SW_CI_PAT_ILLREQ_RETURN	return
SW_CI_PAT_VIEW_SA_DISABLED_WARNING	Access to '{0}' view is denied. System Admin attribute is disabled.
SW_CI_PAT_VIEW_SA_DISABLED_WARNING_HDR	View is not available
SW_CI_PAT_VIEW_ILL_RECEIVE_INNREACH_ERROR	Receiving InnReach request is not supported.
SW_CI_PAT_VIEW_ILL_RETURN_ITEMSTATUS_ERROR	Item has a status of [status]. Please check the item in.
SW_CI_PAT_ILLREQ_EXPORT_ERR	ILL requests must be saved prior to export.
▪ SW_CI_PAT_ILLREQ_EXPORT_WARNING	Subsequent ILL requests will not be processed.
SW_CI_PATBLKS_ADDED	Block has been added successfully.
SW_CI_PATBLKS_ADDED_ERR	Error adding blocks.
SW_CI_PATBLKS_DELETE_ERR	Error deleting blocks.
SW_CI_PATBLKS_DELETED	Block has been deleted successfully.
SW_CI_PATBLKS_EXISTS	Block already exists.
SW_CI_PATBLKS_FREEXT_ERR	Block description is required for free text blocks.
SW_CI_PATBLKS_FREEXT_LEN_ERR	Block description is too long (max length 255 chars).
SW_CI_PATBLKS_MODIFIED	Block has been modified

STRING IDENTIFIERS	DEFAULT MESSAGE
	successfully.
SW_CI_PATBLKS_MODIFY_ERR	Error modifying blocks.
SW_CI_PATBLKS_SELECT_LIB_ASSGND	Please select a library assigned block from the list.
SW_CI_PATBLKS_SELECT_TYPE	Please select a type of block.
SW_CI_PATHOLDINFO_ACTDATE	Activation Date
SW_CI_PATHOLDINFO_AUTHOR	Author
SW_CI_PATHOLDINFO_CALLNUMBER	Call Number
SW_CI_PATHOLDINFO_FORMAT	Format
SW_CI_PATHOLDINFO_PICKUPBRANCH	Pickup Branch
SW_CI_PATHOLDINFO_STATUS	Status
SW_CI_PATHOLDINFO_TITLE	Title
SW_CI_PATILL_FILTER	Filter ILLs
SW_CI_PATLOCK_REGISTRATION	Patron Record is locked by
SW_CI_PATLOCK_STATUS	Patron Status is locked by
SW_CI_PATNOTES_UPDATE_ERR	Error updating patron notes.
SW_CI_PATNOTES_UPDATED	Patron Notes have been updated.
SW_CI_PATRECSET_DATE	CREATION DATE
SW_CI_PATRECSET_FILTER	Filter record sets
SW_CI_PATRECSET_NAME	NAME
SW_CI_PATRECSET_NOTE	NOTE
SW_CI_PATRECSET_OWNER	OWNER
SW_CI_PATRECSET_TOTALREC	TOTAL RECORDS
SW_CI_PATREG_CREATED	The patron record has

STRING IDENTIFIERS	DEFAULT MESSAGE
	been created.
SW_CI_PATREG_HEADING	Patron Registration
SW_CI_PATREG_LEAVE	You have made changes to this record. Are you sure you want to leave without saving?
SW_CI_PATREG_MISSING_FIELDS	Missing Fields
SW_CI_PATREG_NOREGVIEWPERM	No permission to view patron registration.
SW_CI_PATREG_NOSAVE_FIELDS	The patron record was not saved. Missing fields:
SW_CI_PATREG_NOTSAVED	Record Not Saved
SW_CI_PATREG_OFFICE1	Office 1
SW_CI_PATREG_OFFICE2	Office 2
SW_CI_PATREG_POSTALCODE_99999	The Postal Code / Country combination is not valid. Please re-enter data in 99999 format.
SW_CI_PATREG_POSTALCODE_NOT_PRESENT	The postal code is not present / is invalid. Please re-enter data.
SW_CI_PATREG_POSTALCODE_SELECT_CITY	Select a city.
SW_CI_PATREG_PWD_NOMATCH	The patron record was not saved. The passwords do not match.
SW_CI_PATREG_REQFIELD_ADDRESS	Address
SW_CI_PATREG_REQFIELD_GENDER	Gender
SW_CI_PATREG_RENEW_REG_HDR	Renew Registration
SW_CI_PATREG_SAVE_ERROR	Error saving patron registration!
SW_CI_PATREG_SECURE_UNSAVED	This patron record has unsaved changes.

STRING IDENTIFIERS	DEFAULT MESSAGE
	Continue to secure patron record without changes?
SW_CI_PATREG_SECURE_UNSAVED_TTL	Patron record contains unsaved changes
SW_CI_PATREG_STATCLASS_CHG	Statistical Class Changed
SW_CI_PATREG_STATCLASS_NONE	The Statistical class has been set to (None).
SW_CI_PATREG_UPDATED	The patron record has been updated.
SW_CI_PATREG_UPDTIMG_TTL	Update Image
SW_CI_PATRON_ADDR_CHK_NEAR	The address check date is nearing.
SW_CI_PATRON_ADDR_CHK_PAST	The address check date is in the past.
SW_CI_PATRON_BLOCKED_TTL	Patron is blocked
SW_CI_PATRON_ERCPT_UPDATED	eReceipt options updated successfully.
SW_CI_PATRON_REG_ALMOSTEXPIRED	The patron registration is about to expire. Please update.
SW_CI_PATRON_REG_EXPIRED	The patron registration has expired. Please update.
SW_CI_PATREG_RENEW_REG_HDR	Renew Registration
SW_CI_PATRON_STATUS	Patron status
SW_CI_PATRONRECORDSET_DATE	Creation Date
SW_CI_PATRONRECORDSET_FILTER	Filter record sets
SW_CI_PATRONRECORDSET_NAME	Name
SW_CI_PATRONRECORDSET_NOTE	Note

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_PATRONRECORDSET_OWNER	Owner
SW_CI_PATRONRECORDSET_TOTALREC	Total Records
SW_CI_PAY_NEW_FINES	Pay new fines
SW_CI_PAYFEE_AMT_LESS_THAN	Please enter an amount less than
SW_CI_PAYFEE_APPLY	Apply
SW_CI_PAYFEE_APPLY_AS_CREDIT	You chose to pay more than the balance. Do you wish to apply the overpayment as credit?
SW_CI_PAYFEE_APPLY_OVER_CREDIT	Apply overpayment as credit
SW_CI_PAYFEE_AS_CREDIT	as credit?
SW_CI_PAYFEE_BALANCE	Balance
SW_CI_PAYFEE_CREDIT	Pay from Credit
SW_CI_PAYFEE_INSUFFICIENT_CREDIT	Patron has insufficient credit. Do you want to do a partial payment?
SW_CI_PAYFEE_NO_OVERPAY_CC	Overpayment is not allowed when paying by credit card.
SW_CI_PAYFEE_NO_OVERPAY_CREDIT	Overpayment is not allowed when paying from credit.
SW_CI_PAYFEE_OVERPAYMENT	Overpayment
SW_CI_PAYFEE_PAYMENT	Payment
SW_CI_PAYMENT_PROPERTIES	Payment Properties
SW_CI_PENDING_SERVER_REQUESTS	There are pending server requests. Please wait a few seconds and try again.
SW_CI_PERMISSION_OVRD_CLEAR	The permission overrides

STRING IDENTIFIERS	DEFAULT MESSAGE
	have been cleared.
SW_CI_PERMISSION_OVRD_CLEARED	Permission overrides have already been cleared.
SW_CI_PERMISSION_OVRRD_TTL	Permission Override
SW_CI_PERMISSIONS_OWNEDBY	owned by
SW_CI_PICKLIST_BRANCH	Branch
SW_CI_PICKLIST_BTN_ASKMELATER	Ask me later
SW_CI_PICKLIST_BTN_DENY	Deny
SW_CI_PICKLIST_BTN_LOCATED	Located
SW_CI_PICKLIST_BTN_MISSING	Missing
SW_CI_PICKLIST_BTN_PROPERTIES	Properties
SW_CI_PICKLIST_BTN_REFRESH	REFRESH
SW_CI_PICKLIST_BTN_RETURN	Return
SW_CI_PICKLIST_DENY_PROMPT	Denying an item for a hold request will prevent the pending item from ever satisfying the hold request. Do you want to continue?
SW_CI_PICKLIST_DENY_REASON	Reason
SW_CI_PICKLIST_FILTER	Filter requests
SW_CI_PICKLIST_HDR_AUTHOR	AUTHOR
SW_CI_PICKLIST_HDR_CALLNUMBER	CALL NUMBER
SW_CI_PICKLIST_HDR_COLLECTION	COLLECTION
SW_CI_PICKLIST_HDR_FORMAT	MATERIAL TYPE
SW_CI_PICKLIST_HDR_HELD_DATE	HELD DATE
SW_CI_PICKLIST_HDR_ITEMBARCODE	ITEM BARCODE
SW_CI_PICKLIST_HDR_NEW_PICKUP_BRANCH	NEW PICKUP BRANCH
SW_CI_PICKLIST_HDR_PATRON_BRANCH	PATRON BRANCH

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_PICKLIST_HDR_PATRON_NAME	PATRON NAME
SW_CI_PICKLIST_HDR_PICKUPBRANCH	PICKUP BRANCH
SW_CI_PICKLIST_HDR_SHELFLOCATION	SHELF LOCATION
SW_CI_PICKLIST_HDR_TITLE	TITLE
SW_CI_PICKLIST_HDR_UNCLAIMED_DATE	UNCLAIMED DATE
SW_CI_PICKLIST_ILL_FILTER	ILL requests
SW_CI_PICKLIST_LST_NULL	message_list is null!
SW_CI_PICKLIST_OK	Ok
SW_CI_PICKLIST_PROCESSING	Picklist Processing
SW_CI_PICKLIST_PROP_ACT_DATE	Activation Date
SW_CI_PICKLIST_PROP_ASSN_BR	Assigned Branch
SW_CI_PICKLIST_PROP_BARCODE	Barcode
SW_CI_PICKLIST_PROP_CREATED_BY	Created by
SW_CI_PICKLIST_PROP_CREATED_DT	Date created
SW_CI_PICKLIST_PROP_EXP_DATE	Expiration Date
SW_CI_PICKLIST_PROP_FORMAT	Material Type
SW_CI_PICKLIST_PROP_HEADER	Hold Properties
SW_CI_PICKLIST_PROP_MOD_DT	Date modified
SW_CI_PICKLIST_PROP_MODIFIED_BY	Modified by
SW_CI_PICKLIST_PROP_PATRON	Patron
SW_CI_PICKLIST_PROP_PICKUP_BR	Pickup Branch
SW_CI_PICKLIST_PROP_REG_BR	Registered At
SW_CI_PICKLIST_PROP_REQUEST_ID	Request ID
SW_CI_PICKLIST_PROP_ROUTING_SQN	Routing Sequence
SW_CI_PICKLIST_PROP_STATUS	Hold Status
SW_CI_PICKLIST_PROP_STATUS_DATE	Status Date
SW_CI_PICKLIST_PROP_TAB_ABOUT	About
SW_CI_PICKLIST_PROP_TAB_HLDRQST	Hold Request

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_PICKLIST_PROP_TAB_ITEM	Item
SW_CI_PICKLIST_PROP_TITLE	Title
SW_CI_PICKLIST_TITLE	Picklist
SW_CI_PICKLIST_VIEW_HOLDS_TO_TRANSFER	Holds to Transfer
SW_CI_PICKLIST_VIEW_HOLDS_UNCLAIMED	Unclaimed
SW_CI_PICKLIST_VIEW_ILL_UNCLAIMED	Unclaimed ILL
SW_CI_PICKLIST_VIEW_LOCATED	Located
SW_CI_PICKLIST_VIEW_PENDING	Pending
SW_CI_PLACEHOLDER_HOLDQUEUE	Filter Holds (Holds Queue and Hold Request All Hold Requests)
SW_CI_PLACEHOLDER_PCKDT	Pick a Date
SW_CI_POLARIS_REPORT_TTL	Polaris Report
SW_CI_PRIMARY	Primary record
SW_CI_PRINT	Print
SW_CI_PRINT_LIST	Print List
SW_CI_PRMPNONE_OK	Ok
SW_CI_PROC_TOO_LARGE	Changed processing amount should not be larger than the outstanding.
SW_CI_PROCESS_REQUESTS_ERR	Error processing request (s).
SW_CI_PSWD	Password
SW_CI_PTIND_ACCOUNT	Account
SW_CI_PTIND_ACCRUED_ATHR	Author
SW_CI_PTIND_ACCRUED_BASEDON	based on return date of
SW_CI_PTIND_ACCRUED_DUEDT	Due Date
SW_CI_PTIND_ACCRUED_EST	Estimated Fine Total
SW_CI_PTIND_ACCRUED_ESTOF	Estimated Fines of

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_PTIND_ACCRUED_FINE	Fine
SW_CI_PTIND_ACCRUED_ITMSTAT	Item Status
SW_CI_PTIND_ACCRUED_NONE	Patron has no accrued fines.
SW_CI_PTIND_ACCRUED_SLCTDT	Select Date
SW_CI_PTIND_ASSOC	Associations
SW_CI_PTIND_BLOCKS	Blocks
SW_CI_PTIND_BLOCKS_ADD	Add
SW_CI_PTIND_BLOCKS_ASSOC	Associated Patron Blocks
SW_CI_PTIND_BLOCKS_DELETE	Delete
SW_CI_PTIND_BLOCKS_DESCRIP	Block Description
SW_CI_PTIND_BLOCKS_ENTERFREETXT	Enter your free text block here.
SW_CI_PTIND_BLOCKS_ERROR	Error processing your request.
SW_CI_PTIND_BLOCKS_FLTRBLOCKS	Filter Blocks
SW_CI_PTIND_BLOCKS_LIBASGNDESCRIP	Library Assigned Block Description
SW_CI_PTIND_BLOCKS_SELECTDESCRIP	Select a block description
SW_CI_PTIND_CHCKT	Check Out
SW_CI_PTIND_CKO_SCAN	Scan or enter item barcode
SW_CI_PTIND_CKO_SPECIAL_LOAN	Special Loan
SW_CI_PTIND_CLMS	Claims
SW_CI_PTIND_CLMSLST	Claims/Lost
SW_CI_PTIND_CLS	Close
SW_CI_PTIND_COMPLETE	Complete
SW_CI_PTIND_ERECEIPT_CONFIG	Would you like to con-

STRING IDENTIFIERS	DEFAULT MESSAGE
	figure this patron to receive an eReceipt for this and future check-outs?
SW_CI_PTIND_ERECEIPT_CONFIG_TTL	Configure patron for eReceipts
SW_CI_PTIND_ERECEIPT_CONFIG_TTL2	Configure eReceipts
SW_CI_PTIND_FS	Charges
SW_CI_PTIND_HAS_BLOCKS	This patron record has blocks.
SW_CI_PTIND_HDR_1	Delete patron record
SW_CI_PTIND_HELD	Held
SW_CI_PTIND_HLDS	Holds
SW_CI_PTIND_HSTRY	Reading History
SW_CI_PTIND_ILL	ILL
SW_CI_PTIND_INCOMPLETE_CKO	An incomplete check-out process prevents this record from being closed.
SW_CI_PTIND_ITMS	Items
SW_CI_PTIND_KEEP_BLOCK	Keep block
SW_CI_PTIND_LST	Lost
SW_CI_PTIND_MODIFIED_BY	The record is being modified by
SW_CI_PTIND_MODIFIED_BY_OTHER	The record is being modified by other staff member
SW_CI_PTIND_MSG_1	The patron record will be permanently deleted. Do you want to continue?
SW_CI_PTIND_MSSG	Messages

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_PTIND_NTCS	Notices
SW_CI_PTIND_NTS	Notes
SW_CI_PTIND_OUT	Out
SW_CI_PTIND_OVRD	Overdue
SW_CI_PTIND_PHOTO	Patron Photo
SW_CI_PTIND_POPINFO	Patron Info
SW_CI_PTIND_POPINFO_SECURED	Record is secured
SW_CI_PTIND_PTRNRCRD	Registration
SW_CI_PTIND_RECORDSETS	Filter record sets
SW_CI_PTIND_REMOVE_BLOCK	Remove block
SW_CI_PTIND_SECURED	This record is secured; no changes can be made.
SW_CI_PTIND_SOURCEANDDONOR	Source and Donor (Item Source and Donor title)
SW_CI_PTIND_UNSAVED_CHANGES	Unsaved changes prevent this record from being closed.
SW_CI_PTOVRVW_ADDR	Address:
SW_CI_PTOVRVW_EMLADDR	Email Address:
SW_CI_PTOVRVW_EXPDT	Expiration Date:
SW_CI_PTOVRVW_NOTOPTION	Notification Option
SW_CI_PTOVRVW_PATCODE	Patron Code
SW_CI_PTOVRVW_PHNNMBR	Phone Number:
SW_CI_QCKCIRC_NUMITMS	Enter the number of items
SW_CI_QUICK_CIRC_NUMBER	Please enter a number between 1 and 999.
SW_CI_RANDOM_AUTH1	Ernest Hemingway
SW_CI_RANDOM_AUTH2	F. Scott Fitzgerald

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RANDOM_AUTH3	Mark Twain
SW_CI_RANDOM_AUTH4	William Shakespeare
SW_CI_RANDOM_AUTH5	Ralph Waldo Emerson
SW_CI_RANDOM_AUTH6	C. S. Lewis
SW_CI_RANDOM_QUOTE1	I like to listen. I have learned a great deal from listening carefully. Most people never listen.
SW_CI_RANDOM_QUOTE2	Genius is the ability to put into effect what is on your mind.
SW_CI_RANDOM_QUOTE3	A person who won't read has no advantage over one who can't read.
SW_CI_RANDOM_QUOTE4	We know what we are, but know not what we may be.
SW_CI_RANDOM_QUOTE5	A man is what he thinks about all day long.
SW_CI_RANDOM_QUOTE6	You are never too old to set another goal or to dream a new dream.
SW_CI_READING_HISTORY_REMOVE	The selected item will be removed from the patron's reading history.
SW_CI_REC_RENEW_EXPTERM	Expiration Term
SW_CI_RECADDTEMP_ADDR	Address
SW_CI_RECADDTEMP_ADDRNM	Address Type
SW_CI_RECADDTEMP_CNTY	County
SW_CI_RECADDTEMP_CTY	City
SW_CI_RECADDTEMP_DLT	Delete

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RECADDTEMP_PSTL	Postal Code
SW_CI_RECADDTEMP_ST	State
SW_CI_RECADDTEMP_STRTADDR	Street Address
SW_CI_RECADDTEMP_STRTADDRTWO	Street Address Line 2
SW_CI_RECADDTEMP_ZIPPLUSFOUR	Zip+4
SW_CI_RECIND_ADDPHN	Phone
SW_CI_RECIND_ADDR	Address
SW_CI_RECIND_ADDRCHDT	Address Check Date
SW_CI_RECIND_ADDRDLT	Delete
SW_CI_RECIND_ADDRS	Addresses
SW_CI_RECIND_APPLY	Apply
SW_CI_RECIND_ATTR	Attributes
SW_CI_RECIND_BRCD	Barcode
SW_CI_RECIND_BRWS	Browse
SW_CI_RECIND_CARRIER	Wireless Carrier
SW_CI_RECIND_CHARGES	Acct charges
SW_CI_RECIND_CNCL	Cancel
SW_CI_RECIND_CNTRY	Country
SW_CI_RECIND_COPY	Copy
SW_CI_RECIND_CREDIT	Acct credit
SW_CI_RECIND_CRTNDT	Creation Date
SW_CI_RECIND_CRTR	Creator
SW_CI_RECIND_DLVRYOPTN	Notification Option
SW_CI_RECIND_DOB	Birth Date
SW_CI_RECIND_DONTDLTREC	Do Not Delete Record
SW_CI_RECIND_DOREG	Date of Registration
SW_CI_RECIND_DRVLICNO	Drivers License No.
SW_CI_RECIND_EMAILNOTICEOPTN	E-mail Notices in Plain Text

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RECIND_EML	Email
SW_CI_RECIND_EML1	Email Address
SW_CI_RECIND_EML2	Alt Email Address
SW_CI_RECIND_EXCLUDE_LBL	Exclude from Notices and Reminders
SW_CI_RECIND_EXCLUDEFRMALMOVD	Almost Overdue/Auto-Renew
SW_CI_RECIND_EXCLUDEFRMBLLNG	Billing
SW_CI_RECIND_EXCLUDEFRMCOLLAGENCY	Exclude from Collection Agency
SW_CI_RECIND_EXCLUDEFRMHLDNOT	Hold
SW_CI_RECIND_EXCLUDEFRMINACTIVE	Inactive Patron
SW_CI_RECIND_EXCLUDEFRMOVRDUENOT	Overdue
SW_CI_RECIND_EXCLUDEFRMPATRECEXP	Patron Record Expiration
SW_CI_RECIND_EXCTDT	Exact Date
SW_CI_RECIND_EXPDT	Expiration Date
SW_CI_RECIND_FAXNO	Fax
SW_CI_RECIND_FML	Female
SW_CI_RECIND_FRMRBRCD	Former Barcode
SW_CI_RECIND_FRSTNM	First Name
SW_CI_RECIND_GNDR	Gender
SW_CI_RECIND_ITEMSHELD	Items held
SW_CI_RECIND_ITEMSOUT	Items out
SW_CI_RECIND_LFTMCRC	Lifetime Circ Count
SW_CI_RECIND_LIFETIME_SAVE_AMT	Lifetime You Saved Amount
SW_CI_RECIND_LNG	Language
SW_CI_RECIND_LOADIMG	Loading image...
SW_CI_RECIND_LSTACT	Last Activity

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RECIND_LSTNM	Last Name
SW_CI_RECIND_MDDL	Middle
SW_CI_RECIND_MDDLNM	Middle Name
SW_CI_RECIND_MDFDT	Modification Date
SW_CI_RECIND_MDFR	Modifier
SW_CI_RECIND_MERGE	Merge
SW_CI_RECIND_ML	Male
SW_CI_RECIND_MNTH	Months
SW_CI_RECIND_YRS	Years
SW_CI_RECIND_MNTNREADLST	Maintain Reading History
SW_CI_RECIND_MRGBC	Merge Barcode
SW_CI_RECIND_MRGDT	Merge Date
SW_CI_RECIND_MSCINF	Misc. Information
SW_CI_RECIND_MSCINFT	Misc. Info
SW_CI_RECIND_NA	N/A
SW_CI_RECIND_NOTIFOPTN	Notification Option
SW_CI_RECIND_NOTIFSTTNGS	Notification Settings
SW_CI_RECIND_NTCADDR	Notices Address
SW_CI_RECIND_ORG	Registered At
SW_CI_RECIND_PHN	Phone/Fax
SW_CI_RECIND_PHNNO	Phone
SW_CI_RECIND_PLCOFEMP	Place of Employment
SW_CI_RECIND_PREF	Preferences
SW_CI_RECIND_PRFL	Profile
SW_CI_RECIND_PRNTGRD	Parent / Guardian
SW_CI_RECIND_PTIMG	Patron Image
SW_CI_RECIND_PTRNCD	Patron Code
SW_CI_RECIND_PWRD	Password

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RECIND_PWRDCNFRM	Password (Confirm)
SW_CI_RECIND_RCVERCPTS	eReceipt Option
SW_CI_RECIND_RCVTXTNTC	Additional TXT Notice
SW_CI_RECIND_RECID	Record ID
SW_CI_RECIND_REGAT	Registered On
SW_CI_RECIND_RELEASE	Release
SW_CI_RECIND_RELEASE_LOCKED	Patron record is locked by another user and may not be released.
SW_CI_RECIND_RELEASE_SUCCESS	Patron record has been released
SW_CI_RECIND_RNWPT	Renew
SW_CI_RECIND_SAVE	Save
SW_CI_RECIND_SAVED	Record saved!
SW_CI_RECIND_SBADDR	Address
SW_CI_RECIND_SBATTR	Attributes
SW_CI_RECIND_SBEML	Email
SW_CI_RECIND_SBFAX	Fax
SW_CI_RECIND_SBIMG	Image
SW_CI_RECIND_SBNOTIF	Notifications
SW_CI_RECIND_SBPHN	Phone/Fax
SW_CI_RECIND_SBPREF	Preferences
SW_CI_RECIND_SBPRFL	Profile
SW_CI_RECIND_SBPSWD	Password
SW_CI_RECIND_SCNDID	Second ID
SW_CI_RECIND_SECURE	Secure
SW_CI_RECIND_SECURE_LOCKED	Patron record is locked by another user and may not be secured.
SW_CI_RECIND_SECURE_SUCCESS	The patron record is now

STRING IDENTIFIERS	DEFAULT MESSAGE
	secured
SW_CI_RECIND_SELECTIMG	SELECT IMAGE...
SW_CI_RECIND_SFFX	Suffix
SW_CI_RECIND_STTCLSS	Statistical Class
SW_CI_RECIND_SVPT	Save
SW_CI_RECIND_TOTALHOLDILL	Total holds/ILL
SW_CI_RECIND_TOTALOVERDUE	Total overdue
SW_CI_RECIND_TRM	Term
SW_CI_RECIND_TTL	Title
SW_CI_RECIND_TXTMSGPHONE	Text Messaging Phone
SW_CI_RECIND_UPDATEIMAGE	Update Image...
SW_CI_RECIND_YRS	Years
SW_CI_RECIND_YTCCRC	YTD Circ Count
SW_CI_RECIND_YTD_SAVE_AMT	YTD You Saved Amount
SW_CI_RECORD_DUP_CN	Control number
SW_CI_RECORD_SECURED	Record secured
SW_CI_RECSET_ADD	Add to Record Set
SW_CI_RECORD_SETS	Record Sets
SW_CI_RECSET_ADD_FROM_FILE	Add from File
SW_CI_RECSET_ADDFROMFILE_SEEREPORT	One or more entries failed to add to the record set. Please see the error report for details.
SW_CI_RECSET_AUTHORITY_CONFIRM_MSG	You have made changes to this authority record set.
SW_CI_RECSET_AUTHORITY_CONFIRM_TITLE	Authority Record Set Changed
SW_CI_RECSET_CONFIRM_ACTION_DEL_MSG	This record set [record

STRING IDENTIFIERS	DEFAULT MESSAGE
	set ID] will be permanently deleted.
SW_CI_RECSET_CONFIRM_ACTION_DEL_TITLE	Delete Record Set
SW_CI_RECSET_CONFIRM_DEL_CANCEL	Cancel
SW_CI_RECSET_CONFIRM_DEL_YES	Continue
SW_CI_RECSET_BIB_CONFIRM_MSG	You have made changes to this bibliographic record set.
SW_CI_RECSET_BIB_CONFIRM_TITLE	Bibliographic Record Set Changed
SW_CI_RECSET_CLOSE_CONFIRM_MSG	Are you sure you want to close without saving?
SW_CI_RECSET_COUNT_BIB_NOT_ADDED	bibliographic record(s) were not added to the record set.
SW_CI_RECSET_COUNT_NOT_ADDED	authority record(s) were not added to the record set
SW_CI_RECSET_COUNT_NOT_ADDED	item record(s) were not added to the record set.
SW_CI_RECSET_DUPLICATE_RECORD	Duplicate record
SW_CI_RECSET_FILTERRCDSSETS -	Filter record sets
SW_CI_RECSET_ITEM_CONFIRM_MSG	You have made changes to this item record set.
SW_CI_RECSET_ITEM_CONFIRM_TITLE	Item Record Set Changed
SW_CI_RECSET_ITEM_NOT_FOUND	No matching item record was found.
SW_CI_RECSET_LOCKED	Record set is locked by
SW_CI_RECSET_NEW_BTN_CANCEL	Cancel
SW_CI_RECSET_NEW_BTN_CREATE	Create
SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION0	Select record type

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION1	Authority
SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION2	Bibliographic
SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION3	Item
SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_OPTION4	Patron
SW_CI_RECSET_NEW_CREATE_OBJECTTYPE_ERR	Please select a record type.
SW_CI_RECSET_NEW_RECORD_TYPE	Record Type
SW_CI_RECSET_NO_DUPES_PRE	Record sets may not contain duplicate records.
SW_CI_RECSET_NONE_ADDED	No records were added to the record set.
SW_CI_RECSET_REFRESH_CONFIRM_MSG	Are you sure you want to refresh without saving?
SW_CI_RECSET_RMV_SEL_RECGRDS –	Remove selected records.
SW_CI_RECSET_TTLRECS	Total Records
SW_CI_RECSET_UNLINKED_AUTH_TITLE	Authority Record Set Setup
SW_CI_RECSET_UNLINKED_BIB_TITLE	Bibliographic Record Set Setup
SW_CI_RECSET_UPDATE_SUCCESS	Record set updated successfully.
SW_CI_REFRESH	Refresh
SW_CI_REFUND_PROPERTIES	Refund Properties
SW_CI_REGFEE_CHARGE	Charge:
SW_CI_REGFEE_PRNT	Print payment receipt
SW_CI_REGISTRATION	Registration
SW_CI_REMINDER	Reminder
SW_CI_REMOVE_HISTORY_TTL	Remove from history
SW_CI_RENEW_ERR	Error renewing item.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RENEWPAT_EXPIRE	's registration will expire on
SW_CI_RENEWPAT_EXPIRED	's registration expired on
SW_CI_RENEWPAT_REG	Would you like to renew the registration?
SW_CI_REPL_TOO_LARGE	Changed replacement amount should not be larger than the outstanding.
SW_CI_REQUEST_NOT_ROUTED	Hold request cannot be routed.
SW_CI_RESET_CLAIM_COUNT	Reset Claim count
SW_CI_RESET_CLAIM_COUNT_PROMPT	Are you sure you want to reset claim count for this patron? Overall Claim Count =
SW_CI_RESET_CLAIM_COUNT_TTL	Reset Claim Count
SW_CI_RESET_DUE_DATE	Reset Due Date
SW_CI_RESETDUEDATE	Reset due date
SW_CI_RESTRICTED_PATRON	Patron record is secured. No activity is permitted.
SW_CI_RESULTS	Results
SW_CI_RETURN_PROPERTIES	Return Properties
SW_CI_RFID_CONFIRM_MSG	RFID processing was suspended for receipt printing. There may be unprocessed items on the pad.
SW_CI_RFID_CONFIRM_TITLE	RFID processing suspended
SW_CI_RFID_CONFIRM_YES	Continue
SW_CI_RFID_CONNECT_FAILED	Connect failed.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RFID_DISABLED	Disabled
SW_CI_RFID_ENABLED	Enabled
SW_CI_RFID_ERROR_LBL	RFID Error:
SW_CI_RFID_FAILED_TO_BIND_ITEM_AND_PATRON	Failed to bind item and patron.
SW_CI_RFID_FAILED_TO_UNBIND_ITEM_FROM_PATRON	Failed to unbind item from patron.
SW_CI_RFID_INVALID_BARCODE_FOUND	Invalid barcode found.
SW_CI_RFID_MULTIPLE_RFID_TAGS_DETECTED	Multiple RFID tags detected.
SW_CI_RFID_NO_RFID_TAGS_DETECTED	No RFID tags detected.
SW_CI_RFID_NOT_INITIALIZED	Not initialized.
SW_CI_RFID_NOT_SUPPORTED	Not supported.
SW_CI_RFID_READ_COMPLETE	RFID Read tags: complete.
SW_CI_RFID_READ_ERR	RFID Read tags: error
SW_CI_RFID_READ_SEARCHING	RFID Read tags: searching...
SW_CI_RFID_SECURITY	Security
SW_CI_RFID_SECURITY_DISABLE_FAILED	Unable to turn off security for item
SW_CI_RFID_SECURITY_ENABLE_FAILED	Unable to turn on security for item
SW_CI_RFID_SECURITY_FAILED	Failed to turn off security for item RFID tags.
SW_CI_RFID_SECURITY_ON_FAILED	Failed to turn on security for item RFID tags.
SW_CI_RFID_TEST_CONNECT	Testing RFID Connection...
SW_CI_RFID_TEST_NOTAGS	No tags found!
SW_CI_RFID_TEST_READLBL	RFID Read:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_RFID_TEST_TAGS	tags found!
SW_CI_RFID_UNKNOWN	Unknown
SW_CI_RNWPRMPT_CNCL	Cancel
SW_CI_RNWPRMPT_CONTINUE	Continue
SW_CI_RNWPRMPT_EXPTERM_ADDRCHK	Address Check Term
SW_CI_RNWPRMPT_EXPTERM_EXTDAT	Exact Date
SW_CI_RNWPRMPT_EXPTERM_MNTHS	Months
SW_CI_RNWPRMPT_EXPTERM_YRS	Years
SW_CI_RNWPRMPT_OK	Ok
SW_CI_ROUTER_BIBREC	Bibliographic Record
SW_CI_ROUTER_CHANGES_NOT_SAVED	Your changes have not been saved!
SW_CI_ROUTER_CHECKIN	Check In
SW_CI_ROUTER_ERR_DEF_CHKIN_VIEW	Error retrieving the default check in view. Setting to normal mode.
SW_CI_ROUTER_HOLDQUEUE	Hold Queue
SW_CI_ROUTER_HOLDREQ	Hold Request
SW_CI_ROUTER_ITEM_NOT_FOUND	Item Not Found
SW_CI_ROUTER_ITEMRCD	Item Record
SW_CI_ROUTER_NEW_ITEM	New Item Record
SW_CI_ROUTER_NEW_PATRON	New Patron Registration
SW_CI_ROUTER_NO_OWNER	No owner info is found.
SW_CI_ROUTER_NOPICKUP	Unable to retrieve the pickup branch ID.
SW_CI_ROUTER_OBJDEL	Object Deleted
SW_CI_ROUTER_PATRON	Patron
SW_CI_ROUTER_PICKLIST	Picklist
SW_CI_ROUTER_SETTINGS	Settings

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_SA_ERR_GET	Error retrieving the system administration value for {0}.
SW_CI_SA_ERR_SAVE	Error saving the system administration value for {0}.
SW_CI_SACACHE_CLEARED	The SA value cache has been cleared.
SW_CI_SCAN_A_BARCODE	Scan a barcode
SW_CI_SEARCH_CANCEL	Cancel
SW_CI_SEARCH_COUNT_ONLY	Count Only
SW_CI_SEARCH_EMPTYSEARCHRESULTS	No matches found for xxx.
SW_CI_SEARCH_EMPTYSEARCHTERM	Please enter a search term and try again.
SW_CI_SEARCH_OPEN	Open
SW_CI_SEARCH_RFID_NOTAGS	Tag not found. Please try again.
SW_CI_SEARCHFOR_A_TITLE	Search for a title
SW_CI_SECMANAGER_INIT_ERROR	Unable to connect to Security Manager
SW_CI_SECONDARY	Secondary record (to be deleted)
SW_CI_SELECT_BRNCH	Branch
SW_CI_SELECT	Select...
SW_CI_SELECT_BRNCH_WRKSTN	Select your Branch and Workstation
SW_CI_SELECT_FILE_DLG_ADD_BTN	Add from File
SW_CI_SELECT_FILE_DLG_BROWSE_BTN	Select File ...
SW_CI_SELECT_FILE_DLG_HEADER	Select File
SW_CI_SELECT_FILE_DLG_LBL_FILE_NAME	File Name

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_SELECT_FILE_DLG_REPORT_FILE_NAME	AddFromFile_ErrorReport
SW_CI_SELECT_FILE_DLG_LBL_REPORT_FILE_NAME	Error Report Name
SW_CI_SELECT_FILE_DLG_LBL_WRKSHT_COLUMN_PATRONID	Worksheet/Column containing Polaris Patron ID
SW_CI_SELECT_FILE_DLG_REPORT_FILE_NAME_MISSING	Please provide a name for the error report.
SW_CI_SELECT_PATRON	Select a patron
SW_CI_SELECT_WORKSTATION	Workstation
SW_CI_SETTINGS	Settings
SW_CI_SETTINGS_CONFIRM_MSG	You have made changes to your settings. Are you sure you want to close without saving?
SW_CI_SETTINGS_CONFIRM_TITLE	Settings Changed
SW_CI_SETTINGS_NAV_OTHR	Others
SW_CI_SETTINGS_NAV_PRNT	Print Options
SW_CI_SETTINGS_NAV_RFID	RFID
SW_CI_SETTINGS_NAV_SPLOAN	Special Loan
SW_CI_SETTINGS_NAV_TOUCH	Touch Device
SW_CI_SETTINGS_NAV_WRKFMUSRDEF	Workform User Defaults
SW_CI_SETTINGS_PRNT_CKORCPT	Check out receipt
SW_CI_SETTINGS_PRNT_FINERCPT	Fine receipt
SW_CI_SETTINGS_PRNT_HLDCALLSLIP	Hold call slip
SW_CI_SETTINGS_PRNT_HLDOONLY	Holds only
SW_CI_SETTINGS_PRNT_HLDPCKSLIP	Hold pickup slip
SW_CI_SETTINGS_PRNT_HLDSLIP	Hold slip
SW_CI_SETTINGS_PRNT_ILLPCKSLIP	Print ILL Pickup Slip
SW_CI_SETTINGS_PRNT_ILLSLIP	Print ILL Slip
SW_CI_SETTINGS_PRNT_INNPCKSLIP	INN-Reach Pickup Slip

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_SETTINGS_PRNT_INTRNSLP	In-transit slip
SW_CI_SETTINGS_PRNT_NOERCPT	only if no eReceipt
SW_CI_SETTINGS_RFID_AUTOPOLL	Auto-poll RFID tags
SW_CI_SETTINGS_RFID_IDLE	Idle
SW_CI_SETTINGS_RFID_SECMGR	Security Manager
SW_CI_SETTINGS_RFID_STATUS	Status
SW_CI_SETTINGS_RFID_TEST	Test Security Manager Connection
SW_CI_SETTINGS_TITLE	Settings
SW_CI_SETTINGS_TOUCH_KBRDINUSE	Keyboard in use
SW_CI_SETTINGS_TOUCH_PRPHLS	Peripherals
SW_CI_SETTINGS_TOUCH_SCNRINUSE	Scanner in use
SW_CI_SETTINGS_TOUCH_WARNING	Selecting a peripheral will change how focus is applied to input boxes on this touch device.
SW_CI_SETTINGS_WRKFRM_ITMREC	Item Record
SW_CI_SHOULD_BE_LARGER	should be larger than 0.
SW_CI_SIGNIN	Sign In
SW_CI_SIGNIN_PROVIDE_PWD	Please provide a password.
SW_CI_SPECIAL_RENEW	Special Renew
SW_CI_SPLOAN_CANCEL	Cancel
SW_CI_TEXT_PHONE_PHONE1	Phone 1
SW_CI_TEXT_PHONE_PHONE2	Phone 2
SW_CI_TEXT_PHONE_PHONE3	Phone 3
SW_CI_TEXT_PHONE_NONE	None
SW_CI_TITLE_DR	Dr.
SW_CI_TITLE_MR	Mr.

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_TITLE_MRS	Mrs.
SW_CI_TITLE_MS	Ms.
SW_CI_TITLE_NONE	None
SW_CI_TOTAL	Total
SW_CI_TOTAL_LOWER	total
SW_CI_TRACKER_CLSALL	CLOSE ALL
SW_CI_TRACKER_FILTER	Filter Workforms
SW_CI_TRACKER_TITLE	Workforms
SW_CI_TRANS_HISTORY_AMOUNT	Amount
SW_CI_TRANS_HISTORY_BARCODE	Barcode
SW_CI_TRANS_HISTORY_DUEDATE	Due Date
SW_CI_TRANS_HISTORY_NOTE	Note
SW_CI_TRANS_HISTORY_PAYMETHOD	Payment Method
SW_CI_TRANS_HISTORY_REASON	Reason
SW_CI_TRANS_HISTORY_STAFFNAME	Staff Name
SW_CI_TRANS_HISTORY_TITLE	Title
SW_CI_TRANS_HISTORY_TXNDATE	Date
SW_CI_TRANS_HISTORY_TYPE	Type
SW_CI_TRANS_SUMMARY_AMOUNT	Amount
SW_CI_TRANS_SUMMARY_BARCODE	Barcode
SW_CI_TRANS_SUMMARY_CREDIT	Credit
SW_CI_TRANS_SUMMARY_CREDIT_AMOUNT	Amount to credit:
SW_CI_TRANS_SUMMARY_CREDIT_BALANCE	Balance:
SW_CI_TRANS_SUMMARY_CREDIT_BTN_CANCEL	Cancel
SW_CI_TRANS_SUMMARY_CREDIT_BTN_CREDIT	Credit
SW_CI_TRANS_SUMMARY_CREDIT_NOTE	Note:
SW_CI_TRANS_SUMMARY_DATE	Date
SW_CI_TRANS_SUMMARY_NOTE	Note

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_TRANS_SUMMARY_PROPERTIES_AMOUNT	Amount
SW_CI_TRANS_SUMMARY_PROPERTIES_ASSDBRANCH	Assigned branch
SW_CI_TRANS_SUMMARY_PROPERTIES_AUTHOR	Author
SW_CI_TRANS_SUMMARY_PROPERTIES_CHKBRANCH	Check out branch
SW_CI_TRANS_SUMMARY_PROPERTIES_CHKDATE	Check out date
SW_CI_TRANS_SUMMARY_PROPERTIES_CREATIONDATE	Date created
SW_CI_TRANS_SUMMARY_PROPERTIES_CREATOR	Created by
SW_CI_TRANS_SUMMARY_PROPERTIES_DUEDATE	Due date
SW_CI_TRANS_SUMMARY_PROPERTIES_FORMAT	Material type
SW_CI_TRANS_SUMMARY_PROPERTIES_ITEM_BARCODE	Item barcode
SW_CI_TRANS_SUMMARY_PROPERTIES_ITEM_RECORDID	Item record ID
SW_CI_TRANS_SUMMARY_PROPERTIES_LIBRARY	Library
SW_CI_TRANS_SUMMARY_PROPERTIES_MODDATE	Date modified
SW_CI_TRANS_SUMMARY_PROPERTIES_MODIFIER	Modified by
SW_CI_TRANS_SUMMARY_PROPERTIES_NOTE	Note
SW_CI_TRANS_SUMMARY_PROPERTIES_PATRON_BARCODE	Patron barcode
SW_CI_TRANS_SUMMARY_PROPERTIES_PAYMETHOD	Payment method
SW_CI_TRANS_SUMMARY_PROPERTIES_TAB_ABOUT	About
SW_CI_TRANS_SUMMARY_PROPERTIES_TAB_ITEM	Item
SW_CI_TRANS_SUMMARY_PROPERTIES_TAB_TXN	Transaction
SW_CI_TRANS_SUMMARY_PROPERTIES_TITLE	Title
SW_CI_TRANS_SUMMARY_PROPERTIES_TRANNO	Transaction number
SW_CI_TRANS_SUMMARY_PROPERTIES_TRANS_TYPE	Transaction type
SW_CI_TRANS_SUMMARY_PROPS	Properties
SW_CI_TRANS_SUMMARY_REASON	Reason
SW_CI_TRANS_SUMMARY_REFUND	Refund
SW_CI_TRANS_SUMMARY_REFUND_AMOUNT	Amount to refund:
SW_CI_TRANS_SUMMARY_REFUND_BALANCE	Balance:

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_TRANS_SUMMARY_REFUND_BTN_CANCEL	Cancel
SW_CI_TRANS_SUMMARY_REFUND_BTN_REFUND	Refund
SW_CI_TRANS_SUMMARY_REFUND_NOTE	Note:
SW_CI_TRANS_SUMMARY_TITLE	Title
SW_CI_TRANS_SUMMARY_TYPE	Type
SW_CI_TXN_ACTION_AUTOWAIVE	Auto Waive
SW_CI_TXN_ACTION_CHARGE	Charge
SW_CI_TXN_ACTION_CREDIT	Credit
SW_CI_TXN_ACTION_DEPOSIT	Deposit
SW_CI_TXN_ACTION_FORFEIT	Forfeit
SW_CI_TXN_ACTION_LEAVE	Leave as is
SW_CI_TXN_ACTION_PAY	Pay
SW_CI_TXN_ACTION_REFUND	Refund
SW_CI_TXN_ACTION_RETURN	Return
SW_CI_TXN_ACTION_WAIVE	Waive
SW_CI_TXN_ACTION_WAIVEEXISTING	Waive
SW_CI_TXNSUM_ALREADY_PRE	The Payment transaction number
SW_CI_TXNSUM_ALREADY_SUFIX	was already refunded or credited. Select a payment with balance greater than zero only.
SW_CI_TXNSUM_CREDITED	Account credited successfully.
SW_CI_TXNSUM_REFUNDED	Payment refunded successfully.
SW_CI_TXNSUM_SELECT_PAY_ONLY	Please select Payment type only.
SW_CI_UDF_NONE	None
SW_CI_UID	UID (Settings workform,

STRING IDENTIFIERS	DEFAULT MESSAGE
	RFID tab, UID label)
SW_CI_UNEXPECTED_ERR	We're sorry. Something went wrong.
SW_CI_UNEXPECTED_ERR_OCCURRED	We're sorry. An unexpected error has occurred.
SW_CI_UPDATEITMRCRD_ERR	Error updating item record.
SW_CI_UPDATE_NOTES	Update Notes
SW_CI_USRNMFMNT	username@domain.com or domain\username
SW_CI_USRNMVRD	Override Domain\Username
SW_CI_UTILITIES	Utilities
SW_CI_WAIVE_NEW_FINES	Waive new fines
SW_CI_WAIVE_PROPERTIES	Waive Properties
SW_CI_WAIVEFEE_AMT_LRG_BALANCE	Changed amount should not be larger than the balance of
SW_CI_WAIVEFEE_AMT_LRG_MIN	Changed amount should not be larger than the minimum amount of
SW_CI_WEB_BRNCH_WKSTN_TITLE	Polaris Leap - Workstation
SW_CI_WEB_LOGIN_TITLE	Polaris Leap - Login
SW_CI_WEB_TITLE	Polaris Leap - Circulation
SW_CI_WRKFLOW_CMPLTD_FAILR	Completed process with failure
SW_CI_WRKFLOW_DUPE_HOLD	Duplicate hold requests exist
SW_CI_WRKFLOW_INFO	Additional information

STRING IDENTIFIERS	DEFAULT MESSAGE
SW_CI_WRKFLOW_INVDPREPLY	Invalid reply
SW_CI_WRKFLOW_ITM_BLKCD	Item is blocked
SW_CI_WRKFLOW_REQ_LIM	Request limits exceeded
SW_CI_WRKFLOW_STARTED	Started
SW_CI_WRKFLOW_TITLE_BLKCD	Title is blocked
SW_CI_WRKFLW_BLOCK_BARCODE	Barcode
SW_CI_WRKFLW_BLOCK_NAME	Name
SW_CI_WRKFLW_LSTCPY_DELETE	Delete
SW_CI_WRKFLW_LSTCPY_SUPPRESS	Suppress from PAC
SW_CI_WRKFLW_LSTCPY_RETAIN	Retain
SW_CI_WRKFLW_LSTCPY_OPEN	Open record set.
SW_CI_WRKFLW_LSTCPY_OPTIONS_MSG	The following record options are available:
SW_CI_WRKFLW_LSTCPY_PRINT	Print list
SW_CI_WRKFLW_WVCHRGCNL_CHRGACCT	Charge Account
SW_CI_WRKFLW_WVCHRGCNL_CNCL	Cancel
SW_CI_WRKFLW_WVCHRGCNL_CONT	Continue
SW_CI_WRKFLW_WVCHRGCNL_PAY	Pay
SW_CI_WRKFLW_WVCHRGCNL_WAIVE	Waive
SW_CI_WRKFM_HDR_ACTIONS	Actions
SW_CI_WRKFM_HDR_LINKS	Links
SW_CI_WRKFM_HDR_LINKS_HLDQ	Holds Queue
SW_CI_WRKSTN_DETECT_FAILED	Could not determine workstation. Select your workstation from the list.
SW_CI_WRKSTN_NOT_ENABLED	Workstation not enabled. Contact your system administrator for assistance.
SW_CI_WRKSTN_NOT_ENABLED_FOR_LEAP	Workstation is not

STRING IDENTIFIERS	DEFAULT MESSAGE
	enabled for use with Leap. Contact your system administrator for assistance.
SW_CI_YNPRMPT_NOASK	Do not ask patron again
SW_COPYRIGHT	All rights reserved.
SW_LEAP-ACCESS_DENIED	You do not have the permission, Access Leap: Allow. Contact your system administrator for assistance.
SW_LEAP_REMOTE_ACCESS_DENIED	You do not have the permission, Access Leap remotely: Allow. Contact your system administrator for assistance.
SW_LEAP_REMOTE_WRKSTN_ACCESS_DENIED	Workstation does not have the permission, Access Leap remotely: Allow. Contact your system administrator for assistance.
SW_LEAP_WRKSTN_ACCESS_DENIED	Workstation does not have the permission, Access Leap: Allow. Contact your system administrator for assistance.
SW_LOADING_LEAP_FILES	Loading Leap files
SW_LOGIN_INVALID	Invalid Login, try again!
SW_PASSWORD_REQUIRED	Password is required.
SW_SCAN_SEARCH	Scan or search
SW_USERNAME_REQUIRED	Username is required

STRING IDENTIFIERS	DEFAULT MESSAGE
SWC_CUSTOM_1	Custom 1
SWC_CUSTOM_2	Custom 2